


SE 1/4, Sec. 20, NW 1/4, Sec. 28 and
NE 1/4, Sec. 29, T37NR27W, Lincoln Co.

Sheet 2 of 2
CERTIFICATE OF SURVEY No. 522

indexed filed



CERTIFICATE OF SURVEY
SE1/4, Sec. 20, NW1/4, Sec. 28 and
NE1/4, Sec. 29, T37NR27W, Lincoln Co.

OWNER: LINCOLN COUNTY
PURPOSE: COUNTY ROAD RIGHT OF WAY
DATE: AUGUST 18, 1978

LEGAL DESCRIPTION

THOSE PORTIONS OF THE SOUTHEAST $\frac{1}{4}$, SECTION 20, THE NORTHWEST $\frac{1}{4}$, SECTION 28 AND THE
NORTHEAST $\frac{1}{4}$, SECTION 29, ALL IN TOWNSHIP 37 NORTH, RANGE 27 WEST, LINCOLN COUNTY,
MONTANA DESCRIBED AS FOLLOWS:
COMMENCING AT THE SOUTH $\frac{1}{4}$ CORNER OF SECTION 21; THENCE ALONG THE SOUTH LINE OF
SECTION 21 SOUTH 89°16'27" WEST 1791.22 FEET TO THE POINT OF BEGINNING; THENCE CON-
TINUING ALONG THE SOUTH LINE OF SECTION 21 SOUTH 89°16'27" WEST 852.35 FEET TO THE
SOUTHWEST CORNER OF SECTION 21, WHICH POINT IS THE BEGINNING OF A 470.00 FOOT RADIUS
CURVE TO THE RIGHT; AND NORTHWESTERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF 20°08'21"
165.20 FEET TO THE BEGINNING OF A 530.00 FOOT RADIUS REVERSE CURVE TO THE LEFT; AND
NORTHWESTERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF 19°56'56" 184.53 FEET; THENCE
SOUTH 89°27'52" WEST 503.33 FEET TO THE BEGINNING OF A 70.00 FOOT RADIUS CURVE TO THE
RIGHT; AND NORTHWESTERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF 64°57'32" 79.36 FEET
TO THE BEGINNING OF A 560.00 FOOT RADIUS REVERSE CURVE TO THE LEFT; AND NORTHWESTERLY
ALONG THE CURVE THRU A CENTRAL ANGLE OF 12°15'40" 119.84 FEET; THENCE NORTH 37°50'16"
WEST 99.26 FEET TO THE BEGINNING OF A 410.00 FOOT RADIUS CURVE TO THE LEFT; AND NORTH-
WESTERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF 18°04'55" 129.39 FEET; THENCE NORTH
55°55'11" WEST 49.56 FEET TO THE BEGINNING OF A 160.00 FOOT RADIUS CURVE TO THE RIGHT;
AND NORTHWESTERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF 48°11'15" 134.56 FEET; THENCE
NORTH 7°43'56" WEST 74.03 FEET TO THE BEGINNING OF A 110.00 FOOT RADIUS CURVE TO THE
RIGHT; AND NORTHEASTERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF 46°23'00" 89.05 FEET;
THENCE NORTH 38°39'04" EAST 38.02 FEET TO THE BEGINNING OF A 160.00 FOOT RADIUS CURVE TO
THE LEFT; AND NORTHERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF 64°50'10" 181.06 FEET;
THENCE NORTH 26°11'06" WEST 117.61 FEET TO THE BEGINNING OF A 70.00 FOOT RADIUS CURVE TO
THE RIGHT; AND NORTHERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF 64°14'20" 78.48 FEET;
THENCE NORTH 38°03'14" EAST 131.87 FEET TO THE BEGINNING OF A 160.00 FOOT RADIUS CURVE TO
THE LEFT; AND NORTHERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF 73°07'45" 204.22 FEET;
THENCE NORTH 35°04'31" WEST 206.46 FEET TO THE BEGINNING OF A 120.00 FOOT RADIUS CURVE TO
THE RIGHT; AND NORTHWESTERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF 34°41'40" 72.66 FEET;
THENCE NORTH 0°22'51" WEST 1060.27 FEET TO THE NORTH LINE OF THE EAST $\frac{1}{2}$ SOUTHEAST $\frac{1}{4}$, SECTION
20; THENCE ALONG THE NORTH LINE OF THE EAST $\frac{1}{2}$ SOUTHEAST $\frac{1}{4}$ SOUTH 89°23'52" WEST 60.00 FEET TO
THE NORTHEAST CORNER OF THE EAST $\frac{1}{2}$ SOUTHEAST $\frac{1}{4}$, SECTION 20; THENCE ALONG THE EAST LINE OF THE
EAST $\frac{1}{2}$ SOUTHEAST $\frac{1}{4}$ SOUTH 0°22'51" EAST 1060.03 FEET TO THE BEGINNING OF A 180.00 FOOT RADIUS
CURVE TO THE LEFT; AND SOUTHEASTERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF 34°41'40"
109.00 FEET; THENCE SOUTH 35°04'31" EAST 206.46 FEET TO THE BEGINNING OF A 100.00 FOOT RADIUS
CURVE TO THE RIGHT; AND SOUTHERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF 73°07'45" 127.63
FEET; THENCE SOUTH 38°03'14" WEST 131.87 FEET TO THE BEGINNING OF A 130.00 FOOT RADIUS CURVE
TO THE LEFT; AND SOUTHERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF 64°14'20" 145.75 FEET;
THENCE SOUTH 26°11'06" EAST 117.61 FEET TO THE BEGINNING OF A 100.00 FOOT RADIUS CURVE TO THE
RIGHT; AND SOUTHERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF 64°50'10" 113.16 FEET; THENCE
SOUTH 38°39'04" WEST 38.02 FEET TO THE BEGINNING OF A 170.00 FOOT RADIUS CURVE TO THE LEFT;
AND SOUTHWESTERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF 46°23'00" 137.62 FEET; THENCE SOUTH
7°43'56" EAST 74.03 FEET TO THE BEGINNING OF A 220.00 FOOT RADIUS CURVE TO THE LEFT; AND SOUTH-
EASTERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF 48°11'15" 185.03 FEET; THENCE SOUTH 55°55'11"
EAST 49.56 FEET TO THE BEGINNING OF A 350.00 FOOT RADIUS CURVE TO THE RIGHT; AND SOUTHEASTERLY
ALONG THE CURVE THRU A CENTRAL ANGLE OF 18°04'55" 110.46 FEET; THENCE SOUTH 37°50'16" EAST
99.26 FEET TO THE BEGINNING OF A 500.00 FOOT RADIUS CURVE TO THE RIGHT; AND SOUTHEASTERLY ALONG
THE CURVE THRU A CENTRAL ANGLE OF 12°15'40" 107.00 FEET TO THE BEGINNING OF A 130.00 FOOT RADIUS
REVERSE CURVE TO THE LEFT; AND SOUTHEASTERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF 64°57'32"
147.39 FEET TO A POINT ON THE SOUTH LINE OF SECTION 20; THENCE ALONG THE SOUTH LINE OF SECTION
20 NORTH 89°27'52" EAST 503.33 FEET TO THE BEGINNING OF A 470.00 FOOT RADIUS CURVE TO THE RIGHT;
AND SOUTHEASTERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF 19°56'56" 163.64 FEET TO THE BEGINNING
OF A 530.00 FOOT RADIUS REVERSE CURVE TO THE LEFT; AND SOUTHEASTERLY ALONG THE CURVE THRU A CENTRAL
ANGLE OF 20°08'21" 186.29 FEET; THENCE NORTH 89°16'27" EAST 852.35 FEET TO THE WESTERLY LINE OF A
COUNTY ROAD; THENCE ALONG THE WESTERLY LINE NORTH 0°43'33" WEST 60.00 FEET TO THE POINT OF BEGINNING,
CONTAINING 6.363 ACRES OF LAND, ALL AS SHOWN HEREON WHICH IS HEREWITH INCORPORATED IN AND MADE A
PART OF THIS LEGAL DESCRIPTION.

CERTIFICATE OF SURVEYOR

D. K. Marquardt
D. K. MARQUARDT
REGISTRATION No. 2989 ES

STATE OF MONTANA
COUNTY OF LINCOLN

FILED ON THE 30th DAY OF September 1978, A.D.,
AT 3:55 O'CLOCK P.M.

APPROVED: Sept 13, 1978

Walter D. Pauter
EXAMINING LAND SURVEYOR
REGISTRATION No. 4232-5

Eleanor L. Vaughn
COUNTY CLERK AND RECORDER
BY *Stanley Martin*
DEPUTY

APPROVED: *Jim R. Moser*
CHAIRMAN, BOARD OF LINCOLN COUNTY COMMISSIONERS

Prepared by: MARQUARDT ENGINEERING & SURVEYING
1031 South Main
Kalispell, MT 59901 ph. 755-3285

filed
index

CERTIFICATE OF SURVEY

SE1/4, Sec. 20, NW1/4, Sec. 28 and
NE1/4, Sec. 29, T37NR27W, Lincoln Co.

OWNER: LINCOLN COUNTY
PURPOSE: COUNTY ROAD RIGHT OF WAY
DATE: AUGUST 18, 1977

LEGAL DESCRIPTION

THOSE PORTIONS OF THE SOUTHEAST $\frac{1}{4}$, SECTION 20, THE NORTHWEST $\frac{1}{4}$, SECTION 28 AND THE
NORTHEAST $\frac{1}{4}$, SECTION 29, ALL IN TOWNSHIP 37 NORTH, RANGE 27 WEST, LINCOLN COUNTY,
MONTANA DESCRIBED AS FOLLOWS:
COMMENCING AT THE SOUTH $\frac{1}{4}$ CORNER OF SECTION 21; THENCE ALONG THE SOUTH LINE OF
SECTION 21 SOUTH $89^{\circ}16'27''$ WEST 1791.2 FEET TO THE POINT OF BEGINNING; THENCE CON-
TINUING ALONG THE SOUTH LINE OF SECTION 21 SOUTH $89^{\circ}16'27''$ WEST 882.58 FEET TO THE
SOUTHWEST CORNER OF SECTION 21, WHICH POINT IS THE BEGINNING OF A 470.00 FOOT RADIUS
CURVE TO THE RIGHT; AND NORTHWESTERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF $20^{\circ}08'11''$
161.20 FEET TO THE BEGINNING OF A 530.00 FOOT RADIUS REVERSE CURVE TO THE LEFT; AND
NORTHWESTERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF $12^{\circ}05'15''$ 184.13 FEET; THENCE
SOUTH $89^{\circ}27'12''$ WEST 107.74 FEET TO THE BEGINNING OF A 70.00 FOOT RADIUS CURVE TO THE
RIGHT; AND NORTHWESTERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF $14^{\circ}23'12''$ 109.36 FEET
TO THE BEGINNING OF A 70.00 FOOT RADIUS REVERSE CURVE TO THE LEFT; AND NORTHWESTERLY
ALONG THE CURVE THRU A CENTRAL ANGLE OF $12^{\circ}15'40''$ 119.84 FEET; THENCE NORTH $37^{\circ}50'16''$
WEST 99.76 FEET TO THE BEGINNING OF A 410.00 FOOT RADIUS CURVE TO THE LEFT; AND NORTH-
WESTERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF $18^{\circ}04'55''$ 129.39 FEET; THENCE NORTH
 $12^{\circ}11'11''$ WEST 49.56 FEET TO THE BEGINNING OF A 160.00 FOOT RADIUS CURVE TO THE RIGHT;
AND NORTHWESTERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF $48^{\circ}11'15''$ 134.46 FEET; THENCE
NORTH $7^{\circ}43'56''$ WEST 74.03 FEET TO THE BEGINNING OF A 110.00 FOOT RADIUS CURVE TO THE
RIGHT; AND NORTHEASTERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF $46^{\circ}23'00''$ 89.08 FEET;
THENCE NORTH $38^{\circ}39'04''$ EAST 38.02 FEET TO THE BEGINNING OF A 160.00 FOOT RADIUS CURVE TO
THE LEFT; AND NORTHERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF $64^{\circ}50'10''$ 181.06 FEET;
THENCE NORTH $26^{\circ}11'06''$ WEST 117.61 FEET TO THE BEGINNING OF A 70.00 FOOT RADIUS CURVE TO
THE RIGHT; AND NORTHERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF $64^{\circ}14'20''$ 78.48 FEET;
THENCE NORTH $45^{\circ}03'14''$ EAST 131.87 FEET TO THE BEGINNING OF A 160.00 FOOT RADIUS CURVE TO
THE LEFT; AND NORTHERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF $73^{\circ}07'45''$ 204.22 FEET;
THENCE NORTH $59^{\circ}04'41''$ WEST 206.46 FEET TO THE BEGINNING OF A 100.00 FOOT RADIUS CURVE TO
THE RIGHT; AND NORTHWESTERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF $34^{\circ}41'40''$ 127.63
FEET; THENCE NORTH $09^{\circ}11'11''$ WEST 1060.27 FEET TO THE NORTH LINE OF THE EAST $\frac{1}{2}$ SOUTHEAST $\frac{1}{4}$, SECTION
20; THENCE ALONG THE NORTH LINE OF THE EAST $\frac{1}{2}$ SOUTHEAST $\frac{1}{4}$ SOUTH $89^{\circ}23'12''$ WEST 60.00 FEET TO
THE NORTHEAST CORNER OF THE EAST $\frac{1}{2}$ SOUTHEAST $\frac{1}{4}$, SECTION 20; THENCE ALONG THE EAST LINE OF THE
EAST $\frac{1}{2}$ SOUTHEAST $\frac{1}{4}$ SOUTH $0^{\circ}22'51''$ EAST 1060.03 FEET TO THE BEGINNING OF A 180.00 FOOT RADIUS
CURVE TO THE LEFT; AND SOUTHEASTERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF $34^{\circ}41'40''$
109.00 FEET; THENCE SOUTH $35^{\circ}04'31''$ EAST 206.46 FEET TO THE BEGINNING OF A 100.00 FOOT RADIUS
CURVE TO THE RIGHT; AND SOUTHERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF $73^{\circ}07'45''$ 127.63
FEET; THENCE SOUTH $38^{\circ}03'14''$ WEST 131.87 FEET TO THE BEGINNING OF A 130.00 FOOT RADIUS CURVE
TO THE LEFT; AND SOUTHERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF $64^{\circ}14'20''$ 145.75 FEET;
THENCE SOUTH $26^{\circ}11'06''$ EAST 117.61 FEET TO THE BEGINNING OF A 100.00 FOOT RADIUS CURVE TO THE
RIGHT; AND SOUTHERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF $64^{\circ}50'10''$ 113.16 FEET; THENCE
SOUTH $38^{\circ}39'04''$ WEST 38.02 FEET TO THE BEGINNING OF A 170.00 FOOT RADIUS CURVE TO THE LEFT;
AND SOUTHWESTERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF $46^{\circ}23'00''$ 137.62 FEET; THENCE SOUTH
 $7^{\circ}43'56''$ EAST 74.03 FEET TO THE BEGINNING OF A 220.00 FOOT RADIUS CURVE TO THE LEFT; AND SOUTH-
EASTERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF $48^{\circ}11'15''$ 185.03 FEET; THENCE SOUTH $55^{\circ}55'11''$
EAST 49.56 FEET TO THE BEGINNING OF A 350.00 FOOT RADIUS CURVE TO THE RIGHT; AND SOUTHEASTERLY
ALONG THE CURVE THRU A CENTRAL ANGLE OF $18^{\circ}04'55''$ 110.46 FEET; THENCE SOUTH $37^{\circ}50'16''$ EAST
99.76 FEET TO THE BEGINNING OF A 410.00 FOOT RADIUS CURVE TO THE RIGHT; AND SOUTHEASTERLY ALONG
THE CURVE THRU A CENTRAL ANGLE OF $12^{\circ}15'40''$ 109.84 FEET TO THE BEGINNING OF A 130.00 FOOT RADIUS
REVERSE CURVE TO THE LEFT; AND SOUTHEASTERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF $64^{\circ}50'10''$
181.06 FEET TO A POINT ON THE SOUTH LINE OF SECTION 20; THENCE ALONG THE SOUTH LINE OF SECTION
20 NORTH $89^{\circ}16'27''$ EAST 882.58 FEET TO THE BEGINNING OF A 470.00 FOOT RADIUS CURVE TO THE RIGHT;
AND SOUTHEASTERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF $20^{\circ}08'11''$ 163.64 FEET TO THE BEGINNING
OF A 530.00 FOOT RADIUS REVERSE CURVE TO THE LEFT; AND SOUTHEASTERLY ALONG THE CURVE THRU A CENTRAL
ANGLE OF $12^{\circ}05'15''$ 184.13 FEET; THENCE NORTH $37^{\circ}50'16''$ EAST 99.76 FEET TO THE WESTERLY LINE OF A
COUNTY ROAD; THENCE ALONG THE WESTERLY LINE NORTH $34^{\circ}41'40''$ WEST 107.74 FEET TO THE POINT OF BEGINNING,
CONTAINING 1.94 ACRES OF LAND, AND AS SHOWN HEREON AND HEREIN INCORPORATED IN AND MADE A
PART OF THE LEGAL DESCRIPTION.

CERTIFICATE OF SURVEYOR

D. F. Marquardt
D. F. MARQUARDT
REGISTRATION NO. 2989 ES

STATE OF MONTANA
COUNTY OF LINCOLN

FILED ON THE 20th DAY OF September 1978, A.D.,
AT 3:55 O'CLOCK P. M.

APPROVED: Sept 13, 1978

Robin D. Bunker
EXAMINING LAND SURVEYOR
REGISTRATION NO. 42325

Eleanor L. Vaughn
COUNTY CLERK AND RECORDER
BY *Stanley M. Porter*
DEPUTY

APPROVED: *John R. Mays*
CHAIRMAN, BOARD OF LINCOLN COUNTY COMMISSIONERS

Prepared by: MARQUARDT ENGINEERING & SURVEYING
1031 South Main
Kalispell, MT 59901 ph 755-3285

Sheet 1 of 2
CERTIFICATE OF SURVEY No. 522

LINCOLN COUNTY ROAD

*Filed
in
Lincoln*