

**LINCOLN COUNTY MONTANA
CERTIFICATE OF SURVEY**

A PARCEL OF LAND LOCATED IN SECTION 6 & 7 OF
UNSURVEYED T32N, R34W, P.M.M. BEING H.E.S. NO. 741,
LINCOLN COUNTY RECORDS.

**OCTOBER - 1978
FOR: SAM DASIOS**

DESCRIPTION PARCEL "E"

A parcel of land located in Section 6 and 7 of unsurveyed T32N, R34W, P.M.M. being a portion of H.E.S. No. 741.

Beginning at a found stone which is H.E.S. corner No. 2 located on the Northerly boundary of H.E.S. No. 741, said point bears N66°33'57"E 2533.34 feet from the Northwest corner of Section 7 in unsurveyed T32N, R34W, P.M.M., said point is also common corner to H.E.S. corner No. 6 of H.E.S. No. 421 as per book 36, page 643, Lincoln County Records; thence, along the Easterly boundary of the aforementioned H.E.S. 741 S52°16'15"E 523.73 feet to a found stone which is H.E.S. corner No. 3 and is common corner to H.E.S. corner No. 5 of the aforementioned H.E.S. No. 421; thence, continuing along said Easterly boundary S02°28'29"E 951.91 feet to a found stone which is H.E.S. corner No. 4 and is common corner to H.E.S. corner No. 4 of said H.E.S. No. 421; thence, leaving said Easterly boundary and along the Southerly boundary of the aforementioned H.E.S. No. 741 S65°48'29"W 759.40 feet to a set 5/8 inch rebar tagged MDL 4232-S; thence, leaving said Southerly boundary N0°19'00"E 1483.39 feet to a set 5/8 inch rebar tagged MDL 4232-S located on the Northerly boundary of said H.E.S. No. 741; thence, along said boundary N66°33'57"E 249.79 feet to the Point of Beginning.

This parcel contains 20.000 acres more or less.

Together with the existing "O'Brien Creek" Forest Service road and a 40.00 foot wide easement from said "O'Brien Creek" road in H.E.S. No. 421 as shown of the map herewith.

CERTIFICATE OF EXAMINING LAND SURVEYOR

Approved this 8TH day of NOVEMBER, 1978 A.D.

Jack W. Dingeman 534 E.S.
Examining Land Surveyor Reg. No.

APPROVED:

Jim R. May
Chairman, Lincoln County Commissioners

CERTIFICATE OF CLERK RECORDER

State of Montana, County of Lincoln, filed this 9TH day of November, 1978 A.D. at 4:10 O'clock P.M.

Deanne L. Daughn by Betty Beebe
County Clerk Recorder Deputy



KOOTENAI ENGINEERING
CIVIL ENGINEERING & LAND SURVEYING
LIBBY, MONTANA 406-293-7721

DESCRIPTION PARCEL "A" REMAINDER

A parcel of land located in Section 6 and 7 of unsurveyed T32N, R34W, P.M.M. being a portion of H.E.S. No. 741.

Beginning at a found Brass Cap located at the Northwest corner of Section 7 in unsurveyed T32N, R34W, P.M.M., said point also being H.E.S. corner No. 1; thence, along the Northerly boundary N66°33'57"E 343.38 feet to a set 5/8 inch rebar tagged MDL 4232-S; thence, leaving said Northerly boundary S0°19'00"W 1733.04 feet to a set 5/8 inch rebar tagged MDL 4232-S located on the Southerly boundary of said H.E.S. 741; thence, along said boundary S65°17'28"W 346.86 feet to a found stone located on the West Section line of the aforementioned Section 7, said point also being H.E.S. corner No. 7; thence, along said Section line N0°19'00"E 1741.47 feet to the Point of Beginning.

This parcel contains 12.535 acres more or less.

Together with the existing "O'Brien Creek" Forest Service road for access purposes as shown on the map herewith.

DESCRIPTION PARCEL "B"

A parcel of land located in Section 6 and 7 of unsurveyed T32N, R34W, P.M.M. being a portion of H.E.S. No. 741.

Beginning at a set 5/8 inch rebar tagged MDL 4232-S located on the Northerly boundary of H.E.S. No. 741, said point bears N66°33'57"E 343.38 feet from the Northwest Section corner of Section 7 in unsurveyed T32N, R34W, P.M.M.; thence, along said Northerly boundary N66°33'57"E 553.94 feet to a set 5/8 inch rebar tagged MDL 4232-S; thence, leaving said boundary S0°19'00"W 1677.23 feet to a set 5/8 inch rebar tagged MDL 4232-S located on the Southerly boundary of said H.E.S. No. 741; thence, along said boundary S55°49'30"W 232.57 feet to a found stone which is H.E.S. corner No. 6; thence, continuing along said boundary S65°17'28"W 348.01 feet to a set 5/8 inch rebar tagged MDL 4232-S; thence, leaving said boundary N0°19'00"E 1733.04 feet to the Point of Beginning.

This parcel contains 20.000 acres more or less.

Together with the existing "O'Brien Creek" Forest Service road for access purposes as shown on the map herewith.

DESCRIPTION PARCEL "C"

A Parcel of land located in Section 6 and 7 of unsurveyed T32N, R34W, P.M.M. being a portion of H.E.S. No. 741.

Beginning at a set 5/8 inch rebar tagged MDL 4232-S located on the Northerly boundary of H.E.S. No. 741, said point bears N66°33'57"E 897.32 feet from the Northwest Section corner of Section 7 in unsurveyed T32N, R34W, P.M.M.; thence, along said Northerly boundary N66°33'57"E 591.04 feet to a set 5/8 inch rebar tagged MDL 4232-S; thence, leaving said boundary S0°19'00"W 1543.59 feet to a set 5/8 inch rebar tagged MDL 4232-S located on the Southerly boundary of said H.E.S. No. 741; thence, along said boundary S55°49'30"W 656.36 feet to a set 5/8 inch rebar tagged MDL 4232-S; thence, leaving said boundary N0°19'00"E 1677.23 feet to the Point of Beginning.

This parcel contains 20.000 acres more or less.

Together with the existing "O'Brien Creek" Forest Service road for access purposes as shown on the map herewith.

DESCRIPTION PARCEL "D"

A Parcel of land located in Section 6 and 7 of unsurveyed T32N, R34W, P.M.M. being a portion of H.E.S. No. 741.

Beginning at a set 5/8 inch rebar tagged MDL 4232-S located on the Northerly boundary of H.E.S. No. 741, said point bears N66°33'57"E 1488.36 feet from the Northwest corner of Section 7 in unsurveyed T32N, R34W, P.M.M.; thence, along said Northerly boundary N66°33'57"E 795.19 feet to a set 5/8 inch rebar tagged MDL 4232-S; thence, leaving said boundary S0°19'00"W 1483.39 feet to a set 5/8 inch rebar tagged MDL 4232-S located on the Southerly boundary of said H.E.S. No. 741; thence, along said boundary S65°48'29"W 568.33 feet to a found Brass Cap which is H.E.S. corner No. 5; thence, continuing along said boundary S55°49'30"W 255.30 feet to a set 5/8 inch rebar tagged MDL 4232-S; thence, leaving said boundary N0°19'00"E 1543.59 feet to the Point of Beginning.

This parcel contains 25.000 acres more or less.

Together with the existing "O'Brien Creek" Forest Service road and a 40.00 foot wide easement from said "O'Brien Creek" road in H.E.S. No. 421 and a 40.00 foot wide easement across "Parcel E" as shown on the map herewith.

LINCOLN COUNTY MONTANA
AMENDED CERTIFICATE OF SURVEY

A PARCEL OF LAND LOCATED IN SECTION 6 & 7 OF
UNSURVEYED T32N, R33W, P.M.M. BEING H.E.S. NO. 741,
LINCOLN COUNTY RECORDS.

OCTOBER - 1978
FOR : SAM DASIOS

DESCRIPTION PARCEL "E"

A parcel of land located in Section 6 and 7 of unsurveyed T32N, R33W, P.M.M. being a portion of H.E.S. No. 741.

Beginning at a found stone which is H.E.S. corner No. 2 located on the Northerly boundary of H.E.S. No. 741, said point bears N66°33'57"E 2533.34 feet from the Northwest corner of Section 7 in unsurveyed T32N, R33W, P.M.M., said point is also common corner to H.E.S. corner No. 6 of H.E.S. No. 421 as per book 36, page 643, Lincoln County Records; thence, along the Easterly boundary of the aforementioned H.E.S. 741 S52°16'15"E 523.73 feet to a found stone which is H.E.S. corner No. 3 and is common corner to H.E.S. corner No. 5 of the aforementioned H.E.S. No. 421; thence, continuing along said Easterly boundary S02°28'29"E 951.91 feet to a found stone which is H.E.S. corner No. 4 and is common corner to H.E.S. corner No. 4 of said H.E.S. No. 421; thence, leaving said Easterly boundary and along the Southerly boundary of the aforementioned H.E.S. No. 741 S65°48'29"W 759.40 feet to a set 5/8 inch rebar tagged MDL 4232-S; thence, leaving said Southerly boundary N0°19'00"E 1483.39 feet to a set 5/8 inch rebar tagged MDL 4232-S located on the Northerly boundary of said H.E.S. No. 741; thence, along said boundary N66°33'57"E 249.79 feet to the Point of Beginning.

This parcel contains 20.000 acres more or less.

Together with the existing "O'Brien Creek" Forest Service road and a 40.00 foot wide easement from said "O'Brien Creek" road in H.E.S. No. 421 as shown of the map herewith.

CERTIFICATE OF EXAMINING LAND SURVEYOR

Approved this 8TH day of NOVEMBER, 1978 A.D.

Jack W. Dinneman 534 ES
Examining Land Surveyor Reg. No.

APPROVED:

John R. May
Chairman, Lincoln County Commissioners

CERTIFICATE OF CLERK RECORDER

State of Montana, County of Lincoln, filed this 15TH day of November, 1978 A.D. at 2:45 O'clock P.M.

John R. May by Betty Sue
County Clerk recorder Deputy

McKenzie D. Sauter

KOOTENAI ENGINEERING
CIVIL ENGINEERING & LAND SURVEYING
LIBBY, MONTANA 406-293-7721

DESCRIPTION PARCEL "A" REMAINDER

A parcel of land located in Section 6 and 7 of unsurveyed T32N, R33W, P.M.M. being a portion of H.E.S. No. 741.

Beginning at a found Brass Cap located at the Northwest corner of Section 7 in unsurveyed T32N, R33W, P.M.M., said point also being H.E.S. corner No. 1; thence, along the Northerly boundary N66°33'57"E 343.38 feet to a set 5/8 inch rebar tagged MDL 4232-S; thence, leaving said Northerly boundary S0°19'00"W 1733.04 feet to a set 5/8 inch rebar tagged MDL 4232-S located on the Southerly boundary of said H.E.S. 741; thence, along said boundary S65°17'28"W 346.86 feet to a found stone located on the West Section line of the aforementioned Section 7, said point also being H.E.S. corner No. 7; thence, along said Section line N0°19'00"E 1741.47 feet to the Point of Beginning.

This parcel contains 12.535 acres more or less.

Together with the existing "O'Brien Creek" Forest Service road for access purposes as shown on the map herewith.

DESCRIPTION PARCEL "B"

A parcel of land located in Section 6 and 7 of unsurveyed T32N, R33W, P.M.M. being a portion of H.E.S. No. 741.

Beginning at a set 5/8 inch rebar tagged MDL 4232-S located on the Northerly boundary of H.E.S. No. 741, said point bears N66°33'57"E 343.38 feet from the Northwest Section corner of Section 7 in unsurveyed T32N, R33W, P.M.M.; thence, along said Northerly boundary N66°33'57"E 553.94 feet to a set 5/8 inch rebar tagged MDL 4232-S; thence, leaving said boundary S0°19'00"W 1677.23 feet to a set 5/8 inch rebar tagged MDL 4232-S located on the Southerly boundary of said H.E.S. No. 741; thence, along said boundary S55°49'30"W 232.57 feet to a found stone which is H.E.S. corner No. 6; thence, continuing along said boundary S65°17'28"W 348.01 feet to a set 5/8 inch rebar tagged MDL 4232-S; thence, leaving said boundary N0°19'00"E 1733.04 feet to the Point of Beginning.

This parcel contains 20.000 acres more or less.

Together with the existing "O'Brien Creek" Forest Service road for access purposes as shown on the map herewith.

DESCRIPTION PARCEL "C"

A Parcel of land located in Section 6 and 7 of unsurveyed T32N, R33W, P.M.M. being a portion of H.E.S. No. 741.

Beginning at a set 5/8 inch rebar tagged MDL 4232-S located on the Northerly boundary of H.E.S. No. 741, said point bears N66°33'57"E 897.32 feet from the Northwest Section corner of Section 7 in unsurveyed T32N, R33W, P.M.M.; thence, along said Northerly boundary N66°33'57"E 591.04 feet to a set 5/8 inch rebar tagged MDL 4232-S; thence, leaving said boundary S0°19'00"W 1543.59 feet to a set 5/8 inch rebar tagged MDL 4232-S located on the Southerly boundary of said H.E.S. No. 741; thence, along said boundary S55°49'30"W 656.36 feet to a set 5/8 inch rebar tagged MDL 4232-S; thence, leaving said boundary N0°19'00"E 1677.23 feet to the Point of Beginning.

This parcel contains 20.000 acres more or less.

Together with the existing "O'Brien Creek" Forest Service road for access purposes as shown on the map herewith.

DESCRIPTION PARCEL "D"

A Parcel of land located in Section 6 and 7 of unsurveyed T32N, R33W, P.M.M. being a portion of H.E.S. No. 741.

Beginning at a set 5/8 inch rebar tagged MDL 4232-S located on the Northerly boundary of H.E.S. No. 741, said point bears N66°33'57"E 1488.36 feet from the Northwest corner of Section 7 in unsurveyed T32N, R33W, P.M.M.; thence, along said Northerly boundary N66°33'57"E 795.19 feet to a set 5/8 inch rebar tagged MDL 4232-S; thence, leaving said boundary S0°19'00"W 1483.39 feet to a set 5/8 inch rebar tagged MDL 4232-S located on the Southerly boundary of said H.E.S. No. 741; thence, along said boundary S65°48'29"W 568.66 feet to a found Brass Cap which is H.E.S. corner No. 5; thence, continuing along said boundary S55°49'30"W 255.30 feet to a set 5/8 inch rebar tagged MDL 4232-S; thence, leaving said boundary N0°19'00"E 1543.59 feet to the Point of Beginning.

This parcel contains 25.000 acres more or less.

Together with the existing "O'Brien Creek" Forest Service road and a 40.00 foot wide easement from said "O'Brien Creek" road in H.E.S. No. 421 and a 40.00 foot wide easement across "Parcel E" as shown on the map herewith.

VICINITY MAP: 1-INCH = 2000 FEET

U.S.F.S.

PURPOSE OF SURVEY IS TO CREATE PARCELS OVER 20.000 ACRES FOR CONVEYANCE.

BASIS OF BEARING IS THE WEST LINE
OF SECTION 7 IN UNSURVEYED T32N, R33W,
P.M.M. BETWEEN THE FD. BRASS CAP
NORTHWEST SEC. COR. OF SEC. 7 AND THE
FD. STONE CLOSING CORNER OF H.E.S.
NO. 741. G.L.O. NOTES -- [NO. 19'E]

PARCEL "A" REMAINDER IS EXEMPT FROM
REVIEW BY THE DEPT. OF H.E.S.
BECAUSE SEGREGATED PARCELS
CREATED FOR CONVEYANCE ARE
OVER 20 ACRES.

[] RECORD H.E.S. NO. 741
() RECORD H.E.S. NO. 421
● FOUND MONUMENT AS NOTED
○ SET 5/8" REBAR TAGGED
MDL 4232-S

PURPOSE OF AMENDMENT IS TO
CHANGE THE CORRECT RANGE
NUMBER FROM 34W TO 33W.

[illegible]

CERTIFICATE OF SURVEY NO. 535-A