



BY: DOYLE ENTERPRISES
285 NORTH MAIN
KALISPELL, MT. 59901
PH: 755-6481

CERTIFICATE OF SURVEY

SE 1/4, SEC. 7, & , NE 1/4 SEC. 18, T.36N, R.27W, PM., M., LINCOLN CO.




FOR: ARLENE SPOKLE
OWNER: " " " " "
DATE: SEPT., 29, 1981

DESCRIPTION

Two (2) tracts of land situated, lying and being in the Southeast Quarter (SE 1/4) of Section Seven (7), and in the Northeast Quarter (NE 1/4) of Section Eighteen (18), Township Thirty-six (36) North, Range Twenty-seven (27) West, PM., M., Lincoln County, Montana, and more particularly described as follows:

TRACT NO. 1- Beginning at the N.W. corner of the Section 18, T.36N, R.27W, PM., M., Lincoln County, Montana, which is a found brass cap; thence S 00° 06' 56" E., and along the Easterly 1/4 mile boundary line of said Section 18, 1/4 mile to a found iron pin; thence "W&E" and leaving said east boundary line, 279.18 feet to a found iron pin; thence N 64° 18' 16" E., along said center line, 20.00 feet to the P.C. of a 150.00 foot radius curve concave Northwesterly; thence Northwesterly and Northwesterly through a central angle of 104° 17' 03" an arc length of 273.02 feet to the P.T. of said curve; thence S 40° 06' 43" W., 47.48 feet to a point on the southerly 1/4 mile line of Montana State Highway No. 57; thence northeasterly through a central angle of 11° 59' 32", an arc length of 103.64 feet to a found iron pin; thence S 43° 59' 32" E., and leaving said Highway R/W line, 103.64 feet to a found iron pin; thence S 24° 40' 52" E., 115.15 feet to a found iron pin; thence S 17° 27' 57" W., 47.48 feet to a found iron pin; thence S 63° 43' 42" E., 54.57 feet to a found iron pin; thence S 11° 09' 18" E., 72.94 feet to a found iron pin on the northerly boundary line of the "KING" of sec. 18; thence S 49° 25' 35" E., and along said north boundary, 104.66 feet to the place of beginning and containing (6.149) acres of land more or less and subject to and together with a 60.00 foot Private road and Utility easement as shown on Certificate of Survey No. 814, and all existing easements of record.

TRACT NO. 2- Beginning at the N.W. corner of Certificate of Survey No. 814, a map of records on file in the Clerk and Recorder's office of Lincoln County, Montana which is a found iron pin on the southerly R/W line of Montana State Highway No. 57, Unit 1; thence S 77° 45' 13" E., and along said Highway R/W line, 488.53 feet to a found R/W monument, the P.C. of a 800.00 foot radius curve concave southerly having a radial bearing of S 11° 03' 33" E., thence Northwesterly and southeasterly, through a central angle of 26° 23' 00", an arc length of 488.53 feet to a found Highway R/W monument, the P.T. of said curve; thence S 74° 40' 26" E., 441.00 feet to a found Heavy R/W monument, the P.C. of a 450.00 foot radius curve concave northerly (having a radial bearing of S 15° 20' 11" E.); thence southeasterly and northeasterly, through a central angle of 21° 59' 32", an arc length of 103.64 feet to a point on the centerline of a 60.00 foot Private road and Utility easement; thence S 40° 06' 43" E., and leaving said Highway R/W, and along said Private road centerline, 47.48 feet to the P.C. of a 150.00 foot radius curve concave southerly; thence southeasterly and southeasterly, through a central angle of 104° 17' 03", an arc length of 273.02 feet to the P.T. of said curve; thence S 64° 18' 16" E., 20.00 feet to the P.C. of a 150.00 foot radius curve concave Northwesterly; thence Southwesterly, through a central angle of 21° 59' 32", an arc length of 103.64 feet to the P.T. of said curve; thence S 86° 09' 50" W., 58.38 feet to the P.C. of a 300.00 foot radius curve concave Southeasterly; thence Southwesterly through a central angle of 18° 04' 02", an arc length of 189.20 feet to the P.T. of said curve; thence S 68° 05' 48" W., 56.91 feet to the P.C. of a 150.00 foot radius curve concave northerly; thence Southwesterly and northwesterly, through a central angle of 53° 57' 31", an arc length of 113.01 feet to the P.T. of said curve; thence N 57° 56' 41" W., 108.49 feet to the P.C. of a 370.00 foot radius curve concave southerly; thence northwesterly and southwesterly, through a central angle of 84° 08' 06", an arc length of 543.32 feet to the P.T. of said curve; thence S 37° 55' 13" W., 111.40 feet to the P.C. of a 60.00 foot radius curve concave northwesterly; thence southwesterly and northwesterly, through a central angle of 69° 08' 20", an arc length of 72.40 feet to the P.T. of said curve; thence N 17° 03' 33" E., and leaving said centerline of the Private road, 72.40 feet to a found iron pin on the northerly R/W line of said Private road; thence N 32° 53' 05" W., 125.91 feet to a point; thence N 17° 03' 33" E., and leaving said centerline of the Private road, 72.40 feet to a found iron pin; thence N 52° 54' 34" W., 358.02 feet to the place of beginning and containing (15.094) acres of land more or less, and subject to and together with a 60.00 foot private road and utility easement as shown hereon, and all existing easements of record.




CURVE DATA

DELTA	RADIUS	LENGTH
① 104°17'03"	120.00'	218.41'
② 104°17'03"	150.00'	273.02'
③ 104°17'03"	180.00'	327.62'
④ 21°59'32"	270.00'	103.64'
⑤ 21°59'32"	300.00'	115.15'
⑥ 21°59'32"	330.00'	126.67'
⑦ 18°04'02"	630.00'	198.66'
⑧ 18°04'02"	600.00'	189.20'
⑨ 18°04'02"	570.00'	179.74'
⑩ 53°57'31"	120.00'	113.01'
⑪ 53°57'31"	150.00'	141.26'
⑫ 53°57'31"	180.00'	169.52'
⑬ 84°08'06"	400.00'	587.37'
⑭ 84°08'06"	370.00'	543.32'
⑮ 84°08'06"	34000'	499.27'
⑯ 69°08'20"	30.00'	36.20'
⑰ 69°08'20"	60.00'	72.40'
⑱ 69°08'20"	90.00'	108.60'

- ### LEGEND
- ⊙ SEC. COR. (AS NOTED)
 - ⊙ 1/4 CORNER (AS NOTED)
 - ⊙ CENTER SECTION (AS NOTED)
 - ⊙ 1/16 CORNER (AS NOTED)
 - FOUND IRON PIN BY PS&S
 - SET 5/8" X 24" REBAR WITH 1/4" PLASTIC CAP, STAMPED

CORNER CERTIFICATE
I hereby certify that the purpose of this division of land is to transfer ownership of the parcel created as an occasional sale; furthermore, I certify that I am entitled to use this exemption in that I am in compliance with all conditions imposed in the use of this exemption; therefore, this division of land is exempt from review as a subdivision pursuant to Section 76-3-207 (d), M.C.A.



STATE OF MONTANA)
COUNTY OF LINCOLN)
On this 11 day of December 1981, Arlene Spokle, a duly qualified and sworn in Notary Public for the State of Montana, personally appeared Arlene Spokle, known to me to be the person whose name is subscribed to the foregoing instrument and acknowledged to me they executed the same.

Michele Neuhart
Kaup
Notary Public

APPROVED: Arlene Spokle
Steph P. Stank
EXAMINING LAND SURVEYOR REG. NO. 2619-S



STATE OF MONTANA)
COUNTY OF LINCOLN)
FILED ON THE 29th DAY OF Dec., 1981 A.D.
AT 3:30 O'CLOCK P.M.
Thomas D. Tougler
CLERK & RECORDER
BY Betsy Bell
DEPUTY

BOOK _____ PAGE _____
INSTRUMENT REC. NO. _____

BY: DOYLE ENTERPRISES
285 NORTH MAIN
KALISPELL, MT. 59901
PH: 755-6481

CERTIFICATE OF SURVEY

SE1/4, SEC.7, & , NE1/4 SEC.18 ,T.36N.,R.27W.,P.M.,M., LINCOLN CO.



FOR: ARLENE SPOKIE
OWNER: " " " " "
DATE: SEPT., 29, 1981


PURPOSE OF SURVEY: TRACT One (1) OCCASIONAL SALE
TRACT Two (2) REMAINDER

DESCRIPTION


Two (2) tracts of land situated, lying and being in the Southeast Quarter (SE1/4) of Section Seven (7), and in the Northeast Quarter (NE1/4) of Section Eighteen (18), Township Thirty-six (36) North, Range Twenty-seven (27) West, P.M.M., Lincoln County, Montana and more particularly described as follows:

TRACT ONE (1) Beginning at the N.E. corner of the Section 18, T 36 N., R 27 W., P.M.M., Lincoln County, Montana, which is a found brass cap; thence S 00°06' 56" E., and along the Easterly boundary line of the NE1/4 of Sec. 18, 621.11 feet to a found iron pin; thence "WEST" and leaving said east boundary line, 279.18 feet to a found iron pin; thence N 16° 53' 40" W., 541.05 feet to a point on the centerline of a 60.00 foot Private road and utility easement; thence N 64° 40' 18" E., along said centerline, 30.11 feet to the P.C. of a 150.00 foot radius curve concave Northwest; thence Northeast and northwesterly through a central angle of 104° 17' 03" an arc length of 273.02 feet to the P.T. of said curve; thence N 40° 06' 45" W., 47.48 feet to a point on the southerly R/W line of Montana State Highway No. 37 unit 1, which is a point on a 853.74 foot radius curve concave northwesterly (having a radial bearing of N 29° 44' 08" W); thence northwesterly through a central angle of 11° 06' 32", an arc length of 471.39 feet to a found iron pin; thence S 45° 40' 5" E., and leaving said highway R/W line, 59.13 feet to a found iron pin; thence S 24° 40' 52" E., 115.55 feet to a found iron pin; thence S 07° 27' 57" W., 46.31 feet to a found ironpin; thence S 53° 41' 43" E., 34.87 feet to a found iron pin; thence S 11° 09' 18" E., 72.94 feet to a found iron pin on the northerly boundary line of the NE1/4 of Sec. 18; thence S 89° 29' 35" E., and along said north boundary, 104.65 feet to the place of beginning and containing (6.149) acres of land more or less and subject to and together with a 60.00 foot Private road and Utility easement as shown on Certificate of Survey No. 814, and all existing easements of record.

TRACT TWO (2) Beginning at the N.W. corner of Certificate of Survey No. 814, a map of records on file in the Clerk and Recorders office of Lincoln County, Montana which is a found iron pin on the southerly R/W line of Montana State Highway No. 37, Unit 1; Thence N 77° 45' 13" E., and along said Highway R/W line, 488.27 feet to a found R/W monument, the P.C. of a 884.93 foot radius curve concave southerly (having a radial bearing of S 11° 04' 14" E); thence Northeast and southeasterly, through a central angle of 26° 24' 01", an arc length of 384.71 feet to a found Highway R/W monument, the P.T. of said curve; thence S 74° 40' 26" E., 441.00 feet to a found Highway R/W monument, the P.C. of a 883.94 foot radius curve concave northerly (having a radial bearing of N 15° 20' 11" E); thence southeasterly and northeasterly, through a central angle of 45° 04' 20", an arc length of 695.36 feet to a point on the centerline of a 60 foot Private road and Utility easement; thence S 40° 06' 45" E., and leaving said Highway R/W, and along said Private road centerline, 47.48 feet to the P.C. of a 150.00 foot radius curve concave westerly; thence southeasterly and southwesterly, through a central angle of 104° 17' 03", an arc length of 273.02 feet to the P.T. of said curve; thence S 64° 18' 18" W., 113.01 feet to the P.C. of a 300.00 foot radius curve concave Northwest; thence Southwesterly, through a central angle of 21° 59' 32", an arc length of 115.15 feet to the P.T. of said curve; thence S 86° 09' 50" W., 58.38 feet to the P.C. of a 600.00 foot radius curve concave Southeasterly; thence Southwesterly through a central angle of 18° 04' 02", an arc length of 189.20 feet to the P.T. of said curve; thence S 68° 05' 48" W., 56.91 feet to the P.C. of a 150.00 foot radius curve concave northerly; thence Southwesterly and northwesterly, through a central angle of 53° 57' 31", an arc length of 113.01 feet to the P.T. of said curve; thence N 57° 56' 41" W., 108.49 feet to the P.C. of a 370.00 foot radius curve concave southerly; thence northwesterly and southwesterly, through a central angle of 84° 08' 06", an arc length of 543.32 feet to the P.T. of said curve; thence S 37° 55' 13" W., 111.40 feet to the P.C. of a 60.00 foot radius curve concave northwesterly; thence southwesterly and northwesterly, through a central angle of 69° 08' 20", an arc length of 72.40 feet to the P.T. of said curve; thence N 17° 03' 33" E., and leaving said centerline of the Private road, 259.78 feet to a found iron pin; thence N 52° 30' 34" W., 358.02 feet to the place of beginning and containing (15.094) acres of land more or less, and subject to and together with a 60.00 foot private road and utility easement as shown hereon, and all existing easements of record.



CURVE DATA		
DELTA	RADIUS	LENGTH
① 104°17'03"	120.00	218.41
② 104°17'03"	150.00	273.02
③ 104°17'03"	180.00	327.62
④ 21°59'32"	270.00	103.64
⑤ 21°59'32"	300.00	115.15
⑥ 21°59'32"	330.00	126.67
⑦ 18°04'02"	630.00	198.66
⑧ 18°04'02"	600.00	189.20
⑨ 18°04'02"	570.00	179.74
⑩ 53°57'31"	120.00	113.01
⑪ 53°57'31"	150.00	141.26
⑫ 53°57'31"	180.00	169.52
⑬ 84°08'06"	400.00	587.37
⑭ 84°08'06"	370.00	543.32
⑮ 84°08'06"	340.00	499.27
⑯ 69°08'20"	30.00	36.20
⑰ 69°08'20"	60.00	72.40
⑱ 69°08'20"	90.00	108.60



STATE OF MONTANA)
COUNTY OF FLATHEAD)
On this 11 day of December 1981 before me a Notary Public for the State of Montana, personally appeared Arlene Spokie and known to me to be the person whose name is subscribed to the foregoing instrument and acknowledged to me they executed the same.
Notary Public for the State of Montana
Residing at Kalispell, Montana
My commission expires December 22, 1981

- LEGEND**
- ⊗ SEC. COR. (AS NOTED)
 - ⊙ 1/4 CORNER (AS NOTED)
 - ⊕ CENTER SECTION (AS NOTED)
 - ⊙ 1/16 CORNER (AS NOTED)
 - FOUND REBAR BY 2516-S
 - SET 5/8" X 24" REBAR WITH 1/4" PLASTIC CAP, STAMPED
 - FND R/W MON. PER HIGHWAY R/W MAP

OWNERS CERTIFICATE
I hereby certify that the purpose of this division of land is to transfer ownership of the parcel created as an occasional sale; furthermore, I certify that I am entitled to use this exemption in that I am in compliance with all conditions imposed in the use of this exemption; therefore, this division of land is exempt from review as a subdivision pursuant to Section 76-3-207 (d), M.C.A.

CERTIFICATE OF SURVEYOR
Stephan D. Stead
REGISTRATION No. 2516-S

APPROVED: DECEMBER 20, 1981
Stephan D. Stead
EXAMINING LAND SURVEYOR REG. No. 3619-S

STATE OF MONTANA SS
COUNTY OF LINCOLN
FILED ON THE 23rd DAY OF Dec, 1981 A.D.
AT 3:35 O'CLOCK P.M.
Thomas J. Vaughan
CLERK & RECORDER

BY: Betty Bell
DEPUTY
BOOK _____ PAGE _____
INSTRUMENT REC. No. _____