

LEGAL DESCRIPTION LOT 3-BI

An irregular tract of land, near Libby, Montana, Lincoln County, and lying partially in Gov't Lot 5 and Gov't Lot 8, NW 1/4, Section 36, T.31N. R.31W., P.M.M1., containing ± 3.000 acres, and more particularly described as follows:

Commencing at the intersection point of the westerly boundary line of Lot 3-A, as shown on "Amended Lot 3 of Labelle Subdivision", Plat No. 133961, with the northerly limit of a 60.00 foot wide private access road, o 5/8 inch rebar marked KED 4975-S and the True Point of Beginning: Thence along said westerly boundary line of Lot 3-A, "Amended Lot 3 of Labelle Subdivision", N00'02'07"W 646.07 feet to a witness corner, a 5/8 inch rebar marked KED 4975-S;

Thence continuing along said westerly boundary line of Lot 3-A. N00'02'07W 20.42 feet to an unmarked computed point, lying an the southerly limit of the Kootenoi River meander line; Thence along said Kootenai River meander line the following two (2)

courses to unmarked computed points: Thence \$88'48'53"W 134.79 feet;

Thence \$83'08'10"W 85.21 feet;

Thence leaving said river meander line S06'34'00"E 128.43 feet to α witness corner, a set 5/8 inch rebar marked Hughes 7322-LS;

Thence S06'34'00"E 639.04 feet to a set 5/8 inch rebar marked Hughes 7322-LS, lying on the northerly limit of a 60.00 foot private access road; Thence S06'34'00"E 32.81 feet to an unmarked computed point, lying on the centerline of said 60.00 foot private access road; Thence along said road centerline, along an arc of a curve to the left, a length of 51.39 feet, turning through a delta angle of 01°12'45", a radius of 2428.52 feet to an unmarked computed point;

Thence continuing along said road centerline, N60'37'05"E 99.45 feet to an unmarked computed point;

Thence leaving said road centerline, N00°02'07"E 34.44 feet and along said westerly boundary fine of Lot 3-A, "Amended Lot 3 of Labelle Subdivision" to a 5/8 inch rebar marked 4975-S the True Point of Beginning. Subject to a 60.00 foot private road and utilities easement and together with all appurtenant easements of record.

LEGAL DESCRIPTION LOT 3-B2

An irregular tract of land, near Libby, Montana, Lincoln County, and lying partially in Gov't Lot 5 and Gov't Lot 8, NW 1/4, Section 36, T.31N., R.31W., P.M.,MT., containing ±7.000 acres, and more particularly described

Commencing at the intersection point of the westerly boundary line of Lot 3—B, as shown on "Amended Lot 3 of Labelle Subdivision", Plat No. 133961, with the northerly limit of a 60.00 foot wide private access road, a 5/8 inch rebur marked KED 4975—S and the True Point of Beginning; Thence along said westerly boundary line of Lot 3-8, "Armended Lot 3 of Labelle Subdivision", N13'37'30"W, 710.76 feet to a witness corner, a 5/8 inch rebar marked KED 4975-S;

Thence continuing along said westerly boundary line of Lot 3-8, N13'37'30"W, 46.04 feet to an unmarked computed point, lying on the southerly limit of the Kaotenai River meander line;

Thence along said Kootenai River meander line the following four (4) caurses to unmarked computed points:

Ihence N57'16'16"E, 54.69 feet; Thence N57'06'06"E, 220.13 feet;

Thence N67'09'15"E, 138.04 feet; Thence N85'08'10"E, 45.54 feet;

ROOTENAL SURVEYORS

P.O. BOX 393 LIBBY, Mf 59923 (406)293-4354

Thence leaving said river meander line \$06'34'00"E, 128.43 feet to a witness carner, a set 5/8 inch rebar marked Hughes 7322-LS; Thence S05'34'00"E 639.04 feet to a set 5/8 inch rebar marked Hughes

7322-LS, lying on the northerly limit of a 60.00 foot private access Thence S06'34'00"E 32.81 feet to an anmarked computed point, lying on

the centerline of said road easement;
Thence along said road centerline, along an arc of a curve to the right, a


length of 366.69 feet, turning through a delta angle of 08°39'04", a radius of 2428.52 feet to an unmarked computed point;

Thence continuing along said road centerline, S50°45'12"W 5.95 feet to an unmarked computed point;

Thence leaving said road centerline, N13'37'30"W 33.26 feet and along said westerly boundary line of Lot 3-B, "Amended Lot 3 of Labelle Subdivision" to a 5/8 inch rebar marked 4975—S and the True Point of Beginning. Subject to a 60.00 foot private road and utilities easement and together

AMENDED LOT 3B LABELLE SUBDIVISION

GOV'T LOT 5 AND GOV'T LOT 8, SECTION 36, T. 31N., R. 31W., P.M., MT. LINCOLN COUNTY, MONTANA FOR: BONNIE LABELLE DECEMBER 2000



PURPOSE OF SURVEY AND DEDICATION

I, Bonnie LaBelle, owner of record, hereby certify that the purpose of this survey is to create a 2 Lot Minor Subdivision, to be known as "Amended Lot 3B of LaBelle Subdivision"; Lot 3-81 containing ±3.000 acres and can not be further subdivided pursuant to Lincoln County Subdivision Regulations IV-A-6(f); and LOT 3-B2 containing £7.000 acres, pursuant to M.C.A. 76-4-104.

<u>01-03-01</u>

ACKNOWLEDGMENT

The faregoing Dedication was subscribed and acknowledged before me, a Notary Public for the State of Montano, County of Lincoln, by the above named person(s), on this $3\frac{3}{2}$ day of 12001. In witness whereof, I have hereanto set my hand and affixed my notorial seal Notary Public for the State of Montana,

My Commission expires: 3/22/04

HISTORY OF SURVEY

1996 - PLAT No. 5878 , by KED 4975-S 1998 - PLAT No. 133961 , by KED 4975-S

METHOD OF SURVEY

A total station and data collector was used with closed traverse procedures to tie the previously set controlling carners and right-of way monuments.

BASIS OF BEARING

The basis of bearing for this survey is N60'37'05"E, as shown on Plat No. 5878. between two 5/8 inch diameter rebar monuments marked KED 4975-5.

ACCESS CERTIFICATION

I hereby certify that physical and legal access to Lot 3-B1 and Lot 3B-2, shown herean, is provided by a 60.00 foot private road and utility easement. awah 7. Hugher 732215 01-03-01

COUNTY TREASURER'S CERTIFICATION

I hereby certify, pursuant to Section 76-3-611(1)(b), MCA, that all real property

Herit miller by bunge Kalebuty Typery Lincoln County Treasurer,

LAND SURVEYOR'S CERTIFICATION

I hareby certify that I am a Registered Land Surveyor in the State of Montana, that the survey shown on this Certificate of Survey has been prepared under my supervision and in accordance with the Montana Code Annotated, Sections 76—3—101 through 76—3—625, and the Lincoln County regulations adopted pursuant thereto.

 $_{i}$, Q_{i} $_{j}$

Wah 7. Hughes 732215 0/-03-0/
Alvah F. Hughes, Montona Reg. No. 7322LS Date

EXAMINING OFFICIAL'S CERTIFICATION Approved this 10 today of ________2001, A.D.

COUNTY COMMISSIONER'S CERTIFICATION Approved this 10th day of January 2001, A.D.

1 County Commissioners

CLERK AND RECORDER'S CERTIFICATION

State of Montana, County of Lincoln, filed this _______ day of fareland 2001, A.D. at 2:00 o'clock of M. County Clark Recorder

P.F. PLAT NO. 6329 DOC# 150860

(IN FEET) I inch = 100 ft.

WITNESS CORNER

Sanitary, Listriction Lemond J. F. # 6892 Doc # 150858 Platting Certificate p. F. # 6893 Doc 150859

LINCOLN COUNTY, MONTANA A PLAT OF: AMENDED LOT 3 OF LABELLE SUBDIVISION IN THE NE 1/4 OF THE NW 1/4 AND IN THE SE 1/4 OF THE NW 1/4 IN SECTION 36, TWP 31N., R 31W., P.M.M. FOR: B. ADAMSON DATE: APRIL 1998 RIVER MEANDER BEARINGS AND DISTANCES 1,07 GOV'T LOT 5 GOV'T LOT 8 ≱₩ LOT 3-A PLAT NO.1345 2.999 ACRES± \$ LOT 3-B αñ 10.000 ACRES± Lincoln County, Montana. STATE OF MONTANA County of Lincoln 101 **LEGEND** SET 5/B INCH DIAMETER REBAR WITH A 1 1/4 INCH DIAMETER PLASTIC CAP STAMPED KED 4075-S $\Delta = 09'51'53''$ R = 2428.52T = 209.58O FOUND 1 3/4 INCH DIAMETER PIPE STATE OF MONTANA L = 418.12FOUND 5/8 INCH DIAMETER REBAR WITH A 1 1/4 INCH DIAMETER PLASTIC CAP STAMPED KED 4975-5 ENECHNENCH COMPUTED POINT ONLY, NOT FOUND OR SET () RECORD PER LABELLE SUBDIVISION RECORD PER PLAT NO.1345 P.0.B PATTS Jo^X TAX CERTIFICATION 49750 is Control ? I hereby certify that all real property taxes and special 5.95 N 50'45'12" E assessments assessed and levied on the land to be divided have been paid. Dated this was as ______ Lincoln County Montana Treasurer

GRAPHIC SCALE

(IN FEET) 1 inch = 100 ft.

DAVIS SURVEYING INC.

TROY, MONTANA (406)295-5441

CERTIFICATE OF DEDICATION

1/we, Donnie, Labelle Adamson
the undersigned property owner(s), do hereby certify that I/we have caused to be surveyed, subdivided and platted into lots and streets, as shown by the Plat hereto annexed, the following

DESCRIPTION OF AMENDED LOT 3 OF LABELLE SUBDIVISION

A treat of land near Libby, in Lincoln County, Montana, lying in the Northwest Quarter (NW 1/4) of Section 36, Twp. 31 N., R. 31 W., P.M.M., and being Lot 3 of Labelle Subdivision as shown on Plat No. 5878, Lincoln County Records, Montana, and mare particularly

described as follows:

Beginning at a found 5/8 inch dia rebar capped: KED 4975—S marking the intersection of the westerly boundary line of sold Lot 3 Labelle Subdivision with the northerly boundary of a 60.00 foot wide private access road; thence, from sold point of beginning N 13'36'31" W 677.55 feet along sold westerly boundary line to a 5/8 inch dia rebar capped: KED 4975—S set as a witness corner on the left bank of the Kootenai River; thence, continuing along sold westerly boundary line N 13'36'31" W 79.18 feet to a computed point marking the intersection of sold westerly boundary line with the Kootenai River meander line and being the Northwest Corner of sold Lot 3 Labelle Subdivision; thence, along sold Kootenai River meander line, the following six (6) courses, N 57'16'16" E 54.55 feet; thence, N 57'06'06" E 220.13 feet; thence, N 67'09'15" E 138.04 feet; thence, N 83'08'10" E 130.75 feet; thence, N 85'48'53" E 164.35 feet; thence, S 85'51'15' E 175.66 feet to a computed point marking the intersection of sold Kootenal River meander line with the east the intersection of sold Kootenal River meander line with the east boundary line of sold Lot 3 Labelle Subdivision; thence, S 00°02′48° W 32,35 feet to a 5/8 inch dia. rebar capped: KED 4975—S set as a witness corner; thence, continuing along said east boundary line \$ 00°02'48" W 506.75 feet to a 5/8 inch dia reber capped: KED 4975—S marking the intersection of said east boundary line of Lot 3 with the northerly boundary of said 50.00 foot wide private access road; thence, continuing \$ 00°02'48" W 34.44 feet to a computed point marking the centerline of said private access road, for a total point marking the centerline of said private access road, for a total distance of 573.55 feet; thence, along sold private access road centerline S 60'37'05" W 334.39 feet to a point; thence, on the arc of a curve to the left 418.12 feet, turning through a delta angle of 09'51'53", having a rodius of 2428.52 feet to a computed point; thence, continuing along sold access road centerline S 50'45'12" W 5.95 feet to a computed point; thence, leaving sold access road centerline N 13'36'31" W 33.26 feet along sold westerly boundary line of Lot 3 to the point of beginning.

The aforedescribed tract of land is to be known as Amended Lot 3

of Labelle Subdivision and consists of Lot 3—A and Lot 3—B, being 2.999 acres and 10.000 acres, more or less, respectively, for a total of 12.999 acres, more or less. Sold Amended Lot 3 Labelle subdivision is subject to a 30.00 foot wide private roadway and is subject to and together with all appurtenant easements of record.

The above described tract of land is to be known and designated as Amended Let 3 LABOUE SUB.

On this 7th day of 50th, 1998

A.D., before me, a Notary Public in and for the State of Montana, personally appeared BONNIE LABELLE ADAMSON known to me to be the persons whose names are subscribed to the within instrument and acknowledged to me that they executed the

My Commission Expires

CERTIFICATE OF SURVEYOR

1, Kenneth E. Dayis, do hereby certify that a survey was mode of Labelle a minor subdunder my supervision, during the month of April ___ a minor subdivision, 1998, In accordance with the provisions of Sections 76.3.201 through 76.3.403 Montana Codes Annotated, 1978; that the annexed splat is a considerable with such survey, that the streets and displaced by the state as shown hereon; and that the said published with a court on the ground according to law.

Lout on the ground according to law.

9775-5 Registration No. 4975S

PROVED FOR LINCOLN COUNTY BY: Dulf Buckey DATE: 7-22-49

APPROVED:

Chairman, Lingoln County, Montana Commissioners STATE OF MONTANA COUNTY OF LINCOLN

13396 P.F. PLAT NO.

LEGAL AND PHYSICAL ACCESS

Kenneth E. Davis, RLS


I hereby certify that physical access to all lots within

Registration No. 4975S

this subdivision is provided by Physic Road. The driving surface is approximately 20 feet wide.

AMENDED PLAT "LOT 3-B2 - AMENDED LOT 3-B, LABELLE SUBDIVISION"

GOV'T LOT 5 & SE1/4 NW1/4, SEC. 36, T.31N., R.31W., P.M., MT. LINCOLN COUNTY, MONTANA FOR: JEREMY HAGENESS, JASON HAGENESS, & DALE HEGLUND DATE: JUNE, 2013



LEGAL DESCRIPTION "LOT 1"

An irregular tract of land near Libby, Montana, Lincoln County, and lying partially in Gov't. Lot 5 and SE1/4 NW1/4, Section 36, T.31N., R.31W., P.M., MT., containing 1.891 acres, and more particularly described as: Commencing at a 5/8 inch diameter rebar with a plastic cap marked KED, 4975S, lying on the northerly limits of 5TH. Street Extension a 60 foot wide Private Access and Utilities Easement: Thence N13°37'30"W, 361.77 feet to a set 5/8 inch diameter rebar with a plastic cap marked HUGHES, 7322LS and the TRUE POINT OF BEGINNING: Thence N13'37'30"W, 348.99 feet to a Witness Corner, 5/8 inch diameter rebar with a plastic cap marked KED, 4975S; Thence N13'37'30"W, 46.04 feet to an unmarked computed point, lying on the left bank of the Kootenai River; Thence along said line through the following unmarked computed points: N57*16'16"E, 54.69 feet; Thence N57'06'06"E, 173.88 feet; Thence S10'58'49"E, ±90.00 feet to set 5/8 inch diameter rebar with a plastic cap marked HUGHES, 7322LS, a witness corner; Thence S10.58'49"E, 275.00 feet a set 5/8 inch diameter rebar with a plastic cap marked HUGHES, 7322LS, lying on the road easement limits of a 45 foot diameter cul-de-sac; Thence S10°58'49"E, 45.00 feet to an unmarked computed point, being the center point of said cul-de-sac; Thence S59'13'29"W, 45.00 feet to a set 5/8 inch diameter rebar with a plastic cap marked HUGHES, 7322LS, lying on said cul—de—sac limits; Thence S59°13'29"W, 161.06 feet to a set 5/8 inch diameter rebar with a plastic cap marked HUGHES, 7322LS the TRUE POINT OF BEGINNING, containing 1.891 acres. Subject to and together with a 10 Foot wide walking Path easement and all appurtenant easements of record.

LEGAL DESCRIPTION "LOT 3"

An irregular tract of land, near Libby, Montana, Lincoln County, and lying in SE1/4 NW1/4, Section 36, T.31N., R.31W., P.M., MT., containing 1.692 acres, and more particularly described as: Commencing at a 5/8 inch diameter rebar with a plastic cap marked KED, 4975S, lying on the northerly limits of 5TH. Street Extension a 60 foot wide Private Access and Utilities Easement and the TRUE POINT OF BEGINNING: Thence N13°37'30"W, 361.77 feet to a set 5/8 inch diameter rebar with a plastic cap marked HUGHES, 7322LS; Thence N59°13'29"E, 161.06 feet to a set 5/8 inch diameter rebar with a plastic cap marked, HUGHES 7322LS, lying on the limits of a 45 foot diameter cul-de-sac; Thence N59*13'29"E, 45.00 feet to an unmarked point and the center of said cul-de-sac; Thence along the centerline of a 40 foot wide Private Access and Utility Easement, S12°29'30"E, 374.09 feet to a set 5/8 inch diameter rebar with a plastic cap marked HUGHÉS, 7322LS, being a point on curve of a non-tangent curve to the left, a radius of 2,428.52 feet; Thence southwesterly along said curve, a arc length of 200.51 feet, through a delta angle of 04°43'50" to the point of tangency, an unmarked computed point; Thence along said road centerline S50'45'12"W, 5.95 feet to an unmarked computed point; Thence N13°37'30"W, 33.26 feet to the northerly limits of said road easement a 5/8 inch diameter rebar with a plastic cap marked KED, 4975S and the TRUE POINT OF BEGINNING, containing 1.692 acres. Subject to a 25 foot wide Storm Water Easement and together with all appurtenant easements of record.

TITLE INS. P.F. 11512 Doc 246874

DEG P.F. 11513 Doc 246875

Noxious Weed P.F. 11514 Doi 246876

Sub Improvements P.F. 11515 Doc 246877

ROAD Inspection P.F. 11516 Doi 246878

ROZD MAINTENANCE AGREE DOC 246880 349/380
COYENANTS DOC 246881 349/381

SURVEYORS, INC

LEGAL DESCRIPTION "LOT 4"

easements of record.

acres, and more particularly described as:

An irregular tract of land near Libby, Montana, Lincoln County, and lying in SE1/4 NW1/4, Section 36, T.31N., R.31W., P.M., MT., containing 1.518 acres, and more particularly described as: Commencing at a 5/8 inch diameter rebar with a plastic cap marked HUGHES, 7322LS, lying on the northerly limits of 5TH. Street Extension a 60 foot wide Private Access and Utility Easement and the TRUE POINT OF BEGINNING: Thence S06°34'00"E, 32.81 feet to an unmarked computed point, being a point on curve of a non-tangent curve to the left, a radius of 2,428.52 feet; Thence southwesterly along said curve, a arc length of 166.18 feet, through a delta angle of 03°55'15", to a point on curve, a set 5/8 inch diameter rebar with a plastic cap marked HUGHES, 7322LS; Thence along the centerline of a 40 foot wide Private Access and Utility Easement, N12*29'30"W, 374.09 feet to an unmarked computed point and the center of a 45.00 foot diameter cul-de-sac; Thence N56°29'07"E, 45.00 feet to a set 5/8 inch diameter rebar with a plastic cap marked HUGHES, 7322LS, lying on the limits of said 45.00 foot diameter cul-de-sac; Thence N56°29'07"E, 165.83 feet to a set 5/8 inch diameter rebar with a plastic cap marked HUGHES, 7322LS; Thence S06'34'00"E, 361.97 feet to a 5/8 inch diameter rebar with a plastic cap marked HUGHES, 7322LS and the TRUE POINT OF BEGINNING, Subject to a 25 foot wide Storm Water Easement and a 50 foot wide Drain Field Easement, as shown, and together with all appurtenant easements of record.

An irregular tract of land near Libby, Montana, Lincoln County, and lying partially in Gov't Lot 5 and SE1/4 NW1/4, Section 36, T.31N., R.31W., P.M.,MT., containing 1.899

7322LS, lying on the northerly limits of 5TH. Street Extension a 60 foot wide Private

Access and Utilities Easement; Thence N06'34'00"W, 361.97 feet to a set 5/8 inch

diameter rebar with a plastic cap marked HUGHES, 7322LS and the TRUE POINT OF

BEGINNING: Thence \$56°29'07"W, 165.83 feet to a set 5/8 inch diameter rebar with a plastic cap marked HUGHES, 7322LS, lying on the road easement limits of a 45 foot diameter cul-de-sac; Thence \$56°29'07"W, 45.00 feet to an unmarked computed

point, being the center point of said cul-de-sac; Thence N10°58'49"W, 45.00 feet to

a set 5/8 inch diameter rebar with a plastic cap marked HUGHES, 7322LS, lying on

of the left bank of the Kootenai river; Thence along said line through the following

feet; Thence N83'08'10"E, 45.54 feet; Thence S06'34'00"E, 128.43 feet to a 5/8 inch

diameter rebar with a plastic cap marked HUGHES, 7322LS, a witness corner; Thence

S06°34'00"E, 244.26 feet to a 5/8 inch diameter rebar with a plastic cap marked HUGHES, 7322LS and the TRUE POINT OF BEGINNING, containing 1.899 acres. Subject to and together with a 10 foot wide walking path easement and all appurtenant

unmarked computed points: N57*06'06"E, 46.25 feet; Thence N67*09'15"E, 138.04

rebar with a plastic cap marked HUGHES, 7322LS, a witness corner; Thence N10°58'49"W, 90.00 feet to an unmarked computed point, lying on the meander line

said cul-de-sac limits; Thence N10'58'49"W, 275.00 feet to a set 5/8 inch diameter

Commencing at a 5/8 inch diameter rebar with a plastic cap marked HUGHES,

GRAPHIC SCALE

50 100 200 400

(IN FEET)

1 inch = 100 ft.

PURPOSE OF SURVEY AND OWNER'S CERTIFICATION

We, <u>Jeremy S. Hageness</u>, <u>Jason H. Hageness</u> & <u>Dale C. Heglund</u>, owners of record, hereby certify that the purpose of this survey and division of land is to create a 4 Lot minor sudivision to be known as <u>"Amended Lot 3-B2 of Amended Lot 3B</u>, <u>Labelle Subdivision"</u>, Lot 1 being 1.891 acres; Lot 2 being 1.899 acres; Lot 3 being 1.692 acres and Lot 4 being 1.518 acres for a total of 6.990 acres, pursuant to 76-4-103, M.C.A., Furturemore Lot 1 is exempt from review by the DEQ per ARM 17.36.605(2)(b)(i)(ii)."A parcel that has no existing facilities for water supply, wastewater disposal, or solid waste disposal other than those that were previously approved by the reviewing authority under Title 76, chapter 4, part 1, MCA, or that were exempt from such review, if:no new facilities will be constructed on the parcel; and the division of land will not cause approved facilities to violate any conditions of approval, and will not cause exempt facilities to violate any conditions of

(All) Sem	7-29-13
Jeremy S. Hageness	Date
	7-8-/3
Jason S. Hageness	Date
Je Mul	7/17/13
Dale C. Heglund	Date

ACKNOWLEDGMENT

The foregoing Certification was subscribed and acknowledged before me, a Notary Public for the State of Montana County of Coun

ACKNOWLEDGMENT

The foregoing Certification was subscribed and acknowledged before me, a Notary Public for State of Notary Public for State of Notary Public for In witness whereof, I have hereunto set my hand and affixed my notorial seal Notary Public for the State of Notary Public for the Notary Pu

ACKNOWLEDGMENT

The foregoing Certification was subscribed and acknowledged before me, a Notary Public for the State of Mathematical County of Mathematical Delivery by Dale C. Heglund, on this day of 2013. In witness whereof, have hereunto set my hand and affixed my notorial seal My Commission expires.

BASIS OF BEARING

The basis of bearing for this survey is N60'37'05"E, as shown on Plat No. 6329, between

two 5/8 inch diameter rebars, each with a plastic cap marked "KED, 4975S".

METHOD OF SURVEY

A total station with data collector was used with closed traverse procedures to tie previously set controlling monuments by Levi Powell, April, 2007.

HISTORY OF SURVEYS

1997 - Plat No. 5878, "Labelle Subdivision", K.E. Davis, 4975S 1998 - Plat No. 133961, "Amended-Lot 3, Labelle Subdivision", Lots 3A and 3B, K.E. Davis, 4975S 2001 - Plat No. 6329, "Amended-Lot 3B, Labelle Subdivision" into Lots 3B1

LEGEND

A 5/8 INCH DIAMETER REBAR WITH A PLASTIC CAP MARKED KED 4975S

♠ A 5/8 INCH DIAMETER REBAR WITH A PLASTIC CAP MARKED HUGHES 7322LS

O UNMARKED COMPUTED POINT

and 3B2, Hughes, 7322LS

SET 5/8 INCH DIAMETER REBAR WITH A PLASTIC CAP MARKED HUGHES 7322LS

WITNESS CORNER —----- EASEMENT CENTERLINE
..... RADIAL LINE

LAND SURVEYOR'S CERTIFICATION

I hereby certify that I am a Registered Land Surveyor in the State of Montana, that the survey shown on this Plat has been prepared under my supervision and in accordance with Montana Code Annotated, Sections 76-3-101 through 76-3-625 and the Lincoln County regulations adopted pursuant thereto.

ACCESS CERTIFICATION

I hereby certify that physical and legal access to Lot 1, Lot 2, Lot 3 and Lot 4, as shown hereon, is provided by a 20 foot wide road surface within a 40 foot private access and utility easement limit.

HUGHES

Alvah F. Hughes, 7322LS 07/29/13

Alvah F. Hughes/PLS 7822LS

EXAMINING LAND SURVEYOR'S CERTIFICATION Examined this 31 day of 312 2013

COUNTY TREASURER'S CERTIFICATION

I hereby certify that all real property taxes and special assessments assessed and levied on the parcels shown hereon are paid, pursuant to Section 76—7—611(1)(b) MCA.

Lincoln County Treasurer

Examining Land Street

Date

COUNTY COMMISSIONER'S FINAL PLAT CERTIFICATION

The County Commissions, Lincoln County, Montana do hereby certify that they have examined this 4 Lot Minor Subdivision Plat of "Lot 3—B2 of Amended Lot 3—B, Labelle Subdivision", finding that it does meet the requirements of the subdivision laws and regulations of the State of Montana, and therefore grants approval

this 21 day of August

Chairman Topola County Commissioner

CLERK AND RECORDER'S CERTIFICATION

PLAT NO. 7/45 Doc# 246879

Theres What p.F. & 8670 DOB 194791 platting Certificate p.F. 8672 Da 194794 Quelificate y duthongation p.F. #8671 Doc 194723 Propine Wheel plan p.F. 8673 Doc 194725

Covenanto S304/880 DO6 1947%

A PLAT OF: LAKE CREEK HIDEAWAY

SECTION 5, Twp.30N.,R.33W., P.M.M.

NAME:	PLUM	CREEK	TIMBER	CO.	LF

AUGUST	2001
AUGUSI	400 I

<u> </u>	LINE TA	ABL F
TAIT		BEARING
LINE	LENGTH	
L1	219.98	N47°34′38′E
L2	284.72	N57°27′20′E
L3	192.17	N54°57′20′E
<u>L4</u>	282.68	N49°27′28″E
L5	131.14	N39°06′22 ′ E
L6	140,53	N47°57′52′E
L7	446.99	N28°10′53″E
L8	151,21	N62*59'39 * E
L9	171.68	N38*13'24'E
	180.68	N59*00′36 * E
L11	442.48	N03,53,06,A
L12	88.57	N09*16/59*W
_L13	64.96	N15°40′58 ° E
L14	126.17	N01°16′34 ° E
L15	373,27	N14°24′31 ′ E
L16	111.43	\$05*19′00 * W
L17	71.19	S13*41′30 <u>*</u> W
L18	84.83	S06*32'24 * W
_{il} L19	115.94	S06°41′04″W
, L20	130.56	S17*03'32 ' W
L21	143.12	S20°29'11'W
L22	162.72	S16*58'15'W
L23	43.93	S66°48′41 ′ W
L24	143.22	S50°20′40 ′ W
L25	98.53	N74°35′17 ° W
L26	145,48	N44*49'12 ' W
L27	105.29	N33*20'04*W
		N43°21′59 ′ W
L28		N48°54′56″W
L29	84.23	N79°01′33 ° W
L30	84.89	
L31	98.21	N61°08′00′W
	161.30	N80°16′41″W
L33	115.33	\$88*50'09 ' W
L34	84.36	N89*11′24*W
L35	88.26	\$11*18′17 ′ W
L36	145.81	\$03*47′29 ″ E
L37	213.10	\$24*41′05 ′ E
L38	144.35	S08*35′20 ′E
L39	165.75	\$25*21/36 * W
L40	84.72	\$65°32′19 ′ W
L41	115,86	\$88°48′43 ″ W
L42	105.62	N72*01′05 ′ W
L43	118.07	\$42*20′05 * W
L44	110.97	\$08°08'00'W
L45	120.79	S26*29′57 ′ E
L46	110.94	S09*08'43'E
L47	124.71	S28*29′50 ′E
L 48		S24°07′38 ′ E
L49	57,36	S12*17′58 ′ E
L50		S40°58′24 ′ W
L51		
L52		
L52		
L54		
L55	·	
L56	·	
L57	97.08	\$36°52′56 ′ E

LINE TABLE			
LINE	LENGTH	BEARING	
L58	128.15	\$32*23 <u>′44*E</u>	
L59	107.23	S43°38′11 ′ E	
L60	72.92	209*31'03 * E	
L61	50.10	203 °13′28° E	
L62	110.52	S18*15′13 * W	
L63	263.60	S39*47'28 * W	
L64	83.56	\$30°02'37 ' W	
L65	69.29	\$51°22′09 ° W	
L66	126.47	S67°31′45′W	
L67	191.69	N89*34/50*W	
L68	75.85	N53*34′58 * W	
L69	199.16	N16°56′54′W	
L70	170.64	N00°49′21″W	
L71	77.21	N33*59'24"W	
L72	126.82	N53*04'14 * W	
L73	84.47	N73*48'04 * W	
L74	84.92	\$69*12′1 9* W	
L75	66.33	\$55*07′18 ′ W	
L76	69.70	\$33°37′53 ′ W	
L77	119.91	\$06*01′56 ′ W	
L78	39.66	S09*24′53 ′ E	
L79	130.92	S89°41′10 ′ E	
L80	80.75	N87°15′34 ′ E	
L81	100.00	S55*44'26*E	
L82	220.00	S26°44′26′E	
L83	130,00	S07*15'34'W	
L84	100.00	\$39*15′34 * W	
L85	150,00	S71°15′34 ′ W	
L86	90.00	S20*15'34*W	
L87	90.00	S10*44′26 ′ E	
L88	90.00	S26*44'26 ' E	
L89	310.00	<u> </u>	
L90	210.00		
L91	160.00		
L92	81.09	\$75*35′29 ′E	

	CURVE	TABLE	
CURVE	LENGTH	RADIUS	DELTA
C1	182.52	375.00	27°53′15 <u>*</u>
C5	215.51	1250.00	9°52′42′
C3	87.27	2000.00	2*30′0 *
C4	191.91	2000.00	5°29′52 ′
£5	271.01	1500.00	10*21′6*
C6	139,15	900.00	8°51′30 ′
£7	189.90	5 50.00	19*46′59″
C8	273.42	450.00	34°48′46 ′
C9	172.93	400.00	24°46′15 ′
C10	272.10	750.00	20*47′12*
C11	274.37	385.00	40*49′54*
C12	95.93	254,90	21*33′48*
C13	102.94	1000.00	5*53/53*
C14	217.87	500.00	24*57/57*
C15	163.44	650,00	14*24′24*
C16	171.90	750.00	13°7′57 ′

for: Plum Creek Timberlands, L.P.

General Partner

By Plum Creek Timber I, L.L.C.

Rick R. Holley, Presiden't

and Chief Executive Officer

STATE OF Washington County of King On this 28th day of September, 2001 A.D., before me, a Notary Public in and for the State of Washington personally appeared Rick R. Holley and Sheri L. WARD known to me to be the persons whose names are subscribed to the 🔥 within instrument and acknowledged to me that they executed the same. אר Commission Expires

		$\Lambda \Omega \sim \Omega M H$
	1/we, Sheri L. Ward the undersigned property owner(s	ound hick h. Holley.
	have caused to be surveyed, sub	odivided and platted into lots and
	streets, as shown by the Plat he described land near _TROY	ereto annexed, the following in Lincoln
	County, Montana to wit: Lot 1 c or less as shown hereon.	
	The above described tract	of land is to be known and
	designated as <u>LAKE CREEK H</u> Lincoln County, Montana.	IDEAWAY .
\neg	•	
_	Dated this 28th day of September 1	ember mar , 2001 A.D.
<u>E</u>	Sheri Lin Ward and P	rick R. Holley .
<u>"E</u>]	, , , , , , , , , , , , , , , , , , ,	· /
É É É 'E		4 2.
<u>'' E.</u>		
*	CERTIFICATE OF SURVEYOR	
<u>'W</u>		
<u>*\ </u>	STATE OF MONTANA	
<u>*\</u>	County of Lincoln	
<u>~~</u>	l Kenneth F Davis, a rec	gistered land surveyor do hereby
<u>"</u>	certify that I have performed th	e survey shown on the attached
<u>*W</u>	- boot knowledge and ability that	erformed under my supervision to my t said survey is true and complete
<u>*W</u>	as shown and the monuments f	found and set occupy the position
<u>*\/ </u>	shown Percon	
- W	KENNETH 3	. ()
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Dougle this 2 day of	phoher. 2001 A.D. 4275-9
<u>~</u> ₩		Posistection No. 4975S
~W	Kentern Brudyschand Surveyor	Registration No. 43703
3'E	Charles Services	
)* <u>t.</u>	•	
0'E 4'E 5'E 5'E 'W	TREASURER CERTIFICATION	
5'E		al property toyon and special
- ₩	assessments assessed and levie	eal property/taxes and special d on the land to be divided have
<u>'\</u>	been paid. Dated this 12 day	of December 2001.
7 W	Geria muller by Janua A	Elevito Deputu
		ncoln County Montana
5'E		```,
5'E 5'E 5'E 5'E		··.,
6'E		
<u>6'E</u>	Certificate of Final Plat	
9"L]	The County Commission of	County, Montana does hereby is subdivision plat and having found
	the same to conform to law, a	pproves it, and hereby accepts the
	dedication to public use of any	and all lands shown on this plat as
	being dedicated to such use, th	115 /2. da <u>v 61 pez ,_</u> 200/.
	(Signatures of Commissioners)	ATTEST:
	(Reta & Window (S	Signature of Clerk and Recorder) . Montana
		ard Meining
	(Seal of County)	Corst Meining
	(Seal of County)	Corst Mering
	(Seal of County)	Corst Mering
	,	Corst Meining
	LEGAL AND PHYSICAL ACCESS	
	LEGAL AND PHYSICAL ACCESS	
	LEGAL AND PHYSICAL ACCESS	
	LEGAL AND PHYSICAL ACCESS	sical access to all lots within lately 1 1 feet wide.
	LEGAL AND PHYSICAL ACCESS	sical access to all lots within lately 1.1 feet wide.
	LEGAL AND PHYSICAL ACCESS	
	LEGAL AND PHYSICAL ACCESS	sical access to all lots within lately 1.1 feet wide.
	LEGAL AND PHYSICAL ACCESS	sical access to all lots within lately 1.1 feet wide.
ČTATE OF	LEGAL AND PHYSICAL ACCESS I hereby certify that phys this decivision is provided by The artiving sartiace is approxim KENNEXLE	sical access to all lots within lately 1.1 feet wide.
STATE OF	LEGAL AND PHYSICAL ACCESS I hereby certify that phys this decivision is provided by The artiving sartiace is approxim KENNEXLE	sical access to all lots within lately 1.1 feet wide.
STATE OF	LEGAL AND PHYSICAL ACCESS I hereby certify that phys this decivision is provided by The artiving sartiace is approxim KENNEXLE	sical access to all lots within lately 1.1 feet wide.
County of	LEGAL AND PHYSICAL ACCESS Legal AND PHYSICAL ACCESS Legal AND PHYSICAL ACCESS Legal AND PHYSICAL ACCESS The representation is provided by approximate approxim	sical access to all lots within that the lots within that the lots within that the lots within that the lots within the lots within that the lots within that the lots within that the lots within that the lots within the lo
County of	LEGAL AND PHYSICAL ACCESS Legal AND PHYSICAL ACCESS Legal AND PHYSICAL ACCESS Legal AND PHYSICAL ACCESS The representation is provided by approximate approxim	sical access to all lots within that the lots within that the lots within that the lots within that the lots within the lots within that the lots within that the lots within that the lots within that the lots within the lo
On this A.D., before me,	LEGAL AND PHYSICAL ACCESS The reby certify that phys this division is provided by the driving surface is approxim KENDERLE Remeth Els Days, RLS day of a Notary Public in and fo	Registration No. 49759 1. 2001 1. The State of
On this A.D., before me, personally appearance to me to	LEGAL AND PHYSICAL ACCESS this dividivision is provided by the driving surface is approxim KUNDALLE Kenneth Els Days, RLS a Notary Public in and fored be the persons whose nar	Registration No. 49752 The State of
On this A.D., before me, personally appear known to me to within instrument	LEGAL AND PHYSICAL ACCESS The reby certify that phys this division is provided by the driving surface is approxim KENDERLE Remeth Els Days, RLS day of a Notary Public in and fo	Registration No. 49752 The State of
On this A.D., before me, personally appearance to me to	LEGAL AND PHYSICAL ACCESS this dividivision is provided by the driving surface is approxim KUNDALLE Kenneth Els Days, RLS a Notary Public in and fored be the persons whose nar	Registration No. 49752 The State of
On this A.D., before me, personally appear known to me to within instrument	LEGAL AND PHYSICAL ACCESS this dividivision is provided by the driving surface is approxim KUNDALLE Kenneth Els Days, RLS a Notary Public in and fored be the persons whose nar	Registration No. 49752 The State of
On this A.D., before me, personally appear known to me to within instrument same.	LEGAL AND PHYSICAL ACCESS this dividivision is provided by the driving surface is approxim KUNDALLE Remeth Els Days, RLS a Notary Public in and fored be the persons whose nar t and acknowledged to me	Registration No. 49752 The State of
On this A.D., before me, personally appear known to me to within instrument same.	day of a Notary Public in and fored be the persons whose nar t and acknowledged to me	Registration No. 49758 The State of mes are subscribed to the that they executed the
On this A.D., before me, personally appear known to me to within instrument same.	day of a Notary Public in and fored be the persons whose nar t and acknowledged to me	Registration No. 49758 The State of mes are subscribed to the that they executed the
On this A.D., before me, personally appear known to me to within instrument same.	day of a Notary Public in and fored be the persons whose nar t and acknowledged to me	Registration No. 49758 The State of mes are subscribed to the that they executed the
On this A.D., before me, personally appear known to me to within instrument same.	day of a Notary Public in and fored be the persons whose nar t and acknowledged to me	Registration No. 49758 7 2001 The State of mes are subscribed to the that they executed the

CERTIFICATE OF DEDICATION

) AVIS SURVEYING (406)295-5441 DRAWN BY: pww DATE: 8/15/2001 T30335PC

Sheri L. Ward Assistant Secretary


Attest:

PAGE 2 OF 3 DO: 156709 PLAT NO. <u>6381</u> Platting Certificate p. F. # 7072 DOC 156768

STATE OF MONTANA COUNTY OF LINCOLN Filed on this 12 day of die , 2001 A.D. at 1:70

County Clerk and Recorder by Jeannie Xleunis

REGISTRATION No. 4/305



LINCOLN COUNTY, MONTANA

A PLAT OF: LAKE CREEK HIDEAWAY

SECTION 5, Twp.30N.,R.33W., P.M.M.

NAME: PLUM CREEK TIMBER CO. LP AUGUST 2001

DESCRIPTION OF LOT 1


1 /


 $\mathcal{A}_{i}^{\mathcal{F}}$

An irregular tract of land near Troy, in Lincoln County, Montana, being in Section 5, Twp.30N.,R.33W.,P.M.M., containing 99.805 acres more or less and more particularly described as follows:

Beginning at a 5/8 inch diameter rebar capped with a 1 1/4 inch diameter plastic cap marked K.E.D. 4975—S, located at the intersection of the south line of Section 5, Twp.30N.,R.33W.,P.M.M., and the east Right—of—Way line of Lake Creek Road, a 60.00 wide public roadway, measured 30.00 feet from the centerline thereof, which bears S89°42'00"E 42.74 feet from the southwest Section corner of said Section 5; thence, from said rebar, along the south line of said Section 5, N89°42'00"W 31.98 feet to a computed point located at the intersection of the south line of said Section 5 and the approximate centerline of said Lake Creek Road per Ninneman Survey 1973—1974 Road Retracement; thence, along the approximate centerline per said Retracement Survey the following (31) thirty one courses; along the arc of a curve to the right, having a radial bearing of N70°18'37"W, a distance of 182.52ft, turning through a delta angle of 27'53'15", having a radius of 375.00 feet; thence, N47'34'38"E 219.98 feet; thence, along the arc of a curve to the right, a distance of 215.51 feet, turning through a delta angle of 9°52'42", having a radius of 1250.00 feet; thence, N57°27'20"E 284.72 feet; thence, along the arc of a curve to the left, a distance of 87.27 feet, turning through a delta angle of 2°30'00", having a radius of 2000.00 feet; thence, N54°57'20"E 192.17 feet; thence, along the arc of a curve to the left, a distance of 191.91 feet, turning through a delta angle of 5°29'52", having a radius of 2000.00 feet; thence, N49°27'28"E 282.68 feet; thence, along the arc of a curve to the left, a distance of 271.01 feet, turning through a delta angle of 10°21'06", having a radius of 1500.00 feet; thence, N39°06'22"E 131.14%thence, along the arc of a curve to the right, a distance of 139.15 feet, turning through a delta angle of 8'51'30", having a radius of 900.00 feet; thence, N47'57'52"E 140.53ft;thence, along the arc of a curve to the left, a distance of 189.90 feet, turning through a delta angle of 19°46'59", having a radius of 550.00 feet; thence, N28°10'53"E 446.99 feet; thence, along the arc of a curve to the right, a distance of 273.42 feet, turning through a delta angle of 34°48'46", having a radius of 450.00 feet; thence, N62°59'39"E 151.21th thence, along the arc of a curve to the left, a distance of 172.93 feet, turning through a delta angle of 24'46'15", having a radius of 400.00 feet; thence, N38'13'24"E 171.68 feet; thence, along the arc of a curve to the right, a distance of 272.10 feet, turning through a delta angle of 20°47'12", having a radius of 750.00 feet; thence, N59°00'36"E 180.68 feet; thence, along the arc of a curve to the left, a distance of 274.37 feet, turning through a delta angle of 40°49'54", having a radius of 385.00 feet; thence, along the arc of a curve to the left, a distance of 95.93 feet, turning through a delta angle of 21°33"48", having a radius of 254.90 feet; thence, NO3°23'06"W 442.48 feet; thence, along the arc of a curve to the left, a distance of 102.94 feet, turning through a delta angle of 5'53'53", having a radius of 1000.00 feet; thence, N09'16'59"W 88.57 feet; thence, along the arc of a curve to the right, a distance of 217.87 feet, turning through a delta angle of 24°57'57", having a radius of 500.00 feet; thence, N15°40'58"E 64.96 feet; thence, along the arc of a curve to the left, a distance of 163.44 feet, turning through a delta angle of 14°24'24", having a radius of 650.00 feet; thence, N01°16'34"E 126.17 feet; thence, along the arc of a curve to the right, a distance of 171.90 feet, turning through a delta angle of 13°07'57", having a radius of 750.00 feet; thence, N14'24'31"E 373.27 feet; thence, leaving the centerline of said Lake Creek Road, S75'35'29"E 81.09 feet to a computed point being approximately on the centerline of Lake Creek per COS No.1548; thence, the following (12) twelve courses; S26°44'26"E 160.00 feet; thence, S63'44'26"E 210.00 feet; thence, S58'44'26"E 310.00 feet; thence, S26'44'26"E 90.00 feet; thence, S10'44'26" E 90.00 feet; thence, S20'15'34" W 90.00 feet; thence, S71'15'34" W 150.00 feet; thence, S39'15'34"W 100.00 feet; thence, S07'15'34"W 130.00 feet; thence, S26'44'26"E 220.00 feet; thence, S55'44'26"E 100.00 feet; thence, N87°15'34"E 80.75 feet, to a computed point at the intersection of the north—south center line of the NE 1/4 of said Section 5, and the approximate centerline of said Lake Creek; thence, leaving the centerline of said Lake Creek, along the north—south centerline of the NE 1/4 of said Section 5, S00'17'24"E 170.26 feet to a 5/8 inch diameter rebar capped: K.E.D. 4975—S, set as a reference point on the west bank of Lake Creek; thence, continuing along the north—south center line of the NE 1/4 of said Section 5, S00°17'24″E 905.31 feet to 5/8 inch diameter rebar capped: M.D.L. 4232S, which marks the S-E 1/16 Corner of said Section 5; thence, along the east—west centerline of said Section 5, S89'41'10"E 130.92 feet to a computed point on the approximate west bank of said Lake Creek; thence, along the west bank of said Lake Creek the following (63) sixty three courses; S09'24"53"E 39.66 feet; thence, S06'01'56"W 119.91 feet; thence, S33'37'53"W 69.70#;thence, S 55'07'18"W 66.33 feet; thence, S69'12'19"W 84.92 feet; thence, N73'48'04"W 84.47 feet; thence, N53'04'14"W 126.82 feet; thence, N33'59'24"W 77.21 feet; thence, N00'49'21"W 170.64 feet; thence, N16'56'54"W 199.16 feet; thence, N53'34'58"W 75,85 feet; thence, N89'34'50"W 191.69 feet; thence, S67'31'45"W 126.47 feet; thence, S51'22'09"W 69.29 feet; thence, S30'02'37"W 83.56 feet; thence, S39°47'28"W 263.60 feet; thence, S18'15'13"W 110.52 feet; thence, S03°13'28"E 50.10 feet; thence, S09'31'03"E 72.92 feet; thence, S43'38'11"E 107.23 feet; thence, S32'23'44"E 128.15 feet; thence, S36'52'56"E 97.08 feet; thence, S24'46'03"E 88.83 feet; thence, S24'09'46"W 49.09 feet; thence, N76'10'09"W 124.24 feet; thence, S89'54'55"W 145.31 feet; thence, S66°45'13"W 100.99 feet; thence, S54°06'40"W 80.02 feet; thence, S40°58'24"W 59.74 feet; thence, S12°17'58"E 57.36 feet; thence, S24'07'38"E 98.24 feet; thence, S28'29'50"E 124.71 feet; thence, S09'08'43"E 110.94 feet; thence, S26'29'57"E 120.79 feet; thence, S08°08'00"W 110.97 feet; thence, S42°20'05"W 118.07 feet; thence, N72°01'05"W 105.62 feet; thence, S88'48'43"W 115.86 feet; thence, S65°32'19"W 84.72 feet; thence, S25°21'36"W 165.75 feet; thence, S08°35'20"E 144.35 feet; thence, \$24°41'05"E 213.10 feet; thence, \$03°47'29"E 145.81 feet, thence, \$11°18'17"W 88.26 feet; thence, \$89°11'24"W 84.36 feet; thence, S88°50'09"W 115.33 feet; thence, N80°16'41"W 161.30 feet; thence, N61°08'00"W 98.21 feet; thence, N79°01'33"W 84.89 feet; thence, N48°54'56"W 84.23 feet; thence, N43°21'59"W 126.81 feet; thence, N33'20'04"W 105.29 feet; thence, N44°49'12"W 145.48 feet; thence, N74°35'17"W 98.53 feet; thence, S50°20'40"W 143.22 feet; thence, S66'48'41"W 43.93 feet; thence, S16°58'15"W 162.72 feet; thence, S20°29'11"W 143.12 feet; thence, S17°03'32"W 130.56 feet; thence, S06°41'04"W 115.94 feet; thence, S06'32'24"W 84.83 feet; thence, S13'41'30"W 71.19 feet; thence, S05'19'00"W 111.43 feet to a computed point located at the intersection of the west bank of said Lake Creek and the south line of said Section 5; thence, along the south line of said Section 5, N89°42'00"W 1292.95 feet to the Point of Beginning.

The aforedescribed tract of land, Lot 1, containing 99.805 acres more of less and is subject to and together with all appurtenant easements of record and as shown hereon.





AN AMENDED PLAT OF: LOT 1 OF LAKE CREEK HIDEAWAY In Section 5 of Twp. 30N., R. 33W., P.M.M.

For: Bull Valley Developers L.L.C.

Date: June 2003

	LINE TA	BLE
LINE	LENGTH	BEARING
LI	219.98	N47°34'38 ' E
L2	284.72	N57°27'20"E
L3 L4	192.17 282.68	N54°57'20"E N49°27'28"E
L4 L5	131.14	N39°06'22"E
L6	140.53	N47°57'52 ' E
L7	220.50	N28°10'53 " E
L8	226.49	N28°10'53"E
L9	43.33	N62°59'39"E
L10	107.88	N62°59'39'E
L11 L12	171.68 180.68	N38°13'24 ' E N59°00'36 ' E
L13	107.08	NO3°23'06"W
L14	335.40	NO3°23'06"W
L15	88.57	NO9°16'59 " W
L16	64.96	N15°40'58 " E
L17	126.17	NO1°16'34'E
L18	373.27	N14°24'31"E SO5°17'45"W
L19 L20	111. 42 71.19	S13°41'30"W
L21	84.83	S06°32'24"W
L22	115.94	S06°41'04"W
L23	130.56	\$17°03'32 "W
L24	143.12	S20°29'11"W
L25	162.72	\$16°58'15"W
L26	43.93	\$66°48'41"W \$50°20'40"W
L27 L28	102.10 41.12	\$50°20'40"W
L29	98.53	N74°35'17"W
L30	145.48	N44°49'12"W
L31	105.29	N33°20'04"W
L32	126.81	N43°21'59"W
L33	84.23	N48°54'56"W
L34	84.89	N79°01'33"W
L35	98.21 161.30	N61°08'00*W N80°16'41*W
L37	115.33	S88°50'09"W
L38	84.36	N89°11'24"W
L39	88.26	\$11°18'17 "W
L40	145.81	SO3°47'29 " E
L41	213.10	\$24°41'05 " E
L42	144.35	S08°35'20"E
L43 L44	165.75 84.72	S25°21'36"W S65°32'19"W
L45	115.86	S88°48'43"W
L46	105.62	N72°01'05"W
L47	29.52	N42°20'05 ' E
L48	88.54	N42°20'05 ' E
L49	110.97	\$08°08'00 "W
L50	120.79	S26°29'57"E
L51 L52	110.94 124.71	\$09°08'43 " E \$28°29'50 " E
L52	98.24	\$24°07'38 ' E
L54	57.36	\$12°17'58 " E
L55	59.74	\$40°58'24"W
L56	80.02	S54°06'40"W
L57	100.99	\$66°45'13"W
L58	145.31	S89°54'55"W N76°10'09"W
L59 L60	124.24 49.09	824°09'46"W
L60	88.83	\$24°46'03"E
L62	97.08	S36°52'56 ' E
L63	128.15	S32°23'44"E
L64	107.23	S43°38'11'E
L65	72.92	S09°31'03"E
L66	50.10	\$03°13'28 " E \$18°15'13 " W
L67	110.52 263.60	\$18°15'13"W \$39°47'28"W
L69	83.56	\$30°02'37"W
L70	69.29	S51°22'09"W
L71	126.47	\$67°31'45"W
L72	191.69	N89°34'50"W
L73	75.85	N53°34'58"W
L74	 	N16°56'54"W
L75		NOO°49'21"W N33°59'24"W
L77	<u> </u>	N53°04'14"W
L78		
L79		\$69°12'19"W

LINE TABLE		
LINE	LENGTH	BEARING
L80	66.33	\$55°07'18"
L81	69.70	\$33°37'53"
L82	119.91	\$06°01'56"
L83	39.66	S09°24'53'
L84	130.92	S89°41'10'
L85	80.73	N87°15'34
L86	100.00	\$55°44'26'
L87	220.00	S26°44'26
L88	130.00	S07°15'34"
L89	100.00	\$39°15'34"
L90	150.00	S71°15'34"
L91	90.00	S20°15'34"
L92	90.00	S10°44'26
L93	90.00	\$26°44'26
L94	310.00	S58°44'26
L95	210.00	\$63°44'26
L96	160.00	S26°44'26
L97	81.09	S75°35'29

	CURVE TABLE			
CURVE	LENGTH	RADIUS	DELTA	
C1	182.52	375.00	27°53'15"	
C2	215.51	1250.00	09°52'42"	
C3	87.27	2000.00	02°30'00"	
C4	191.91	2000.00	05°29'52"	
C5	111.63	1500.00	04°15'50"	
C6	159.38	1500.00	06°05'16"	
C7	139.15	900.00	08°51'30"	
C8	189.90	550.00	19°46'59"	
C9	273.42	450.00	34°48'46"	
C10	172.93'	400.00	24°46'15"	
C11	272.10	750.00	20°47'12"	
C12	274.37	385.00	40°49'54"	
C13	95.93	254.90	21°33'48"	
C14	102.94	1000.00	05°53'53"	
C15	217.87	500.00	24°57'57"	
C16	163.44	650.00	14°24'24"	
C17	171.90	750.00	13°07'57 "	

RECORD PER PLAT NO. 6381				
-	LINE TABLE			
LINE	LENGTH	BEARING		
L1	219.98	N47°34'38"E		
L2	284.72	N57°27'20"E		
L3	192.17	N54°57'20"E		
L4	282.68	N49°27'28"E		
L5	131.14	N39°06'22"E		
L6	140.53	N47°57'52 " E		
L7	446.99	N28°10'53'E		
L8	151.21	N62°59'39"E		
L9	171.68	N38° 13'24"E		
L10	180.68	N59°00'36"E		
L11	442.48	N03°23'06"W		
L12	88.57	N09°16'59"W		
L13	64.96	N15°40'58"E		
L14	126.17	NO1°16'34"E N14°24'31"E		
L15	373.27	805°19'00"W		
L16	111.43	\$05°19'00"W		
L17	71.19 84.83	\$13 41 30 W \$06°32'24"W		
L18 L19	115.94	S06°41'04"W		
L20	130.56	\$17°03'32"W		
L21	143.12	S20°29'11"W		
L22	162.72	\$16°58'15"W		
L23	43.93	S66°48'41"W		
L24	143.22	S50°20'40"W		
L25	98.53	N74°35'17"W		
L26	145.48	N44°49'12"W		
L27	105.29	N33°20'04"W		
L28	126.81	N43°21'59"W		
L29	84.23	N48°54'56"W		
L30	84.89	N79°01'33"W		
L31	98.21	N61°08'00'W		
L32	161.30	N80°16'41 " W		
L33	115.33	\$88°50'09 " W		
L34	84.36	N89°11'24"W		
L35	88.26	\$11°18'17 "W		
L36	145.81	S03°47'29"E		
L37	213.10	\$24°41'05 ' E		
L38	144.35	\$08°35'20 " E		
L39	165.75	\$25°21'36"W		
L40	84.72	\$65°32'19"W		
L41	115.86	S88°48'43"W		
L42	105.62	N72°01'05"W S42°20'05"W		
143	118.07	\$42*20'05*W \$08*08'00*W		
L44	110.97 120.79	\$08*08*00*W \$26*29'57"E		
1.45	110.94	S09°08'43"E		
L46 L47	124.71	\$28°29'50"E		
L48	98.24	\$28 28 30 E \$24°07'38'E		
L48	57.36	\$12°17'58 " E		
L50	59.74	\$40°58'24"W		
L50	80.02	854°06'40"W		
L51	100.99	\$66°45'13"W		
L53	145.31	S89°54'55"W		
L54	124.24	N76°10'09"W		
L55	49.09	S24°09'46"W		
L56	88.83	\$24°46'03 " E		
157		C24°52'54"C		

97.08

\$36°52'56**'**E

RECOR	RECORD PER PLAT NO. 6381			
	LINE TABLE			
LINE	LENGTH	BEARING		
L58	128.15	S32°23'44"E		
L59	107.23	S43°38'11"E		
L6O	72.92	SO9°31'O3"E		
L61	50.10	SO3°13'28"E		
L62	110.52	\$18°15'13 "W		
L63	263.60	\$39°47'28 " W		
L64	83.56	\$30°02'37 " W		
L65	69.29	\$51°22'09"W		
L66	126.47	\$67°31'45"W		
L67	191.69	N89°34'50 " W		
L68	75.85	N53°34'58 " W		
L69	199.16	N16°56'54 " W		
L70	170.64	NOO°49'21"W		
L71	77.21	N33°59'24"W		
L72	126.82	N53°04'14 " W		
L73	84.47	N73°48'04 "W		
L74	84.92	\$69°12'19 " W		
L75	66.33	\$55°07'18 " W		
L76	69.70	\$33°37'53 " W		
L77	119.91	\$06°01'56 " W		
L78	39.66	S09°24'53 " E		
L79	130.92	\$89°41'10"E		
L80	80.75	N87°15'34"E		
L81	100.00	S55°44'26"E		
L82	220.00	S26°44'26"E		
L83	130.00	S07°15'34"W		
L84	100.00	\$39°15'34 " W		
L85	150.00	S71°15'34"W		
L86	90.00	S20°15'34"W		
L87	90.00	S10°44'26"E		
L88	90.00	S26°44'26"E		
L89	310.00	S58°44'26"E		
L90	210.00	S63°44'26"E		
L91	160.00	S26°44'26"E		
L92	81.09	\$75°35'29 " E		

RECOR	RECORD PER PLAT NO. 6381				
CURVE TABLE					
CURVE	LENGTH	RADIUS	DELTA		
C1	182.52	375.00	27°53'15"		
C2	215.51	1250.00	09°52'42"		
СЗ	87.27	2000.00	02°30'00"		
C4	191.91	2000.00	05°29'52"		
C5	271.01	1500.00	10°21'06"		
C6	139.15	900.00	08°51'30"		
C7	189.90	550.00	19°46'59"		
C8	273.42	450.00	34°48'46"		
C9	172.93	400.00	24°46'15"		
C10	272.10	750.00	20°47'12"		
C11	274.37	385.00	40°49'54"		
C12	95.93	254.90	21°33'48"		
C13	102.94	1000.00	05°53'53"		
C14	217.87	500.00	24°57'57"		
C15	163.44	650.00	14°24'24"		
C16	171.90	750.00	13°07'57"		

Davis .	Surveying Inc.
	ITANA, (406)295-5441_
	REV. 06/17/03
DRAWN BY: 69R	FILE: T303335PC.DWG

Doc 17477.5 SHEET 2 OF 4 PLAT NO. 6.509

L57

LINCOLN COUNTY MONTANA

AN AMENDED PLAT OF: LOT 1 OF LAKE CREEK HIDEAWAY In Section 5 of Twp. 30N., R. 33W., P.M.M.

For: Bull Valley Developers L.L.C.

Date: June 2003

CERTIFICATE OF SURVEYOR

STATE OF MONTANA County of Lincoln

I Kenneth E. Davis, do hereby certify that a survey was made of AMENDED LOT 1, a major subdivision, during the month of June 2003, In accordance with the provisions of Sections 76-3-201 through 76-3-625 M.C.A. 2000; that the annexed plat is in accordance with such a survey, that the streets and dimensions of the lots are as shown hereon; and that the said platted area was laid out on the ground

2003 A.D.

Registered Land Surveyor No.

TREASURER CERTIFICATION

I hereby certify that all real property taxes and special assessments assessed and

Lincoln County

CERTIFICATE OF DEDICATION

I/we the undersigned property owners(s), do hereby certify that I/we have caused to surveyed, subdivided and platted in to lots and streets as shown by the Plat hereto annexed, the following described land near TROY in Lincoln County Montana to wit:

DESCRIPTION OF AMENDED LOT 1

An irregular tract of land near Troy, in Lincoln County Montana, lying in Section 5, Twp. 30 N., R. 33 W., P.M.M. containing Lots 1 through 10 for a total acreage of 99.81 acres more or less and more particularly described as follows:

That tract of land as shown and described as Lot 1 of Lake Creek Hideaway per Plat No. 6381.

The aforedescribed Amended Lot 1 of Lake Creek Hideaway contains Lots 1 through 10 with their respective acreage's, for a total acreage of 99.81 acres more or less and is subject to and together with all appurtenant easements of record including a 10.00 foot public trail along the west bank of Lake Creek, and a 40.00 foot access easement as shown

The above described tract of land is to known and designated as, AMENDED LOT 1, Lincoln County, Montana.

LEGAL AND PHYSICAL ACCESS

I hereby certify that physical access to all lots within this subdivision is provided by: LITE CREEK

is approximately 2// feet wide. KENNETH E Registered Land Surveyor No.

COUNTY CERTIFICATE OF FINAL PLAT APPROVAL

The County Commission of Lincoln County, Montana does hereby certify that it has examined this subdivision plat and having found the same to conform to law, approves it, and hereby accepts the dedication to public use of and and all lands shown on this plat as being dedicated to such use, this 9th day of May 200 A.D.

(Signatures of Commissioners) to Hundon actina Chairman ATTEST: (Signature of Clerk and Recorder)

Montana

(Seal of County)

STATE OF MONTANA County of Lincoln Mania



On this 29th day of December, 2003 A.D. before me, a Notary Public in and for the State of Montana, personally appeared Fred Wchinnicoft & Sima Muroft. known to me to be the persons whose names are subscribed to the within instrument and acknowledged to me that they executed the same.

Notary Public My Commission Expires

CERTIFICATION OF EXAMINING LAND SURVEYOR WONTAND County Examiner Registered Land Surveyor No.

STATE OF MONTANA COUNTY OF LINCOLN

Filed on this day of March 200 A.D. at 12:30
O'clock m.

by Jeanse Mennie
County Clerk and Recorder

by Jeanse Deputy

DOC 174775 SHEET 3 OF 4 PLAT NO. 6509

Davis Surveying Inc. TROY MONTANA, (406)295-5441 DATE: 10/15/02 REV. 06/17/03 FILE: 1303335PC.DWG DRAWN BY: COR

LINCOLN COUNTY MONTANA AN AMENDED PLAT OF: LOT 1 OF LAKE CREEK HIDEAWAY
In Section 5 of Twp. 30N., R. 33W., P.M.M. Date: June 2003 For: Bull Valley Developers L.L.C. egend SET 5/8 INCH DIA. WITH A 1 200' SET BACK FROM ANY STREAM 1/4 INCH DIA. PLASTIC CAP STAMPED K.E.D. 4975-S RESTRICED ZONE **CHANNEL MIGRATION ZONE** FOUND 5/8 INCH DIA. REBAR CAPPED K.E.D. 4975-S FLOOD PLAIN FOUND 5/8 INCH DIA. REBAR 100' FLOOD PLAIN SET BACK CAPPED MDL 4232-S SECTION CORNERS AS NOTED QUARTER CORNERS AS NOTED PARCEL B PER C.O.S. 1548 10' PUBLIC TRAIL (along the west bank) LOT 1 LOT ACREAGES 200'SET BACK FROM AND STREAM LOT# NET GROSS C.O.S. 1548 23.11 ± LOT 1 21.68 ± LOT 2 $6.75 \pm$ $6.75 \pm$ LOT 3 $4.99 \pm$ $5.66 \pm$ CHANNEL MIGRATION ZONE LOT 4 8.57 ± $9.07 \pm$ LOT 5 10.69 ± 11.06 ± LOT 6 12.76 ± 13.14 ± LOT 7 $10.76 \pm$ $11.28 \pm$ LOT 8 $7.95 \pm$ $8.71 \pm$ LOT 9 $6.14 \pm$ 6.50 ± LOT 10 $3.93 \pm$ $4.53 \pm$ TOTAL 94.22 ± 99.81 ± RESTRICED ZONE LOT 3 \Box NOTE: The individual land owners shall be responsible for the re-establishment of the 2 INCH DIA. IRON PIPE restricted zone, channel migration zone, and the 200 foot setback from any stream prior LAKI to any construction. LOT 5 **CHANNEL MIGRATION ZONE** LOPE $C_{kl,l,k}$ LOT 9 8 3 1/4 INCH DIA. ALUM. CAP STAMPED K.E.D. 4975-S 2 INCH DIA PIPE WITH PK 3 1/4 INCH DIA. BRASS NAIL IN CENTER (NO CAP) CAP SET BY BLM **GRAPHIC SCALE** Davis Surveying Inc. TROY MONTANA, (406)295-5441 1 INCH = 400 FT. DATE: 10/15/02 REV. 06/17/03 Doc 174775 SHEET 4 OF 4 PLAT NO. 6509 FILE: 1303335PC.DWG DRAWN BY: BAR

Sanitary Restriction Removed P. F. # 7569 Platting Cethfick PF 1500 / Upon Weed plan p. F. 1571 Cov. M28/620

CERTIFICATE OF DEDICATION

WE, STIMSON LUMBER CO, THE UNDERSIGNED PROPERTY OWNERS, DO HEREBY CERTIFY THAT I HAVE CAUSED TO BE SURVEYED, SUBDIVIDED AND PLATTED INTO LOTS AS SHOWN BY THE PLAT AND CERTIFICATE OF SURVEY HEREUNTO INCLUDED. THE FOLLOWING DESCRIBED TRACT OF LAND. TO-WIT:

Those portions of the Southwest 1, Section 18 and Section 19, Township 31 North, Range 33 WEST, P.M., M., LINCOLN COUNTY, MONTANA INCLUDING A PORTION OF THE CATARACT MILL SITE, U.S. MINERAL SURVEY NO. 3856B. DESCRIBED AS FOLLOWS: COMMENCING AT THE SOUTHEAST CORNER OF SECTION 19; THENCE ALONG THE SOUTH LINE OF SECTION 19 North 89°27'46" West 1709.83 feet to the Point of Beginning; thence continuing along THE SOUTH LINE NORTH 89°27'46" WEST 484.36 FEET; THENCE NORTH 0°32'19" EAST 9.01 FEET; THENCE NORTH 86°40'19" EAST 6.84 FEET; THENCE NORTH 10°29'00" WEST 626.29 FEET; THENCE NORTH 7º15'41" WEST 890.10 FEET; THENCE NORTH 10º55'20" WEST 293.35 FEET; THENCE NORTH 8°39'14" WEST 684.34 FEET; THENCE NORTH 8°33'09" WEST 308.75 FEET; THENCE NORTH 15°50'26" WEST 367.28 FEET; THENCE NORTH 10°10'32" WEST 229.41 FEET; THENCE NORTH 40°14'42" WEST 204.74 FEET; THENCE NORTH 52°33'48" WEST 146.13 FEET; THENCE NORTH 71°44'20" WEST 5.74 FEET; THENCE SOUTH 48°38'37" WEST 19.04 FEET; THENCE NORTH 43°08'10" WEST 99.64 FEET; THENCE NORTH 31°36'16" EAST 260.15 FEET; THENCE NORTH 25°31'04" WEST 716.46 FEET; THENCE NORTH 44°22'53" WEST 313.70 FEET; THENCE NORTH 3°21'11" WEST 353.09 FEET; THENCE NORTH 84°16'39" WEST 286.40 FEET; THENCE SOUTH 67°33'43" WEST 36.16 FEET; THENCE NORTH 19°34'00" WEST 600.00 FEET; THENCE NORTH 70°26'00" EAST 266.22 FEET TO A POINT ON THE Southwesterly Line of U.S. Highway No. 2, which point is on a spiral curve, said SPIRAL CURVE HAVING A CENTERLINE THETA ANGLE OF 10°00'00" AND A LENGTH OF 400.00 FEET; THENCE ALONG THE SOUTHWESTERLY LINE OF THE HIGHWAY THE FOLLOWING COURSES: SOUTHEASTERLY ALONG THE SPIRAL CURVE AN ARC LENGTH OF 417.27 FEET (CHORD = SOUTH 17°21'37" EAST 416.70 FEET) TO A POINT ON A 1295.91 FOOT RADIUS CURVE CONCAVE NORTHEASTERLY HAVING A RADIAL BEARING OF NORTH 66°08'53" EAST; THENCE SOUTHEASTERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF 0°48'18" 18.21 FEET; THENCE NORTH 65°20'35" EAST 90.00 FEET TO A POINT ON A 1205.91 FOOT RADIUS CURVE CONCAVE NORTHEASTERLY HAVING A RADIAL BEARING OF NORTH 65°20'35" EAST: THENCE SOUTHEASTERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF 22°50'12" 480.65 FEET TO A POINT ON A SPIRAL CURVE, SAID SPIRAL CURVE HAVING A CENTERLINE THETA ANGLE OF 10°00'00" AND A LENGTH OF 400.00 FEET; THENCE SOUTHEASTERLY ALONG THE SPIRAL CURVE AN ARC LENGTH

of 72.24 feet (chord = South 49°06'57" East 72.23 feet); thence South 42°47'32" West 79.11 feet; thence leaving the Southwesterly line of the highway, South 27°21'20" East 1306.62 feet; thence South 89°21'24" East 138.31 feet; thence South 22°19'51" East 334.12 feet; thence South 34°36'04" East 330.99 feet; thence South 41°42'53" East 270.03 feet; thence South 47°24'48" East 410.42 feet; thence South 15°28'00" East 240.11 feet; thence South 47°17'38" West 161.86 feet; thence South 16°29'00" East 212.80 feet; thence South 57°35'00" East 137.20 feet; thence South 34°40'00" East 237.79 feet; thence South 8°01'15" East 491.17 feet; thence South 8°01'15" West 392.28 feet; thence West 240.00 feet; thence South 0°09'00" East 1003.14 feet to the Point of Beginning containing 73.164 acres of Land.

SUBJECT TO EASEMENTS OF RECORD.

SUBJECT TO AND TOGETHER WITH EASEMENTS AS SHOWN HEREON.

STIMSON LUMBER CO, AN OREGON CORPORATION

Vice President

STATE OF STATE) SS

ON THIS 9th DAY OF Navember, 1994 BEFORE ME, THE UNDERSIGNED, A NOTARY PUBLIC FOR THE STATE AFORESAID, PERSONALLY APPEARED Ronald J. Wundt, KNOWN TO ME TO BE THE Use President OF STIMSON LUMBER CO, THE CORPORATION THAT EXECUTED THE ABOVE INSTRUMENT, AND ACKNOWLEDGED TO ME THAT SUCH CORPORATION EXECUTED

IN WITNESS WHEREOF, I HAVE HEREUNTO SET MY HAND AND AFFIXED MY NOTARIAL SEAL THE DAY AND YEAR FIRST ABOVE WRITTEN.



Mancie Stalmon

NOTARY PUBLIC FOR THE STATE OF Oregon

RESIDING AT PORTLAND, Oregon

MY COMMISSION EXPIRES June 12, 1996

A FINAL PLAT OF Lake Creek Subdivision

SW 1/4, Sec. 18 and Sec. 19, T31N R33W, P.M., M., Lincoln County, Montana

CERTIFICATE OF COUNTY COMMISSIONERS

, THE UNDERSIGNED, WOEL E WILLIAMS, CHAIR	PERSON OF THE BOARD OF COUNTY COMMISSIONERS OF LINCO
	Y CLERK AND RECORDER OF SAID COUNTY DO HEREBY CERTIF
HAT THIS ACCOMPANYING PLAT OF LAKE CREEK SUBDIVISION, LIN	COLN COUNTY, MONTANA, HAS BEEN SUBMITTED TO THE BOAR
COUNTY COMMISSIONERS OF LINCOLN COUNTY, MONTANA FOR EXA	MINATION AND HAS BEEN FOUND BY THEM TO CONFORM TO LA
ID WAS APPROVED BY THEM AT THEIR REGULAR MEETING HELD ON	THE 30 DAY OF 100 , 1994.
ARKLAND DEDICATION IS EXEMPT PER 76-3-606(1), MCA.	
Smel. Williams	Coral on Comming &
HAIRPERSON, BOARD OF COUNTY COMMISSIONERS	COUNTY CLERK AND RECORDER
INCOLN COUNTY, MONTANA	LINCOLN COUNTY, MONTANA
HEREBY CERTIFY THAT ALL REAL PROPERTY TAXES AND SPECIAL	ASSESSMENTS ASSESSED AND LEVIED ON THE LAND TO BE

DIVIDED HAVE BEEN PAID.

TREASURER, LUNCOLN COUNTY, MONTANA

Buffisher

CERTIFICATE OF SURVEYOR

HEREBY CERTIFY THAT PHYSICAL ACCESS TO ALL LOTS WITHIN THIS SUBDIVISION IS PROVIDED BY U.S. How

Daym Mague

REGISTRATION No. 7328 S

STATE OF MONTANA

FILED ON THE 1st DAY OF Alexander, 19 94, A.D. AT 9:20 O'CLOCK A. M.


COUNTY CLERK AND RECORDER

BY Leannie Clennie
DEPUTY

INSTRUMENT REC. No. 5228

SHEET I OF

PHONE (406) 755-6285



CERTIFICATE OF DEDICATION

WE, STIMSON LUMBER CO, THE UNDERSIGNED PROPERTY OWNERS, DO HEREBY CERTIFY THAT WE HAVE DAUSED TO BE SURVEYED, SUBDILIDED AND PLATTED INTO LOTS AS SHOWN BY THE PLAT AND CERTIFICATE OF SURVEY HEREUNTO INCLUDED, THE FOLLOWING DESCRIBED TRACT OF LAND, TO-WIT:

Those portions of the Southwest $\frac{1}{4}$, Section 18 and Section 19, Township 31 North, RANGE 33 WEST, P.M., M., LINCOLN COUNTY, MONTANA INCLUDING A PORTION OF THE CATARACT MILL SITE, U.S. MINERAL SURVEY NO. 58 68, DESCRIBED AS FOLLOWS: COMMENCING AT THE SOUTHEAST BORNER OF SECTION 19; THENCE ALONG THE SOUTH LINE OF SECTION 19 NORTH 89907146" WEST 1009.5% SEET TO THE POINT OF BEGINNING; THENDE CONTINUING ALONG THE SOUTH LINE NORTH HOPE THAN WEST 484.30 FEET; THENCE NORTH 0.32110" EAST 9.01 FEET; THENCE NORTH OC \$40119" EAST 5.84 FEET; THENCE NORTH 1051.9100" WEST 626.29 FEET; THENCE NORTH 1915141" WEST 890.10 FEET; THENCE NORTH 10085120" WEST 203.36 FEET; THENCE NORTH 8039114" WEST 684.34 FEET; THENCE NORTH 8-33109" WEST 308.75 FEET; THENDE NORTH 15-50' OF WEST 367.28 FEET; THENDE NORTH 10:10:32" West 229.41 FEET; THENCE NORTH 40:14:40" WEST 204.74 FEET; THENCE NORTH \$ 233148" WEST 140.13 FEET; THENCE NORTH /1244188" WEST 1.74 FEET; THENCE SOUTH 4.8-38-37" WEST 19.04 FEET; THENCE NORTH 45908'10" WEST 99.66 FEET; THENCE NORTH 31:36:10" East 260.1: FEET; THENGE NORTH 25°51'04" WEST 716.46 FEET; THENGE NORTH A4822183" West 313.00 FEET; THENCE NORTH 7921111" WEST 387.09 FEET; THENCE NORTH 84416139" WEST 286.40 FEET; THENCE SOUTH 67973113" WEST 36.16 FEET; THENCE NORTH 19°34'00" WEST 800.00 FEET; THENCE NORTH 82°32" to West 8°6.94 FEET; THENCE NORTH 27041109" EAST 223.61 FEET; THENCE SOUTH 29728157" EAST 282.94 FEET; THENCE SOUTH 8980145# EAST 701.14 FEET; THENCE NORTH 70926100# EAST 226.22 FEET TO A POINT ON THE SOUTHWESTERLY LINE OF U.S. HIGHWAY NO. 1, WHICH POINT IS ON A SPIRAL SURVE, SAID SPIRAL CURVE HAVING A CENTERLINE THETA ANGLE OF 10°00'00" AND A LENGTH OF 400.00 FEET; THENCE ALONG THE SOUTHWESTERLY LINE OF THE HIGHWAY THE FOLLOWING COURSES: SOUTHEASTERLY ALONG THE SPIRAL GORVE AN ARG LENGTH OF 417.27 FEET CHORDESOUTH 17-21-37" East 416.70 FEET) TO A POINT ON A 1. 95.91 FOOT RADIUS SURVE SONGALE NORTHEASTERLY HAVING A RADIAL HEARING OF NORTH UNGOS 153" EAST; THENCE SOUTHEASTERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF CRARTISM 18.21 FEET; THENCE NORTH CHOLOTOM EAST 10.00 FEET TO A POINT ON A 1201. 12 FOOT RADIUS CURVE CONCAVE NORTHEASTERLY HAVING A RADIAL BEARING OF NORTH 60.0201/5" EAST; THENCE SOUTHEASTERLY ALONG THE SAID SPIRAL SURVE HAVING A CENTERLINE THETA ANGLE OF 10°00'00" AND A LENGTH OF 400.00 FEET; THENCE SOUTHEASTERLY ALONG THE SPIRAL CUR.E AN ARC LENGTH OF 72.24 FEET (CHORS SOUTH 49°06/15" EAST 12.11 FEET); THENCE SOUTH 42°47/32" WEST 79.11 FEET; THENCE LEADING THE SOUTHWESTERLY LINE OF THE HIGHWAY, SOUTH 20021120" EAST 1306.62 FEET; THENDE SOUTH HEMALT LAW EAST 136.31 FEET; THENDE SOUTH 22019111 EAST 334.12 FEET; THENCE SOUTH 34536 1044 EAST 640.10 FEET; THENCE SOUTH 418421034 EAST 270.03 FEET; THENCE SOUTH 47924148" EAST 410.47 FEET; THENCE SOUTH 15928100" EAST 140.11 FEET; THENCE SOUTH 47917138" WEST 161.86 FEET; THENCE SOUTH 16929100" EAST 212.80 PEET; THENCE SOUTH 57"35"00" EAST 137.00 PEET; THENCE SOUTH 342 40"00" EAST 257.79 FEET; THENCE SOUTH 8-16/10" EAST 491.17 FEET; THENCE SOUTH 8-01/15" WEST 392.28 PEET; THENCE WEST 240.00 PEET; THENCE SOUTH 0°09'00" EAST 1003.14 PEET TO THE POINT OF BEGINNING CONTAINING 18.003 ACRES OF LAND. SHEFECT TO EASEMENTS OF RECORD.

THE ABOVE DESCRIBED TRACT OF LAND IS TO BE KNOWN AND DESIGNATED AS AMENDED SOBD VISION PLAT OF LOT 1, LAKE CREEK SUBDIVISION, LINCOLN COUNTY, MONTANA. WE ALSO CERTIFY THAT THIS DIVISION IS MADE FOR THE PURPOSE OF RELOCATING A COMMON BOUNDARY LINE BETWEEN A SINGLE FOR WITHIN A PLATTED SUPERISION AND ADDITIONS LAND OUTSIDE A PLATTED SUBDITISION. A RESTRICTION OR REQUIREMENT ON THE OPIGINAL PLATTED LOT OF ORIGINAL UNHEATTED FARGEL CONTINUES TO APPLY TO THOSE AREAS PURSUANT TO SECTION 76-3-. OF E).

Suggest to AND TOGETHER WITH EASEMENTS AS SHOWN HEREON.

OT MOON ! MEER OO

MY COMMISSION EXPIRES 6/12/96

Marquardt Surveying, Inc.

285 1st AVE. E.N. KALISPELL, MONTANA 59901 PHONE (406) 755-6285

Amended Subdivision Plat of Lot 1, Lake Creek Subdivision

SW 1/4, Sec. 18 and Sec. 19, T3IN R33W, P.M., M., Lincoln County, Montana

CERT FICATE OF SURVEYOR

HEREBY SERTIFY THAT PHYSICAL ACCESS TO ALL LOTS WITHIN THIS SUBDITION IS PROTICED BY . THE ORITING SURFACE IS APPROLIMATELY 18'+ FEET WIDE.

REGISTRATION No. 7328 S

STATE OF MONTANA

THE 232 DAY OF Thank, 1995, A.D., AT 9:05 OF OLOGE A. M.

SHEET | OF 2 P.F. No. 5298

CERTIFICATE OF DEDICATION

WE, STIMSON LUMBER CO.. THE UNDERSIGNED PROPERTY OWNERS, DO HEREBY CERTIFY THAT WE HAVE CAUSED TO BE SURVEYED, SUBDIVIDED AND PLATTED INTO LOTS AS SHOWN BY THE PLAT AND CERTIFICATE OF SURVEY HEREUNTO INCLUDED, THE FOLLOWING DESCRIBED TRACT OF LAND, TO-WIT:

THOSE PORTIONS OF THE SOUTHWEST &, SECTION 18 AND SECTION 19, TOWNSHIP 31 NORTH, RANGE 33 WEST, P.M., M., LINCOLN COUNTY, MONTANA INCLUDING A PORTION OF THE CATARACT MILL SITE, U.S. MINERAL SURVEY No. 3856B, DESCRIBED AS FOLLOWS: COMMENCING AT THE SOUTHEAST CORNER OF SECTION 19; THENCE ALONG THE SOUTH LINE OF Section 19 North 89°27'46" West 1709.83 FEET to the Point of Beginning: Thence CONTINUING ALONG THE SOUTH LINE NORTH 89°27'46" WEST 484.36 FEET; THENCE NORTH 0°32'19" EAST 9.01 FEET; THENCE NORTH 86°40'19" EAST 6.84 FEET; THENCE NORTH 10°29'00" WEST 626.29 FEET; THENCE NORTH 7°15'41" WEST 890.10 FEET; THENCE NORTH 10°55'20" WEST 293.35 FEET; THENCE NORTH 8°39'14" WEST 684.34 FEET; THENCE NORTH 8°33'09" West 308.75 FEET; THENCE NORTH 15°50'26" WEST 367.28 FEET; THENCE NORTH 10°10'32" West 229.41 FEET; THENCE NORTH 40°14'42" WEST 204.74 FEET; THENCE NORTH 52°33'48" WEST 146.13 FEET; THENCE NORTH 71°44'20" WEST 5.74 FEET; THENCE SOUTH 48°38'37" WEST 19.04 FEET; THENCE NORTH 43°08'10" WEST 99.64 FEET; THENCE NORTH 31°36'16" EAST 260.15 FEET; THENCE NORTH 25°31'04" WEST 716.46 FEET; THENCE NORTH 44°22'53" WEST 313.70 FEET; THENCE NORTH 3°21'11" WEST 353.09 FEET; THENCE NORTH 84°16'39" WEST 286.40 FEET; THENCE SOUTH 67°33'43" WEST 36.16 FEET; THENCE NORTH 19°34'00" WEST 600.00 FEET; THENCE NORTH 22°32'56" WEST 816.94 FEET; THENCE NORTH 27°41'09" EAST 223.61 FEET; THENCE SOUTH 29°28'57" EAST 282.94 FEET; THENCE SOUTH 8°50'45" EAST 701.14 FEET; THENCE NORTH 70°26'00" EAST 323.00 FEET; THENCE SOUTH 19°34'00" EAST 570.74 FEET TO A POINT ON THE SOUTHWESTERLY LINE OF THE U.S. HIGHWAY No. 2 RIGHT OF WAY WHICH POINT IS ON A 1205.91 FOOT RADIUS CURVE CONCAVE NORTHEASTERLY HAVING A RADIAL BEARING OF NORTH 58°24'40" EAST; THENCE ALONG THE SOUTHWESTERLY LINE OF THE HIGHWAY SOUTHEASTERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF 15°54'17" 334.75 FEET TO A POINT ON A SPIRAL CURVE, SAID SPIRAL CURVE HAVING A CENTERLINE THETA ANGLE OF 10°00'00" AND A LENGTH OF 400.00 FEET AND SOUTHEASTERLY ALONG THE SPIRAL CURVE AN ARC LENGTH OF 72.24 FEET (CHORD = SOUTH 49°06'57" EAST 72.23 FEET); THENCE SOUTH 42°47'32" WEST 79.11 FEET; THENCE SOUTH 27°21'20" EAST 1306.62 FEET; THENCE SOUTH 89"21"24" EAST 138.31 FEET; THENCE SOUTH 22"19"51" EAST 334.12 FEET; THENCE SOUTH 34°36'04" East 330.99 FEET; THENCE SOUTH 41942'53" East 270.03 FEET; THENCE SOUTH 47°24'48" EAST 410.42 FEET; THENCE SOUTH 15°28'00" EAST 240.11 FEET; THENCE SOUTH 47°17'38" WEST 161.86 FEET; THENCE SOUTH 16°29'00" EAST 212.80 FEET; THENCE SOUTH 57°35'00" EAST 137.20 FEET; THENCE SOUTH 34°40'00" EAST 237.79 FEET; THENCE SOUTH 8°16'15" EAST 491.17 FEET; THENCE SOUTH 8°01'15" WEST 392.28 FEET; THENCE WEST 240.00 FEET; THENCE SOUTH 0009 00" EAST 1003.14 FEET TO THE POINT OF BEGINNING CONTAINING 77.095 ACRES OF LAND. SUBJECT TO EASEMENTS OF RECORD. SUBJECT TO AND TOGETHER WITH EASEMENTS AS SHOWN HEREON. SUBJECT TO HIGHWAY RIGHT OF WAY EASEMENTS AS SHOWN HEREON.

THE ABOVE DESCRIBED TRACT OF LAND IS TO BE KNOWN AND DESIGNATED AS AMENDED SUBDIVISION PLAT OF LOTIA, OF THE AMENDED SUBDIVISION PLAT OF LOT 1. LAKE CREEK SUBDIVISION, LINCOLN COUNTY, MONTANA. WE ALSO CERTIFY THAT THIS DIVISION IS MADE FOR THE PURPOSE OF RELOCATING A COMMON PLATTED SUBDIVISION. A RESTRICTION OR REQUIREMENT ON THE ORIGINAL PLATTED LOT OR ORIGINAL unplatted parcel continues to apply to those areas pursuant to Section $76-3-207(\epsilon)$.

STIMSON LUMBER CO.


and the second second		AN UNEGUN CURPURATION	
a Maria		BY Roald & muntt	
STATE OF	(Hegon) ss.		
COUNTY OF	Oplgon) ss.		
		, 1995, BEFORE ME, THE UNDERSIGNE APPEARED Ronald J. Mundt	D, A NOTARY
PUBLIC FOR	THE STATE AFORESALD, PERSONALLY	APPEARED Ronald J. Mundt	<u> </u>
KNOWN TO M	E TO BE THE Duce President	OF STIMSON LUMBER CO., THE CORPO	RATION WHOSE
NAME IS SU	BSCRIBED TO THE FOREGOING INSTRU	RENT AND ACKNOWLEDGED TO ME THAT SU	CH CORPORATION
EXECUTED T	HE SAME.		
IN WI	TNESS WHEREOF, I HAVE HEREUNTO S	ET MY HAND AND AFFIXED MY NOTARIAL	SEAL THE DAY
AND YEAR F	IRST ABOVE WRITTEN.	1	

RESIDING AT

MY COMMISSION EXPIRES

Marquardt Surveying, Inc.

285 1st AVE. E.N. KALISPELL, MONTANA 59901 PHONE (406) 755-6285



Amended Subdivision Plat of Lot IA, of the Amended Subdivision Plat of Lot I, Lake Creek Subdivision SWI/4, Sec. 18 and Sec. 19, T31NR33W, P.M., M., Lincoln County, Montana

Level R. Curr

COUNTY COMMISSIONER

CERTIFICATE OF SURVEYOR


I HEREBY CERTIFY THAT PHYSICAL ACCESS TO ALL LOTS WITHIN THIS SUBDIVISION IS PROVIDED BY THE DRIVING SURFACE IS AMPROXIMATELY amin of 18 FEET WIDE.


REGISTRATION No. 7328 S


STATE OF MONTANA


FILED ON THE 19 VAY OF COSEL , 1995, A.D., AT 8:30 O'CLOCK A. M.

Sheet 1 of 2 P.F. No. 5298 A









LINCOLN COUNTY, MONTANA

AMENDED PLAT OF:


Lot 1A of Lake Creek Subdivision per Plat No. 5298A


SW 1/4 Section 18, Twp. 31N., R. 33W., P.M.M.

FOR: NORTHERN LIGHTS INC.

P.O.B.

DATE: January 2002





5/8 INCH DIA, REBAR NO CAP

STAMPED 7328-S

STONE SET FOR CITY MONUMENT

RECORD PER PLAT NO. 5298A

NOTE: LOT 1A1 IS NOT TO BE FURTHER SUBDIVIDED.

DESCRIPTION OF LOT 1A1

A tract of land near Troy in Lincoln County Montana, being a part of Lot 1A per Plat No. 5298A, located in the SW 1/4 of Section 18 of Twp. 31N., R. 33W., P.M.M. containing 2.85 acres more or less and more particularly described as follows:

Beginning at a 5/8 inch dia. rebar capped Marguardt 7328-S which marks the northern most property corner of Lot 1A per Plat No. 5298A; thence, from point of beginning S27°41'27"W 223.39 feet to a 5/8 inch dia. rebar capped Marquardt 7328-S; thence, S22°35'22"E 816.48 feet to a 5/8/ inch dia. rebar capped Marquardt 7328—S; thence, N70°26'00"E 40.00 feet to a 5/8 inch dia. rebar capped Marquardt 7328-S; thence, N08°53'52"W 700.55 feet to a 5/8 inch dia. rebar capped Marquardt 7328-S; thence, N29°28'57"W 282.75 feet to the point of beginning.

The aforedescribed Lot 1A1 contains 2.85 acres more or less and is subject to and together with all appurtenant easements of record.

LOT 1A PER PLAT No. 5298A GRAPHIC SCALE

(IN FEET)

1 inch = 100 ft.

I, Kenneth E. Davis, do hereby certify that a survey was made of America (a) Anti-Allian minor subdivision, under my supervision, during the month of _______,

2001, in accordance with the provisions of Sections 76.3.201

plat is in accordance with such survey, that the streets and dimensions of the lots are as shown hereon; and that the said platted area was laid out on the ground according to law.

through 76.3.625 Montana Codes Annotated, 2000; that the annexed

the undersigned property owner(s), do hereby certify that I/we have caused to be surveyed, subdivided and platted into lots and

The above described tract of land is to be known and designated as Am Plat of Lot IA of Cake Creek Sub

A.D., before me, a Notary Public in and for the State of Montana

within instrument and acknowledged to me that they executed the

known to me to be the persons whose names are subscribed to the

personally appeared Mana Contin for Morthern die

sudra Es Tohnson 5-1-2004

TAX CERTIFICATION

CERTIFICATE OF DEDICATION

County, Montana to wit:

Lincoln County, Montana.

CERTIFICATE OF SURVEYOR

STATE OF MONTANA County of Lincoln

On this 16 day of tuly

STATE OF MONTANA County of Lincoln

I hereby certify that all real property taxes and special	
assessments assessed and revied on the land to be divided h	ıav.
assessments assessed and revised on the land to be divided to been paid. Dated this // day of //////	

Lincoln County Montana

LEGAL AND PHYSICAL ACCESS

I hereby dertify that physical access to all lots within this subdivision is provided by private casements.
The driving surface is approximately feet wide.

Registration No. 4975S

CHAIRMAN

STATE OF MONTANA COUNTY OF LINCOLN

County Clerk and Recorder


Filed on this <u>14</u>day of C O'clock @.m.

PAGE 1 OF 3 AMENDED PLAT NO. 6419

DAVIS SURVEYING INC. TROY, MONTANA (406) 295-5441 DATE: 01-25-01 REV: DRAWN BY: CJR FILE: T313319N.DWG

Sanitary Restrictions Removed D.F. 47/88 Dad 161407 Platling Cestificate D.F. 47/89 Doc+161408 Noxious WEED NON DE. 47/90 Doc-16/1909

DOC#141410



AN AMENDED PLAT OF:

LOT 1A1 LAKE CREEK SUBDIVISION PER PLAT NO. 6419


In the SW 1/4 Section 18 Twp. 31 N., R. 33 W., P.M.M.
For: Cecil McDougall & Stimson Lumber Co.
Date: January 2004
Sheet 2 of 2

DESCRIPTION OF AMENDED LOT 1B1

A tract of land located near Troy, in Lincoln County, Montana, lying in the SW 1/4 of Section 18 Twp. 31 N., R. 33 W., P.M.M., containing 16.11 acres more or less and more particularly described as follows:

Beginning at a 5/8 inch dia. rebar capped K.E.D. 4975-S located on the south section line of Section 18 Twp. 31 N., R. 33 W., P.M.M., and bears S89°22'32"E 615.18 feet from a 3 1/4 inch dia. brass monument marking the south west section corner of said Section 18; thence, S89°22'32"E 671.05 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, N19*04'39*W 1.30 feet to a 3/4 inch dia. rebar; thence, N20°03'38"W 375.62 feet to a 5/8 inch dia. rebar capped Marquardt 7328S; thence, N70°11'57"E 40.00 feet to a 5/8 inch dia. rebar capped Marquardt 7328-S; thence, N09°05'27"W 700.52 feet to a 5/8 inch dia. rebar capped Marquardt 7328-S; thence, N29°40'34"W 282.75 feet to a 5/8 inch dia. rebar capped Marquardt 7328-S; thence, N25°44'16"W 144.32 feet to a computed point; thence, \$32°34'46"W 87.01 feet to an original stone; thence, S31°57'30"W 711.04 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S23°23'53"E 377.06 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence on the arc of a curve to the left, a distance of 386.27 feet, turning through a delta angle of 41°45'28", and having a radius of 530.00 feet, to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, \$18°21'35"W 29.12 feet to the point of beginning.

The aforedescribed Amended Lot 1B1 contains 16.11 acres more or less and is subject to and together with all appurtenant easements of record.



Davis Surveying Inc. TROY, MONTANA (406)295-5441

DATE: 01/19/04 DRAWN BY: 69R

FILE: TROYXY.dwg

DESCRIPTION OF REMAINDER

A tract of land located near Troy, in Lincoln County, Montana, lying in the SW 1/4 of Section 18 Twp. 31 N., R. 33 W., P.M.M., containing 16.67 acres more or less and more particularly described as follows:


Beginning at a 3 1/4 inch dia. brass monument marking the south west section corner of Section 18 Twp. 31 N., R. 33 W., P.M.M.; thence, N00°02'47"E 1869.23 feet along the west line of said Section 18, to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S57°46'41"E 119.14 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence on the arc of a curve to the right, a distance of 42.61 feet, turning through a delta angle of 01°59'05", and having a radius of 1230.00 feet, to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, N07°39'57"E 147.37 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, on the arc of a curve to the right, a distance of 194.07 feet, turning through a delta angle of 03°20'21", and having a radius of 3330.00 feet, to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, N11°00'18"E 4.88 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, N32°49'38"E 63.81 feet to a cotton gin spike; thence, S07°57'19"W 354.48 feet to a cotton gin spike; thence, S01°39'27"W 200.25 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S04°04'41"E 200.25 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S: thence, S15°15'41"E 123.75 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S26°49'41"E 373.70 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S13°45'41"E 132.01 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S31°57'09"W 8.59 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S15°56'08"E 156.92 feet to a cotton gin spike; thence, S70°13'32"E 34.13 feet to a 5/8 inch dia. rebar capped M.D.L. 4232-S; thence, N31°57'30"E 2.61 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S23°23'53"E 377.06 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence on the arc of a curve to the right, a distance of 386.27 feet, turning through a delta angle of 41°45'28", and having a radius of 530.00 feet, to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S18°21'35"W 29.12 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S located on the south line of said Section 18; thence, N89°22'32"W 615.18 feet to the point of beginning.


The aforedescribed Remainder contains 16.67 acres more or less and is subject to and together with all appurtenant easements of record.

CERTIFICATE OF ADJUSTMENT/ PURPOSE

I/we the undersigned property owner(s), do hereby certify that the purpose of this
survey is to relocate a common boundary line between a single lot within a platted
subdivision and adjoining land outside a platted subdivision; therefore this survey
is exempt from review as a subdivision being completed pursuant to
10 21 (action VIVIII) ARM

	- 17.36.605(2)(6)(1)(1) ARM
	Dated this 3 day of Time, ,2004 A.D.
	III Province unlocation
*	
<i>x</i>	Cay // sugget and
PARAMETER COM	STATE OF MONTANA Or eyer
3 8	·
7 4 3 6 5	On this day of 2004 A.D. before me, a Notary Public in and for the State of Manager, personally appeared with the state of the state o
S S S S S S S S S S S S S S S S S S S	known to me to be the persons whose names are subscribed to the within instrument an
SSHOW	acknowledged to me that they executed the same.
ONWISSHON	Notary Public My Commission Expires
1 S S S S S S S S S S S S S S S S S S S	STATE OF MONTANA
3	County of Lincoln
	On this day of Juri , 2004 A.D. before me, a
KERTS	Notary Public in and for the State of Montana, personally appeared Sta
SIGN EXALLS.	acknowledged to me that they executed the same.
	array without Teamon 15,206
10 P	Notary Public My Commission Expires
STATEON	STATE OF MONTANA
Milli Weiner	County of Lincoln
	I Kenneth E. Davis, do hereby certify that I have performed the survey shown on
	the attached plat or that such a survey was performed under my direct supervision
	to my be convided and ability; that said survey is true and complete as shown and the moraliments during and set occupy the position shown hereon.
	David SERVICE E 2004 A.D.
	DAVIS 9925-9
	Kenn Kenn Surveyor No. 4975-S
	TREASURER CERTIFICATION
	I hereby certify that all real property taxes and special assessments assessed and
	levied on the land to be divided have been paid. Dated this 14 day of
	Meri Amilles hu Janin R. Manho-Torrita
	Treasurer Litacoln Couthty Montarla
	CERTIFICATION OF EXAMINING LAND SURVEYOR:
	Approved this day of 2004 A.D.
	Wante West 41305
	County Examiner Registered Land Surveyor No.
	STATE OF MONTANA
	COUNTY OF LINCOLN
	Filed on this Stay of Felly 2004 A.D. at 9:30 O'clock Im. Okal In Cummerco by Flance danner
	Tours of the same
C	County Clerk and Recorder Deputy
	# ************************************
	_ /





LINCOLN COUNTY MONTANA

A PLAT OF:

LAKE CREEK RANCH PHASE 1

LOT 1 OF LAKE CREEK VIEWS SUBDIVISION PLAT NO. 6643 A MAJOR SUBDIVISION

6 RESIDENTIAL LOTS

TOTAL ACREAGE: 20.56 ACRES±

In the E 1/2 SE 1/4 Section 17, Twp. 30 N., R. 33 W., P.M.M. For: Douglas Jensen Thomas & Deann Thomas Joint Living Trust

Date: February 2014

CERTIFICATE OF DEDICATION

We, Douglas Jensen Thomas & Deann Thomas, members of the Douglas Jensen Thomas & Deann Thomas Joint Living Trust, do hereby certify that we have caused to be surveyed, subdivided and platted in to lots and streets as shown by the Plat hereto annexed, the following described land near Troy in Lincoln County Montana to wit:

DESCRIPTION OF LAKE CREEK RANCH PHASE 1

HARLEM, MT 59526

FILE: Phase 1 Lake Crk Ranch.dwg

DATE: 1/6/14

DRAWN BY: CJR Land Projects 2013

A tract of land near Troy in Lincoln County Montana, being a portion of Lot 1 of Lake Creek Views per Plat No. 6643, lying in the E 1/2 SE 1/4 of Section 17, of Twp. 30 N., R. 33 W., P.M.M., containing Lots 1-6 for total acreage of 20.56 acres more or less and more particularly described as follows:

Beginning at a 5/8 inch dia. rebar capped K.E.D. 4975-S located on the east line of Section 17, Twp. 30 N., R. 33 W., P.M.M. which bears N00°18'23"E 956.34 feet from the southeast section corner of said Section 17; thence, along said east section line, N00°18'23"E 1193.06 feet to a computed point located on the centerline of Shoshone Trail, a 60 foot wide private access and utilities easement; thence along said centerline, S89°32'12"W 116.17 feet to a computed point; thence on the arc of a curve to the left, a distance of 283.20 feet, turning through a delta angle of 33°48'17", and having a radius of 480.00 feet, to a computed point; thence, \$55°43'54"W a total distance of 468.99 feet to a computed point; thence on the arc of a curve to the right, a distance of 55.70 feet, turning through a delta angle of 21°16'27", and having a radius of 150.00 feet, to a computed point located at the intersection of said Shoshone Trail and Lakota Loop, a 60 foot wide private access and utilities easement; thence along the centerline of said Lakota Loop, S09°35'59"E 68.70 feet to a computed point; thence on the arc of a curve to the left a distance of 35.07 feet, turning through a delta angle of 13°23'46", and having a radius of 150.00 feet, to a computed point; thence, S22°59'45"E 55.05 feet to a computed point; thence on the arc of a curve to the right, a distance of 36.55 feet, turning through a delta angle of 29°54'57", and having a radius of 70.00 feet; thence, S06°55'12"W a total distance of 149.30 feet to a computed point; thence on the arc of a curve to the right, a distance of 35.38 feet, turning through a delta angle of 28°57'39", and having a radius of 70.00 feet; thence, S35°52'52"W 150.21 feet to a computed point; thence on the arc of a curve to the left, a distance of 129.03 feet, turning through a delta angle of 36°57'49", and having a radius of 200.00 feet, to a computed point; thence S01°04'57"E 84.11 feet to a computed point; thence on the arc of a curve to the right, a distance of 70.07 feet, turning through a delta angle of 26°45'52", and having a radius of 150.00 feet, to a computed point; thence, \$25°40'55"W 66.12 feet, to a computed point; thence leaving said centerline, N89°58'57"E a total distance of 965.23 feet to the point of beginning.

The aforedescribed Lake Creek Ranch Phase 1 contains Lots 1-6 for a total acreage of 20.56 acres more or less and is subject to and together with all appurtenant easements of record including Cheyenne Court a 60 foot wide private access and utilities easement, Shoshone Trail a 60 foot wide private access and utilities

easement, and Lakota Loop a 60 foot wide private access and utilities easement, all as shown hereon. The above described tract of land is to be known and designated as, Lake Creek Ranch Phase 1, Lincoln County, Montana. 2 and the ann Thomas Douglas Jensen Thomas Douglas Jensen Thomas & Deann Thomas Joint Living Trust STATE OF MONTANA County of Lincoln , 2014 A.D. before me, a Notary Public in and for the State On this___ _day of_ of Montana, personally appeared known to me to be the persons whose names are subscribed to the within instrument and acknowledged to me that they executed the same. See Notary Scanned as Doc# 252099 E.I.D., LLC

CERTIFICATE OF SURVEYOR

STATE OF MONTANA County of Lincoln

I Kenneth E. Davis, do hereby certify that a survey was made of Lake Creek Ranch Phase 1, a major subdivision, during the month of January 2014, In accordance with the provisions of Sections 76-3-201 through 76-3-625 M.C.A. 2000; that the annexed plat is in accordance with such a survey, that the streets and dimensions of the lots are as shown hereon; and that the said platted area was laid out on the ground according to law.

day of tehrony 2014 A.D. Registered Land Surveyor No. 4975-S

LEGAL AND PHYSICAL ACCESS

I hereby certify that physical access to all lots within this subdivision is provided by Shoshone Trail. Cheyenne Court, & Lakota Loop. The driving surfaces are approximately 24 feet wide.

Registered Land Surveyo

TREASURER CERTIFICATION

I hereby certify that all real property taxes and special assessments assessed and evied on the land to be divided have been paid. Dated this 25 day of Jebruary

COUNTY CERTIFICATE OF FINAL PLAT APPROVAL

The County Commission of Lincoln County, Montana does hereby certify that it has examined this subdivision plat and having found the same to conform to law, approves it, and hereby accepts the dedication to public use of and all lands shown on this plat as being dedicated to such use, this 25 day of June 2014, A.D.

on this plat as being dedicated to such use, this 20 day organ 2014, A.D.
(Signatures of Commissioner) ATTEST:
anthry J. Buyet (Signature of Clerk and Recorder)
CERTIFICATION OF LINCOLN COUNTY EXAMINING LAND SURVEYOR:
Examined this 12 day of June 2014 A.D.
Day A. Tom
Ronald A. Pearson Registered Land Surveyor No. 9008LS
STATE OF MONTANA COUNTY OF LINCOLN
Filed on this day of July 2014 A.D. at 2:55 D'clock m.

SHEET 2 OF 2 PLAT NO. # 7156

LINCOLN COUNTY, MONTANA AN AMENDED PLAT OF: LOTS 3, 5, & 6 OF LAKE CREEK RANCH PHASE 1 PLAT NO. 7156 & LOT 7 OF LAKE CREEK RANCH PHASE 2 PLAT NO. 7177 **EASEMENT SURVEY** In the E1/2 SE1/4 of Section 17, Twp. 30 N., R. 33 W., P.M.M. For: Douglas Jensen Thomas & Deann Thomas Joint Living Trust Date: May 2018

Legend

FILE: LCR Lot 5 well easement.dwg

K.E.D. 4975-S

K.E.D. 4975-S

DATE: 05-07-18

DRAWN BY: MDM

COMPUTED POINT

LOT 4 LAKE CREEK RANCH PLAT NO. 7156 Δ=15°27'44" R=100.00' LOT 5 L=26.99 &P.O.B. LAKE CREEK RANCH Δ=13°29'55" PLAT NO. 7156 LOT 2 LAKE CREEK RANCH 60.00' WIDE PLAT NO. 7156 **ACCESS & UTILITY EASEMENT** N89°59'44"E 211.34" {\$89°59'44"W} {S89°59'44"W} 195.29 60.00' WIDE ACCESS & UTILITY EASEMENT LOT 6 LAKE CREEK RANCH LOT 3 PLAT NO. 7156 LAKE CREEK RANCH PLAT NO. 7156 CHEYENNE (Δ= 60°05'11 R= 60.00' L= 62.92' Δ= 60°03'08 R= 60.00' L= 62.89' {60.00'} {N89°58'57"E} SET 5/8 INCH DIA. REBAR CAPPED FOUND 5/8 INCH DIA. REBAR CAPPED LOT 7 LAKE CREEK RANCH **PLAT NO. 7177 RECORD PER PLAT NO. 7156** (S89°52'46"W) LOT 8 LAKE CREEK RANCH PLAT NO. 7177 Davis Surveying Inc. GRAPHIC SCALE: TROY MONTANA, (406)295-5441

DESCRIPTION OF ACCESS AND UTILITY EASEMENT

A strip of land near Troy in Lincoln County, Montana, lying in the E 1/2 SE 1/4 of Section 17, Twp. 30 N., R. 33 W., P.M.M., lying in Lots 3, 5, and 6 of Lake Creek Ranch Phase 1 per Plat No. 7156, and Lot 7 of Lake Creek Ranch Phase 2 per Plat No. 7177, and being 60.00 feet wide and more particularly described as follows:

Beginning at a set 5/8 inch dia. rebar capped K.E.D. 4975-S located on the east right-of-way line of a 60.00 foot wide Lakota Loop Road which bears S06°55'12"W 75.86 feet from a found 5/8 inch dia. rebar capped K.E.D. 4975-S which marks the northwest corner of Lot 5 of Lake Creek Ranch Phase 1 Plat No. 7156; thence, from the true point of beginning S40°08'17"E 172.06 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, N89°59'44"E 211.34 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S00°00'00"W 30.00 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S located on the south property line of said Lot 5; thence, leaving said lot line S00°00'00" W 280.38 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, on the arc of a curve to the right a distance of 62.89 feet, turning through a delta angle of 60°03'08", and having a radius of 60.00 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S located on the south property line of Lot 3 of said Plat No. 7156; leaving said lot line on the arc of a curve to the right a distance of 188.35 feet, turning through a delta angle of 179°51'44", and having a radius of 60.00 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S located on the south property line of Lot 6 of said Plat No. 7156; thence, leaving said property line on the arc of a curve to the right a distance of 62.92 feet, turning through a delta angle of 60°05'11", and having a radius of 60.00 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, N00°00'00"E 250.37 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S89°59'44"W 179.23 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, N40°08'17"W 39.24 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S located on the south property line of said Lot 5; thence, leaving said lot line N40°08'17"W 127.42 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S located on the east right-of-way line of said Lakota Loop Road; thence, along said right-of-way line N35°52'52"E 8.26 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, on the arc of a curve to the left a distance of 23.56 feet, turning through a delta angle of 13°29'55", and having a radius of 100.00 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, on the arc of a curve to the left a distance of 26.99 feet, turning through a delta angle of 15°27'44", and having a radius of 100.00 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, N06°55'12"E 10.95 feet to the point of beginning.

The sidelines of the aforedescibed easement are to be lengthened or shortened to meet and terminate at their angle points.

CERTIFICATE OF PURPOSE

I, Douglas Jensen Thomas & Deann Thomas Joint Living Trust, do hereby certify that the purpose of this survey is to create a 60.00 foot wide access and utility easement through Lots 3, 5, 6 of Plat No. 7156, and lot 7 of Plat No. 7177, therefore no new parcels have been created; therefore, this survey is exempt from review as a subdivision being completed pursuant to 76-3-404 M.C.A.

Dated this 9th day of August, 2018 A.D. TRUSTEE 10 ann Shor Douglas Jensen Thomas & Deann Thomas Joint Living Trust

STATE OF MONTANA County of Lincoln

On this day of August , 2018 A.D. before me Notary Public in and for the State of Montana, Douglas Jensen Thomas & Deann _, 2018 A.D. before me, a Thomas Joint Living Trust, personally appeared known to me to be the persons whose names are subscribed to the within instrument and acknowledged to me that they executed the same

TREASURER CERTIFICATION

I hereby certify that all real property taxes and special assessments assessed and levied on the land to be divided have been paid. Dated this day of

Montana

CERTIFICATE OF SURVEYOR STATE OF MONTANA County of Lincoln

I, Kenneth E. Davis, a registered land surveyor do hereby certify that I have performed the survey shown on the attached plat or that such survey was performed under my supervision to my best knowledge and ability; that said survey is true and complete as shown and the monuments found and set occupy the positions shown hereon.

Registered Land Surveyor No. 4975-S

CERTIFICATION OF LINCOLN COUNTY EXAMINING LAND SURVEYOR:


Ronald A. Pearson

Professional Land Surveyor No. 9008LS

STATE OF MONTANA COUNTY OF LINCOLN

CERTIFICATE OF SURVEY NO. 4548

l inch = 100 ft



LINCOLN COUNTY MONTANA

A PLAT OF:

LAKE CREEK RANCH PHASE 2

LOT 1 OF LAKE CREEK VIEWS SUBDIVISION PLAT NO. 6643 A MAJOR SUBDIVISION

5 RESIDENTIAL LOTS

TOTAL ACREAGE: 34.13 ACRES±
se SE 1/4 of Section 17. Two 30 N R 33 W

In the SE 1/4 of Section 17, Twp. 30 N., R. 33 W., P.M.M. For: Douglas Jensen Thomas & Deann Thomas Joint Living Trust

Date: September 2015

CERTIFICATE OF DEDICATION

We, Douglas Jensen Thomas & Deann Thomas, members of the Douglas Jensen Thomas & Deann Thomas Joint Living Trust, do hereby certify that we have caused to be surveyed, subdivided and platted in to lots and streets as shown by the Plat hereto annexed, the following described land near Troy in Lincoln County Montana to wit:

DESCRIPTION OF LAKE CREEK RANCH PHASE 2

A tract of land near Troy in Lincoln County Montana, being a portion of Lot 1 of Lake Creek Views Subdivision per Plat No. 6643, lying in the E 1/2 SE 1/4 of Section 17, of Twp. 30 N., R. 33 W., P.M.M., containing Lots 7-11 for total acreage of 34.13 acres more or less and more particularly described as follows:

Beginning at a found 5/8 inch dia. rebar capped K.E.D. 4975-S located on the east right-of-way line of a 60.00 foot wide Cheyenne Court which marks the northeast corner of Lot 7: thence, leaving said right-of-way line S89°58'57"W a total distance of 965.23 feet to a computed point located on the centerline of a 60.00 foot wide Lakota Loop; thence, continuing along said centerline N25°40'55"E 66.12 feet to a computed point; thence, on the arc of a curve to the left a distance of 70.07 feet, turning a delta angle of 26°45'52", and having a radius of 150.00 feet to a computed point; thence, N01°04'57"W 84.11 feet to a computed point; thence, on the arc of a curve to the right a distance of 129.03 feet, turning through a delta angle of 36°57'49", and having a radius of 200.00 feet to a computed point; thence, N35°52'52"E 150.21 feet to a computed point; thence, on the arc of a curve to the left a distance of 35.38 feet, turning through a delta angle of 28°57'39", and having a radius of 70.00 feet to a computed point; thence, N06°55'12"E a total distance of 149.30 feet to a computed point; thence, on the arc of a curve to the left a distance of 36.55 feet, turning through a delta angle of 29°54'57", and having a radius of 70.00 feet to a computed point; thence, N22°59'45"W 55.05 feet to a computed point; thence, on the arc of a curve to the right a distance of 35.07 feet, turning through a delta angle of 13°23'46", and having a radius of 150.00 feet to a computed point; thence, N09°35'59"W 68.70 feet to a computed point located at the intersection of said centerline of Lakota Loop and the centerline of a 60.00 foot wide Shoshone Trail; thence, along said centerline of Shoshone Trail on the arc of a curve to the right a distance of 25.82 feet, turning through a delta angle of 09°51'39", and having a radius of 150.00 feet to a computed point; thence, S86°52'01"W 305.33 feet to a computed point; thence, on the arc of a curve to the left a distance of 144.84 feet, turning through a delta angle of 41°29'41", and having a radius of 200.00 feet to a computed point; thence, S45°22'20"W 139.47 feet to a computed point; thence, on the arc of a curve to the right a distance of 230.37 feet, turning through a delta angle of 32°59'55", and having a radius of 400.00 feet to a computed point; thence, S78°22'15"W 83.57 feet to computed point located at the intersection of said Shoshone Trail and the centerline line of said Lakota Loop; thence, along said centerline of Lakota Loop S11°37'45"E 16.44 feet to a computed point; thence, on the arc of a curve to the right a distance of 90.08 feet, turning through a delta angle of 34°24'29", and having a radius of 150.00 feet to a computed point; thence, S22°46'44"W 76.99 feet to a computed point; thence, on the arc of a curve to the right a distance of 66.41 feet, turning through a delta angle of 15°13'14", and having a radius of 250.00 feet to a computed point; thence, on the arc of a curve to the right a distance of 35.27 feet, turning through a delta angle of 08°04'59", and having a radius of 250.00 feet to a computed point; thence, S46°04'57"W 76.66 feet to a computed point; thence, on the arc of a curve to the left a distance of 77.52 feet, turning through a delta angle of 49°20'55", and having a radius of 90.00 feet to a computed point; thence, S03°15'58"E 54.71 feet to a computed point; thence, on the arc of a curve to the right a distance of 54.55 feet, turning through a delta angle of 31°15'13", and having a radius of 100.00 feet to a computed point; thence, S27°59'14"W 39.41 feet to a computed point; thence, leaving said centerline N89°57'29"E a total distance of 892.47 feet to a computed point located on said centerline of Lakota Loop; thence, along said centerline S25°40'55"W 38.46 feet to a computed point; thence, on the arc of a curve to the left a distance of 96.70 feet, turning through a delta angle of 36°56'16", and having a radius of 150.00 feet to a computed point; thence, S11°15'21"E a total distance of 844.22 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, leaving said centerline N89°58'08"E 666.84 feet to a found T-bar; thence, N89°48'33"E 77.96 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S located on the west right-of-way line of Montana State Highway No. 56: thence, along said right-of-way line N14°20'49"E 326.15 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S located at the intersection of said west right-of-way line of Highway 56 and said east right-of-way line of Cheyenne Court; thence, leaving said Highway No. 56 along said Cheyenne Court N00°18'23"E a total distance of 640.62 feet to the point of beginning.

The aforedescribed Lake Creek Ranch Phase 2 contains Lots 7-11 for a total acreage of 34.13 acres more or less and is subject to and together with all appurtenant easements of record including an easement recorded in Book 293 Page 597 of Lincoln County Records, and Cheyenne Court a 60 foot wide private access and utilities easement, Shoshone Trail a 60 foot wide private access and utilities easement, and Lakota Loop a 60 foot wide private access and utilities easement, all as shown hereon.

The above described tract of land is to be known and designated as, Lake Creek Ranch Phase 2, Lincoln County, Montana.

FILE: Phase 1 Lake Crk Ranch.dwg

Dated this day of September 201	15 A.D.	
Douglas Jensen Thomas Douglas Jensen Thomas & Deann Thomas Joint Living Tru	Deann Thomas ust	STEPHANIE L DILL NOTARY PUBLIC for the State of Montana Residing at Libby, MT
Jan	STATE OF MONTANA County of Lincoln	My Commission Expires September 30, 2017
Sur contraction	On this day of and for the State of Montane,	, 2015 A.D. before me, a Notary Public in
	appeared known to me to be the	he persons whose names are subscribed to the within instrument and
W Davis Survey Troy, MT 599	acknowledged to me that they	executed the same.
DATE: 8/3/15	Notary Public	My Commission Expires
DRAWN BY: MDM		
Land Projects 2013		

CERTIFICATE OF SURVEYOR

STATE OF MONTANA County of Lincoln

I Kenneth E. Davis, do hereby certify that a survey was made of Lake Creek Ranch Phase 2, a major subdivision, during the month of August 2015, In accordance with the provisions of Sections 76-3-201 through 76-3-625 M.C.A. 2000; that the annexed plat is in accordance with such a survey, that the streets and dimensions of the lots are as shown hereon; and that the said platted area was laid out on the ground.

Registered Land Surveyor No. 49/5-S

LEGAL AND PHYSICAL ACCESS

I hereby certify that physical access to all lots within this subdivision is provided by Shosbing Trail, Cheyenne Court, Lakota Loop, & Easement Book 293 Page 597. The driving surface are approximately 24 feet wide.

Registered Land Surveyor No.

TREASURER CERTIFICATION

I hereby certify that all real property taxes and special assessments assessed levied on the land to be divided have been paid. Dated this 14 day of

Nancy Trothy Oligin By Sellow Oulberg Montana
Treasurer Lincoln County Montana

COUNTY CERTIFICATE OF FINAL PLAT APPROVAL

The County Commission of Lincoln County, Montana does hereby certify that it has examined this subdivision plat and having found the same to conform to law, approves it, and hereby accepts the dedication to public use of and all lands shown on this plat as being dedicated to such use, this \(\text{M} \) day of \(\text{Oct} 2015, A.D. \)

(Signatures of Commissioner)

ATTEST:
(Signature of Clerk and Recorder)

CERTIFICATION OF LINCOLN COUNTY EXAMINING LAND SURVEYOR:

Registered Land Surveyor No. 9008LS

Examined this 10 day of September 2015 A.D.

STATE OF MONTANA COUNTY OF LINCOLN


Filed on this day of October 2015 A.D. at 10:30 O'clock 1 m.

County Clerk and Recorder

Deputy

Da 259947 SHEET 2 OF 2 PLAT NO. 7/77

DEC DOE 251944- P.F. 13098 Notions which Doc'259745 p.F. 13099 ROAD DOE 259946 p. F. + 13101 Covenante DOC 259948 359/990



Title Guarantee PF 14903

DEQ PF 14904

Agreement PI # 14905

Covenants Doc# 302643

LINCOLN COUNTY MONTANA

A PLAT OF:

LAKE CREEK RANCH PHASE 3

LOT 1 OF LAKE CREEK VIEWS SUBDIVISION PLAT NO. 6643 A MAJOR SUBDIVISION

5 RESIDENTIAL LOTS

TOTAL ACREAGE: 48.14 ACRES±

In the E 1/2 SE 1/4 of Section 17, Twp. 30 N., R. 33 W., P.M.M. For: Douglas Jensen Thomas & Deann Thomas Joint Living Trust

Date: August 2022

CERTIFICATE OF DEDICATION

We, Douglas Jensen Thomas & Deann Thomas, members of the Douglas Jensen Thomas & Deann Thomas Joint Living Trust, do hereby certify that we have caused to be surveyed, subdivided and platted in to lots and streets as shown by the Plat hereto annexed, the following described land near Troy in Lincoln County Montana to wit:

DESCRIPTION OF LAKE CREEK RANCH PHASE 3

Land Projects 2013

FILE: Phase 3 Lake Crk Ranch.dwg

A tract of land near Troy in Lincoln County Montana, being a portion of Lot 1 of Lake Creek Views Subdivision per Plat No. 6643, lying in the E 1/2 SE 1/4 of Section 17, of Twp. 30 N., R. 33 W., P.M.M., containing Lots 12-16 and Park Land for total acreage of 48.14 acres more or less and more particularly described as follows:

Beginning at a "T"-bar marking the S 1/4 corner of Section 17, Twp. 30 N., R. 33 W., P.M.M.; thence along the south line of said Section 17, S89°57'42"W a total distance of 337.91 feet to a computed point located on the approximate centerline of Lake Creek; thence downstream, along the approximate centerline of Lake Creek, N38°56'28"W 129.09 feet to a computed point; thence, N24°39'23"E 130.59 feet to a computed point; thence, N41°31'34"E 249.41 feet to a computed point; thence leaving said approximate centerline, N31°55'10"E a total distance of 1087.08 feet to a computed point located on the centerline of Shoshone Trail, a 60 foot wide private access and utilities easement; thence along said centerline, N81°18'02"E 270.35 feet to a computed point; thence along the arc of a curve to the left a distance of 109.13 feet, turning through a delta angle of 20°50'29", and having a radius of 300.00 feet, to a computed point; thence, N60°27'32"E 13.42 feet to a computed point; thence on the arc of a curve to the right a distance of 109.42 feet, turning through a delta angle of 17°54'43", and having a radius of 350.00 feet, to a computed point; thence, N78°22'15" E 156.10 feet to a computed point located at the intersection of said Shoshone Trail and Lakota Loop, a 60 foot wide private access and utilities easement; thence along the centerline of said Lakota Loop, S11°37'45"E 16.44 feet to a computed point; thence on the arc of a curve to the right a distance of 90.08 feet, turning through a detla angle of 34°24'29", and having a radius of 150.00 feet to a computed point; thence, S22°46'44"E 76.99 feet to a computed point; thence on the arc of a curve to the right a distance of 101.68 feet, turning through a delta angle of 23°18'13", and having a radius of 250.00 feet, to a computed point; thence, \$46°04'57"W 76.66 feet to a computed point; thence on the arc of a curve to the left a distance of 77.52 feet, turning through a delta angle of 49°20'55", and having a radius of 90.00 feet, to a computed point; thence, S03°15'58"E 28.51 feet to a computed point; thence continuing, S03°15'58"E 26.20 feet to a computed point; thence on the arc of a curve to the right a distance of 54.55 feet, turning through a delta angle of 31°15'13" and having a radius of 100.00 feet to a computed point; thence, \$27°59'14"W 39.41 feet to a computed point; thence leaving said centerline along the south line of Lot 11 of Lake Creek Ranch per Plat No. 7177, N89°57'29"E a total distance of 892.47' feet to a computed point located on the centerline of said Lakota Loop; thence along said centerline, \$25°40'55"W 38.46 feet to a computed point; thence on the arc of a curve to the left a distance of 96.70 feet, turning through a delta angle of 36°56'16", and having a radius of 150.00 feet, to a computed point; thence, S11°15'21"E a total distance of 844.22 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S located on the south line of said Section 17; thence along said south section line, S89°58'08"W a total distance of 1838.82 feet to the point of beginning.

The aforedescribed Lake Creek Ranch Phase 3 contains Lots 12-16 and Park Land for a total acreage of 48.14 acres more or less and is subject to and together with all appurtenant easements of record including Shoshone Trail a 60 foot wide private access and utilities easement, and Lakota Loop a 60 foot wide private access and utilities easement, 10 foot wide storm water pond maintenance easements, and a Park Land access easement, all as shown hereon.

The above described tract of land is to be known and designated as, Lake Creek Ranch Phase 3, Lincoln County, Montana, and we hereby grant unto each and every person, firm, or corporation whether public or private, providing or offering to provide telephone, electric, power, gas, cable television, water or sewer service to the public, the right to joint use of an easement for each construction, maintenance, repair and removal of their lines and other facilities, in over under and across each area designated on the plat as "Utility Fasement" to have and hold forever.

over, under and across each area designated on the plan			eir lines and other facilities, in,
Dated this day of August	2022 A.D.		
\sim	40.0 1		
Douglas Jensen Thomas and	Deann Thomas		
Dough Shomas & Deann Thomas Joint Living			
A Marian Company			
DAVIS E.			
HERA R COL	CHERA R COLE		
* SEAL * Res	State of Montana STAT	ΓΕ OF MONTANA ty of Lincoln	
OF NOTE MY	Commission Expires	is 16th day of August	
			, 2022 A.D. before me, a Notary Public in lensen Thomas & Deann Thomas, personally appeared known to
	me to		subscribed to the within instrument and acknowledged to me that
Davis Surve	evina, Inc. they	executed the same.	
Troy, MT	59935	hua R Colo	August 27, 2024 My John Expires
DATE: 8/3/22		Notary Public	My Commission Expires

CERTIFICATE OF SURVEYOR

STATE OF MONTANA County of Lincoln

I Kenneth E. Davis, do hereby certify that a survey was made of Lake Creek Ranch Phase 3, a major subdivision, during the month of August 2022, In accordance with the provisions of Sections 76-3-201 through 76-3-625 M.C.A. 2000; that the annexed plat is in accordance with such a survey, that the streets and dimensions of the lots are as shown hereon; and that the said platted area was laid out on the ground according to law.

Dated the Kenneth Registered Land Surveyor No. 4975-S

Registered Land Surveyor No. 4975-S

LEGAL AND PHYSICAL ACCESS

I hereby wertiff that physical access to all lots within this subdivision is provided by Shorbone Trait Chevenne Court, Lakota Loop, & Easement Book 293 Page 597. The driving surfaces are approximately 24 feet wide.

Registered Land Surveyor No

TREASURER CERTIFICATION

I hereby certify that all real property taxes and special assessments assessed and levied on the land to be divided have been paid. Dated this & day of counter 2022

Rohvill for Startberg
Treasurer Lincoln County
Montana

COUNTY CERTIFICATE OF FINAL PLAT APPROVAL

The County Commission of Lincoln County, Montana does hereby certify that it has examined this subdivision plat and having found the same to conform to law, hereby approves it this day of \$2022, A.D.

(Signatures of Commissioner)

ATTEST:

(Signature of Clerk and Recorder)

CERTIFICATION OF LINCOLN COUNTY EXAMINING LAND SURVEYOR:

Examined this 95 day of SEPLEMBER 2022 A.D.

Steven A. Boyer Registered Land Surveyor No. 9750 LS

STATE OF MONTANA SURVICEOUNTY OF LINCOLN

Filed on this 9 day of September 2022 A.D. at 1:33
O'clocke m.

Robin A Berson
County Clerk and Recorder

Deputy

SHEET 2 OF 2 PLAT NO. 7244

LINCOLN COUNTY MONTANA A PLAT OF: LAKE CREEK VIEWS

In the S 1/2 Section 17, Twp. 30 N., R. 33 W., P.M.M. For: Montar

LINE TABLE

116.17

468.99

305.33

139.47

239.67

13.42

270.35

296.21

195.74

241.62

188.88

116.78

BEARING

S89°32'12"W

S55°43'54"W

S86°52'01"W

S45°22'20"W

S78°22'15"W

S60°27'32"W

S81°18'02"W

N14°23'40"W

N62°40'27"W

N39°15'13"W

N15°52'10"W

N04°52'34"W

LENGTH

LINE

L1

L4

L6

L7

L8

L9

L10

LII

L12

LINE TABLE

55.99

130.21

99.08

216.51

120.91

59.37

218.13

159.77

122.47

126.96

243.77

337.13

BEARING

S57°14'24"W

N67°57'19"W

S82°57'54"W

S47°34'11"W

S03°05'53"W

S14°45'20"W

S70°00'09"W

N89°39'01"W

N77°51'15"W

S65°07'46"W

S39°53'00"W

S37°05'20"W

LENGTH

LINE

L16

L17

L18

L19

L21

L22

L23

L24

L25

L26

L27

5 1/2 Section 17, 1 wp. 50 14., 14. 55 w., 1	
na Mountain Valley L.L.C. Date: July 2005	
TOTAL ACREAGE: 169.29 ACRES±	


CURVE TABLE			
CURVE	LENGTH	RADIUS	DELTA
C1	283.20	480.00	33°48'17"
C2	81.51	150.00	31°08'07"
C3	144.84	200.00	41°29'41"
C4	230.37	400.00	32°59'55"
C5	109.42	350.00	17°54'43"
C6	109.13	300.00	20°50'29"

Legend

- SET 5/8 INCH DIA. REBAR WITH A PLASTIC CAP STAMPED K.E.D. 4975-S
- FOUND 5/8 INCH DIA. REBAR WITH A PLASTIC CAP STAMPED K.E.D. 4975-S
- FOUND MONUMENTS AS NOTED
- FOUND MONUMENTS AS NOTED
- FOUND T-BAR
- FOUND 5/8 INCH DIA. REBAR CAPPED M.D.L. 4232-S
- COMPUTED POINTS
- () RECORD PER PLAT NO. 6607

COMPUTED

RECORD PER C.O.S. 1324



A PLAT OF: LAKE CREEK VIEWS

In the S 1/2 Section 17, Twp. 30 N., R. 33 W., P.M.M. For: Montana Mountain Valley L.L.C. Date: July 2005 TOTAL ACREAGE: 169.29 ACRES±

CERTIFICATE OF DEDICATION

I/we the undersigned property owners(s), do hereby certify that I/we have caused to be surveyed, subdivided and platted in to lots and streets as shown by the Plat hereto annexed, the following described land near Troy in Lincoln County Montana to wit:

DESCRIPTION OF LAKE CREEK VIEWS

A tract of land near Troy in Lincoln County Montana, lying in the S 1/2 of Section 17, of Twp. 30 N., R. 33 W., P.M.M., containing Lot 1 for total acreage of 169.29 acres more or less and more particularly described as follows:

Beginning at a T-bar which marks the S 1/4 corner of Section 17, Twp. 30 N., R. 33 W., P.M.M.; thence, N89°58'08"E 2505.66 feet to a T-bar; thence, N89°48'33"E 77.96 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S located on the west right of way of Montana State Highway No. 56; thence along said right of way, N14°20'49"E 326.15 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S located at the intersection of said Montana State Highway No. 56 right of way, and the east line of said Section 17; thence, N00°18'23"E 1833.68 feet to a computed point located on the centerline of a Gravel Pit Road, a 60 foot private drive; thence along said centerline, S89°32'12"W 116.17 feet to a computed point; thence on the arc of a curve to the left, a distance of 283.20 feet, turning through a delta angle of 33°48'17", and having a radius of 480.00 feet, to a computed point; thence, S55°43'54"W 468.99 feet to a computed point; thence on the arc of a curve to the right, a distance of 81.51 feet, turning through a delta angle of 31°08'07", and having a radius of 150.00 feet, to a computed point; thence, S86°52'01"W 305.33 feet to a computed point; thence on the arc of a curve to the left, a distance of 144.84 feet, turning through a delta angle of 41°29'41", and having a radius of 200.00 feet, to a computed point; thence, S45°22'20"W 139.47 feet to a computed point; thence on a curve to the right, a distance of 230.37 feet, turning through a delta angle of 32°59'55", and having a radius of 400.00 feet, to a computed point; thence, \$78°22'15"W 239.67 feet to a computed point; thence on the arc of a curve to the left, a distance of 109.42 feet, turning through a delta angle of 17°54'43", and having a radius of 350.00 feet, to a computed point; thence, S60°27'32"W 13.42 feet to a computed point; thence on the arc of curve to the right, a distance of 109.13 feet, turning through a delta angle of 20°50'29", and having a radius of 300.00 feet, to a computed point; thence, S81°18'02"W 270.35 feet to a computed point; thence leaving said centerline, S31°55'10"W 1087.09 feet to a computed point located on the centerline of Lake Creek; thence downstream, the following ten (10) courses; N14°23'40"W 296.21 feet to a computed point; thence, N62°40'27"W 195.74 feet to a computed point; thence, N39°15'13"W 241.62 feet to a computed point; thence, N15°52'10"W 188.88 feet to a computed point; thence, N04°52'34"W 116.78 feet to a computed point; thence, N19°18'13"E 458.14 feet to a computed point; thence, N38°19'47"W 343.18 feet to a computed point which marks the southeast corner of Angler's Rest plat no. 6510 and located at the intersection of Keeler Creek and Lake Creek; thence along the south line of said Angler's Rest, also being the centerline of Keeler Creek, the following sixteen (16) courses: S12°22'56"W 198.46 feet, to a computed point; thence, S57°14'24"W 55.99 feet to a computed point; thence, N67°57'19"W 130.21 feet to a computed point; thence, S82°57'54"W 99.08 feet to a computed point; thence, S47°34'11"W 216.51 feet to a computed point; thence, S03°05'53"W 120.91 feet to a computed point; thence, S14°45'20"W 59.37 feet to a computed point; thence, S70°00'09"W 218.13 feet to a computed point; thence, N89°39'01"W 159.77 feet to a computed point; thence, N77°51'15"W 122.47 feet to a computed point; thence, S65°07'46"W 126.96 feet to a computed point; thence, S39°53'00"W 243.77 feet to a computed point; thence, S37°05'20"W 337.13 feet to a computed point; thence, S37°21'56"W 298.98 feet to a computed point; thence, S30°13'34"W 261.70 feet to a computed point; thence, S30°13'34"W 32.94 feet to a computed point located on the centerline of Lake Creek Road, a 60.00 foot county roadway; thence along said centerline, on the arc of a curve to the right, a distance of 251.44 feet, turning through a delta angle of 19°12'31", and having a radius of 750.00 feet, to a computed point; thence, N16°42'30"W 160.82 feet to a computed point located on the west line of said Section 17; thence, S00°13'45"W 102.98 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S located on the south right of way line of said Lake Creek Road; thence, S00°13'45"W 685.19 feet to a T-bar which marks the common corners to 17,18, 19, and 20, Twp. 30 N., R. 33 W., P.M.M; thence, N89°57'42"E 2662.08 feet to the point of beginning.

The aforedescribed Lake Creek Views contains Lots 1 and 2 for a total acreage of 169.29 acres more or less and is subject to and together with all appurtenant easements of record.

The above described tract of land is to be known and designated as, Lake Creek View	₩S,
Lincoln County, Montana.	ĺ

Dated this 18 day of August

Davis Surveying Inc. TROY MONTANA, (406)295-5441

DATE: 07/26/05 Land Projects 2005 FILE: T30r3308.DWG DRAWN BY: CJR





STATE OF MONTANA Wisconson County of Lincoln Vila

On this 18 day of August , 2005 A.D. before me, a Notary Public in and for the State of Montana, Sconson personally appeared known to me to be the persons whose names are subscribed to the within instrument and acknowledged to me that they executed the same.

CERTIFICATE OF SURVEYOR

STATE OF MONTANA County of Lincoln

I Kenneth E. Davis, do hereby certify that a survey was made of Lake Creek Views, a minor subdivision, during the month of July 2005, In accordance with the provisions of Sections 76-3-201 through 76-3-625 M.C.A. 2000; that the annexed plat is in accordance with such a survey, that the streets and dimensions of the lots are as shown hereon; and that the said platted area was laid out on the ground

4975 S Registered Land Surveyor No.

LEGAL AND PHYSICAL ACCESS

I hereby certify that physica	al access to all lots within the	is subdivision is provided by:
the driving surface proportion in the driving surface of proportion in the proportio	feet wide.	4975-
Kenit Vo o Davi	Registered Land Surv	reyor No.

TREASURER CERTIFICATION

STATE OF MONTANA

I hereby certify that all levied on the land to be	real property taxes and a divided have been paid	special assessments Dated this 8 day	assessed and
•			. – 1
Heir U Miller I	ay Doni Kinden	Montana (1)	erk_

COUNTY CERTIFICATE OF FINAL PLAT APPROVAL

The County Commission of Lincoln County, Montana does hereby certify that it has examined this subdivision plat and having found the same to conform to law, approves it, and hereby accepts the dedication to public use of and all lands shown on this plat as being dedicated to such use, this 1 day of 1005, A.D.

Signatures of Commissioner) The Residence of Commissioner of	(Signature of Clerk and Recorder
CERTIFICATION OF EXAMINING	B LAND SURVEYOR:
Approved this <u>26</u> th day of <u>Au60</u>	2005 A.D. NALU
County Everniber Registered La	130 4130 S

COUNTY OF LINCOLN

Filed on this 9 day of Septenties 2005 A.D. at 3:45
O'clock m.

Deputy

By Jeanne Deputy

Deputy

SHEET 1 OF 2 PLAT NO. 443 DOC# 181853

Subdivision Plat of OWNERS: KOOCANUSA GYM, LLC and LAKE KOOCANUSA ARENA, LLC LAKE KOOCANUSA ARENA ESTATES FOR: KEITH & DONA TAYLOR Lot 3 PURPOSE: SUBDIVISION Madeline Subdivision SW 1/4 of Section 13, T37N R27W, P.M., M. NORTH LINE W1/2 NE1/4 SW1/4 DATE: MARCH 17, 2011 N89°48'26"W POB / Lincoln County, Montana S00'26'57" 130.04 CERTIFICATE OF DEDICATION KOOCANUSA GYM, LLC and LAKE KOOCANUSA ARENA, LLC, the undersigned property owner, does hereby certify that it has caused to be surveyed, subdivided and platted into lots as shown by the plat hereto annexed, the following described land in Lincoln County, to-wit: That portion of the East 1/2 of the Southwest 1/4, Section 13, Township 37 North, Range 27 West, P.M., M., Lincoln County, Montana, described as follows: Beginning at the Northeast corner of the West 1/2 of the Northeast 1/4 of the Southwest 1/4; Thence along the East line of the West 1/2 of the Northeast 1/4 of the Southwest 1/4, South 00°28'21" West 1315.54 feet and South 00°27'57" West 1315.27 feet and North 89°40'10" West 394.50 feet to the East line of Parcel A of Certificate of Survey No. 3101, records of Lincoln County, Montana; Thence along the East and North boundaries of said Parcel A of Certificate of Survey No. 3101, North 00°01'01" East 175.00 feet and North 89°40'10" West 250.00 feet to the East line of U. S. Highway No. 93; Thence along the East line of the highway, North 00°02'09" East 2324.20 feet and North 00°26'57" East 130.04 feet to the North line of the West 1/2 of the Northeast 1/4 of the Southwest 1/4; Thence along the North line of the West 1/2 of the Northeast 1/4 of the Southwest 1/4, South 89°48'26" East 663.52 feet to the Point of Beginning, containing 38.50 acres of land all as shown hereon. Subject to and together with easements of record. Lot 1 Subject to and together with easements as shown hereon. 20.05 Ac. (Gr.) The above described tract of land is to be known and designated as LAKE KOOCANUSA ARENA ESTATES. 19.15 Ac. (Net) The undersigned hereby grants unto each and every person, firm or corporation, whether public or private, providing or offering to provide telephone, telegraph, electric power, gas, cable television, water or sewer service to the public, the right to the joint use of an easement for the construction, maintenance, repair, and removal of their lines and other facilities, in, over, under, and across each area designated on this plat as "Utility Easement" to have and to hold forever. SCALE: 1'' = 200'ARENA LANE 60' WIDE PRIVATE UTILITY EASEMENT ROAD & UTILITY LYING 5' EACH SIDE EASEMENT OF UTILITIES AS APPURTENANT TO INSTALLED; LOTS 1, 2 & 3 AS This instrument was signed and acknowledged before me on 200, 2012 APPURTENANT TO SHOWN HEREON. LOTS 1, 2 & 3 AS by DONA S. TAYLOR, MAMAGING MEMBER of KOOCANUSA GYM, L.L.C. and LAKE KOOCANUSA ARENA, L.L.C. SHOWN HEREON LEGEND FOUND 5/8" REBAR WITH PLASTIC CAP ò MARKED "MARQUARDT 7328S" CERTIFICATE OF COUNTY COMMISSIONERS 03 , Chairperson of the Board of County Commissioners of Lincoln County, Montana and , County Clerk and Recorder of said county do hereby certify that this accompanying plat of Lake Koocanusa Arena Estatés, Lincoln County, Montana has been submitted to the Board of County Commissioners of Lincoln County, Montana for examination and has FOUND 5/8" REBAR (NO CAP) been found by them to conform to law and is hereby approved. Dated the 18 day of ______, 2012. DRAINFIELD & SET 5/8" BY 24" REBAR WITH PLASTIC CAP REPLACEMENT MARKED "MARQUARDT 73285" 153.90' DRAINFIELD EASEMENT PROPOSED DRIVEWAY LOCATION Chairperson APPURTENANT/ Lincoln County, Montana **Board of County Commissioners** TO LOT 2 AS Lincoln County, Montana SHOWN HEREON NOTES: EACH LOT OWNER MUST COMPLETE THE "NOTICE OF PROPOSED CONSTRUCTION OR ALTERATION FORM," PRIOR TO ANY Lincoln County Examining Land Surveyor, Ronald A. Pearson, 9008LS Lot 3 CONSTRUCTION, AND IT MUST BE SUBMITTED TO THE LINCOLN COUNTY DAWN 17.42 Ac. (Gr.) MARQUARDT PLANNING DEPARTMENT FOR REVIEW AND CERTIFICATE OF SURVEYOR THE PROPOSED LAND USE OF LOTS IN THIS SUBDIVISION: 15' WIDE WATER LINE LOTS 1 & 2: COMMERCIAL EASEMENT (7.5' EACH SIDE OF Registration No. 7328S LOT 3: RESIDENTIAL WATER LINE AS INSTALLED) APPURTENANT TO LOT 2 AS SHOWN HEREON and levied on the and to be divided have been paid. I hereby certify that all real property taxes and special assessments assessed Dated the 2300 day of _________, 2012_. SEAL WELL & WATER LINE 60' PRIVATE ROAD & EASEMENT PER SHARED UTLITY EASEMENT PER WELL AGREEMENT C. OF S. NO. 3101-BOOK 318, PAGE 386~ C. of S. STATE OF MONTANA 3101 394.50 SOUTH LINE W1/2 SE1/4 SW1/4 Lot I Independence Prairie Field Crew: BP Subdivision Instrument Record No. 23993/ Revision Date: May 7, 2012 Date: March 13, 2008 NO SEARCH HAS BEEN MADE FOR EASEMENTS AFFECTING THIS PROPERTY AND THIS SURVEY Project Name: Taylor Project Number: 08-037 DOES NOT PURPORT TO SHOW ALL Filename: PlatReRev Drawn By: X APPURTENANT EASEMENTS. Codenanto Doct 239933

Final plat approved Do 239926 P.F. 11173 Sanitary Restrictions Removed Doc 239927 P.F. 11174 Platting Certificate Doc 239928 P.F. 11175

Create to platting DOC 239929 P.F. 11176

Maximus Weed plan DOC 239930 P.F. 11177

Road Meintenence DOC 239932 343/306

TAYLOR

29 Fd. B.C. MEANDER CORNER 1/4 CORNER 29 28 60' PRIVATE ROAD AND UTILITY EASEMENT PARCEL 5.00 ± ACRES 2056 OF PARCEL B PARCEL LEGEND O SET 5/8" × 24" REBAR WITH PLASTIC CAP STAMPED 173285' FOUND 5/8" REBAR '73285' PER C. OF 5. NO. 2056 1 FOUND 5/8" REBAR '7328S' PER C OF S. NO.'S FOUND POINT AS NOTED CERTIFICATE OF SURVEYOR I HEREBY CERTIFY THAT PHYSICAL ACCESS TO ALL LOTS WITHIN THIS SUBDIVISION IS PROVIDED BY Private Road. THE DRIVING SURFACE IS APPROXIMATELY 30 FEET WIDE. SCALE ~ 1"= 200' REGISTRATION No. 7328 S I MEREBY CERTIFY THAT ALL REAL PROPERTY TAXES AND SPECIAL ASSESSMENTS ASSESSED AND LEVIED ON THE LAND TO BE DIVIDED HAVE BEEN PAID Marquardt Surveying, Inc. TREASURER, LINCOLN COUNTY, MONTANA 285 1st AVE. E.N.: KALISPELL, MONTANA 59901 PHONE (406) 755-6285

A FINAL SUBDIVISION PLAT OF Lake Othorp Estates

W 1/2, Sec. 28, T36N R27W P.M., M., Lincoln County, Montana

CERTIFICATE OF DEDICATION

1. GARY T. ELKINS, THE UNDERSIGNED PROPERTY OWNER DO HEREBY CERTIFY THAT I HAVE CAUSED TO BE SURVEYED, SUBDIVIDED AND PLATTED INTO LOTS AS SHOWN BY THE PLAT AND CERTIFICATE OF SURVEY HEREUNTO INCLUDED, THE FOLLOWING DESCRIBED TRACT OF LAND, TO-WIT:

THAT PORTION OF THE WEST 1, SECTION 28, TOWNSHIP 36 NORTH RANGE 27 WEST, P.M., M., LINCOLN COUNTY, MONTANA DESCRIBED AS FOLLOWS:

COMMENCING AT THE MEANDER CORNER ON THE WEST LINE OF SECTION 28 ON THE SOUTH SHORE OF OTHORP LAKE; THENCE ALONG THE WEST LINE OF SECTION 28 SOUTH 0.05155" WEST 323.23 FEET; THENCE NORTH 65°50'51" East 188.86 FEET to the Point of Beginning; then Retracing South 65°50'51" West 188.86 FEET TO THE WEST LINE OF SECTION 28; THENCE ALONG THE WEST LINE SOUTH 09 30 31 WEST 294.32 FEET; THEN SOUTH 33°31'32" EAST 144.28 FEET; THEN SOUTH 52°55'50" EAST 194.10 FEET; THENCE SOUTH 22°55'50" EAST 1327.09 FEET; THENCE SOUTH 53°55'50" EAST 1327.09 FEET; THENCE NORTH 04°27'35" WEST 300.74 FEET; THENCE NORTH 23°11'24" EAST 351 FEET MORE OR LESS TO THE LOW WATER MARK OF OTHORP LAKE: THENCE NORTHWESTERLY ALONG THE LOW WATER MARK 1832 FEET MORE OR LESS TO A POINT WHICH BEARS NORTH 55°04'12" EAST FROM THE POINT OF BEGINNING; THENCE SOUTH 55°04'12" West 30 Feet More or Less to the Point of Beginning Containing 21.7 More or Less ACRES OF LAND ALL AS SHOWN HEREON. SUBJECT TO EASEMENTS OF RECORD.

THE ABOVE DESCRIBED TRACT OF LAND IS TO BE KNOWN AND DESIGNATED AS LAKE OTHORP ESTATES. LINCOLN COUNTY, MONTANA.

STATE OF MONTANA

19 96, BEFORE ME, THE UNDERSIGNED, A NOTARY PUBLIC FOR THE STATE AFORESAID, PERSONALLY APPEARED GARY T. ELKINS, KNOWN TO ME TO BE THE PERSON WHOSE NAME IS SUBSCRIBED TO THE FOREGOING INSTRUMENT, AND ACKNOWLEDGED TO ME THAT HE EXECUTED

IN WITNESS WHEREOF, I HAVE HEREUNTO SET MY HAND AND AFFIXED MY NOTARIAL SEAL AND YEAR FIRST ABOVE WRITTEN.

CERTIFICATE OF COUNTY COMMISSIONERS

AIRPERSON OF THE BOARD OF COUNTY COMMISSIONERS COUNTY CLERK AND RECORDER OF SALD OF LINCOLN COUNTY, MONTANA AND COUNTY DO HEREBY CERTIFY THAT THIS ACCOMPANYING PLAT OF LAKE OTHORP ESTATES, LINCOLN COUNTY, MONTANA HAS BEEN SUBMITTED TO THE BOARD OF COUNTY COMMISSIONERS OF LINCOLN COUNTY, MONTANA FOR EXAMINATION AND HAS BEEN FOUND BY THEM TO CONFORM TO LAW AND WAS APPROVED BY THEM AT THEIR REGULAR MEETING HELD ON THE EXEMPT PER SECTION 76-3-621(3)(A), MCA.

CHAIRPERSON, BOARD OF COUNTY COMMISSIONERS LINCOLN COUNTY, MONTANA

COUNTY CLERK AND RECORDER LINCOLN COUNTY, MONTANA

19 96.


CERTIFICATE OF SURVEYOR

REGISTRATION No. 7328 S

STATE OF MONTANA COUNTY OF LINCOLN

FILED ON THE 31st DAY OF Fuly , 1996, A.D., AT 9:35 O'CLOCK A.M.

P.F. No. 57/2



Converente Doc* 22 4995 * 330/747 6 seement agreement Doc 22 4996 * 330/748

LINCOLN COUNTY, MONTANA LAKE RIDGE ACRES

9 OF CERTIFICATE A SUBDIVISION BEING PARCEL OF SURVEY NO. 338, LINCOLN COUNTY RECORDS LOCATED IN SECTION 29, T3IN, R33W, P.M.M.

FEBRUARY, 1980

CERTIFICATE OF DEDICATION

I, Joan C. Huffmon, the undersigned property owner, do hereby certify that I have caused to be surveyed, subdivided and platted into lots and streets, as shown by the plat hereto annexed, the following described land near Troy in Lincoln County, Montana to wit:

An irregular tract of land near Troy in Lincoln County, Montana lying wholly within the 5w 1/4 of Section 29, T31N, R33W, P.A.M., containing a bross area of 20.00 scres more or less, of which 0.85 acres more or less shown as Schoolhouse lake hoad shall remain a private road and utility easement with the entire 20.00 acres being divided into 5 tracts, all more particularly described as follows:

A tract of land located in the Southwest quarter of Section 23, Township 31 North, Range 33 West, Principal Meridian, Lincoln County, Montana. More particularly described as Parcel 9 of Certificate of Survey No. 338 as recorded in the Clerk Recorders Office of Lincoln County. Commencing at the West quarter corner of said Section 29, a Bureau of Land Management brass cap; thence, along the perimeter of said Farcel 9, SOO° 05'05"W 605.09 feet to a rebar with plastic cap marked 2989-ES; thence, S81° 35'29"E 585.71 feet to a rebar with plastic cap marked 2989-ES; thence, S81° 42'33"E 60.00 feet to a rebar with plastic cap marked 2989-ES; thence, S63° 25'06"E 395.22 feet to a rebar with plastic cap marked 2989-ES; thence, continuing S83° 25'06"E 535.00 feet to a calculated point in Schoolhouse Lake; thence, N43° 11'55"W 588.20 feet to a rebar with plastic cap marked 2989-ES; thence, S83° 25' 56"E 535.00 feet to a calculated point in Schoolhouse Lake; thence, N43° 11'55"W 588.20 feet to a rebar with plastic cap marked 2989-ES; thence, N31° 42'33"W 60.00 feet to a rebar with plastic cap marked 2989-E'; thence, NO2°35'57"E 375.31 feet to a rebar with plastic cap marked 2009-E3; thence, 389°40'25"w 1117.00 feet to the Point of Beginning.

Subject to all easements as shown.

The above described tract of land is to be known and dedicated as Lakk kludk admiss.

Dated this 1st day of May, 1982 A.L. Joan C. Huffmon

on this /st day of May, like A.D. pefore me a wotary isolic in and for the State ontana personally appeared JUAN C. HUFFMON known to me to be the person whose name is subbed to the within instrument and acknowledged to me that he executed the same.

Malea Jan 2 1983
Ay commission expires

CERTIFICATE OF SURVEYOR

AGRES, a minor subdivision, under my supervision during the month of rebruary, 1980, in accordance with the provisions of Section 11-3859 through 11-3070 of the nevised Loues of Montan, 1947; that the annexed plat is in accordance with such survey, that the streets and the dimensions of the lots and blocks are as thereon designated, and that the said platted area was laid out on the ground according to law.

Dated this 10 day of March, 1980 A.D.



CERTIFICATE OF CAREINING LAND SURVEYOR

1, Service E. Bunton, acting as an examining Land Surveyor for Lincoln County, Montana, do hereby certify that I have examined the final plat of Lane 2066 ACRES, a minor subdivision and find that the survey data shown thereon meets the conditions set forth by or pursuant to Dection 11-3002 of the Revised Godes of Montana, 1947.

bated this Mak day of MARCH , 1900 A.D.

CONTESTIONIE OF FINAL PLAY AFFROVAL

The County Commission of Libby, Montana, does hereby certify that it has examined this subdivision plat and having found the same to conform to law, approves it this 29 aay of <u>June</u>, 1982 n. u.


CERTIFICATE OF CLERK RESORDER


STATE OF AUALANA County of Lincoln

LINCOLN COUNTY, MONTANA LAKE RIDGE ACRES

A SUBDIVISION BEING PARCEL 9 OF CERTIFICATE OF SURVEY NO. 338, LINCOLN COUNTY RECORDS LOCATED IN SECTION 29, T3IN, R33W, P.M.M.

FEBRUARY, 1980





Dat 143282

PLAT OF LAKE VIEW ESTATES SUBDIVISION

IN THE N.E.1/4, SEC.18, T36N, R27W, PM.M., LINCOLN CO, MONTANA

FOR: ARLENE OLSON OWNER: " " " " " DATE: NOV, 19, 1980

> CERTIFICATE OF DEDICATION We, the undersigned property owners, do hereby certify that we have caused to be surveyed and platted into lots all of the following described property as described in the Certificate of Dedication and shown by the annexed plat or map and situated in Lincoln County, Montana, and more particularly described as follows to wit: A tract of land situated, lying and being in the Northeast Quarter (NE%) of Section Eighteen (18), Township Thirty-six (36) North, Range Twenty-seven (27) West, P.M.M., Lincoln County, Montana, and more particularly described as follows to wit: Commencing at the Nk corner of Sec. 18, T 36 N, R 27 W, P.M.M., Lincoln County, Montana, which is a found brass cap; thence S 89° 29' 38" E along the North boundary of said Sec. 18, 844.04 feet to a point; thence leaving said North boundary South 389.20 feet to a point on the centerline of a 60 foot private road and utility easement, which is the true point of beginning of the tract of land herein described, which is a point on a 60.00 foot radius curve concave Northwesterly (having a radial bearing of N 17° 03' 33" E); thence Southeasterly and Northeasterly through a central angle of 69° 08' 20" an arc length of 72.40 feet to the P.T. of said curve; thence N 37° 55' 13" E, 111.40 feet to the P.C. of a 370.00 foot radius curve concave Southerly; thence Northeasterly and Southeasterly through a central angle of 84° 08' 06" an arc length of 543.32 feet to the P.T. of said curve; thence S 57° 56' 41" E. 108.49 feet to the P.C. of a 150.00 foot radius curve concave Northerly; thence Southeasterly through a central angle of 29° 33' 03" an arc length of 77.36 feet to a point; thence S 02° 30' 16" W, 30.00 feet to a set iron pin on the Southerly R/W line of said private road; thence leaving said R/W line S 30° 00' 00" E, 149.95 feet to a set iron pin; thence S 50° 00' 00" E, 304.90 feet to a found iron pin; thence S 30° 00' 00" W, 314.09 feet to a point on the centerline of said 60 foot private road; thence N 51° 06' 42" W, along said centerline 331.28 feet to a point, the P.C. of a 150.00 foot radius curve concave Southwesterly; thence Northwesterly through a central angle of 29° 39' 54" an arc length of 77.66 feet to the P.T. of said curve; thence N 80° 46' 36" W, 361,03 feet to a point, the P.C. of a 50.00 foot radius curve concave Southeasterly; thence Northwesterly and Southwesterly through a central angle of 87° 51' 29" an arc length of 76.67 feet to the P.T. of said curve; thence S 11° 21' 55" W, 38.98 feet to a point, the P.C. of a 50.00 foot radius curve concave Northwesterly; thence Southwesterly and Northwesterly through a central angle of 86° 52' 36" an arc length of 75.81 feet to the P.T. of said curve; thence N 81° 45' 29" W, 220.83 feet to a point, the P.C. of a 200.00 foot radius curve concave Northeasterly; thence Northwesterly through a central angle of 59° 28' 06" an arc length of 207.58 feet to the P.T. of said curve; thence N 22° 17' 23" W, 61.32 feet to the P.C. of a 120.00 foot radius curve concave Southeasterly; thence Northwesterly and Northeasterly through a central angle of 129° 20' 56" an thence S 72° 56' 27" E, 125.91 feet to the place of beginning and arc length of 270.91 feet to the P.T. of said curve; containing 12.153 acres of land more or less. Subject to and together with a 60 root private road and utility easement as shown hereon, and all existing easements of record. The above described tract of land shall be known as LAKE VIEW ESTATES. In witness whereof we have caused our hand to be set this dn day of Manch, 1981. Holene Olson STATE OF MONTANA COUNTY OF FLATHEAD , before me a Notary Public for the State of Montana, personally appeared_ and known to me to be the persons whose names are subscribed to the foregoing instrument ind acknowledged to me that they executed the same. Residing at Alexan CERTIFICATE OF FINAL PLAT APPROVAL We, the undersigned Dill Gould , Chairman of the Board of County Commissioners of Lincoln County, Montana, and Ellanor A. Unique.
>
> County Clerk of said county, do hereby certify that this accompanying plat of LAKE VIEW ESTATES, Lincoln County, Montana, has been submitted to the Board of County Commissioners of said county, for examination and has been found by them to conform to law and was approved by them at a regular meeting held on the 27 day of may . 1981 CERTIFICATE OF EXAMINING LAND SURVEYOR I, GERALD BUNTON, acting as an Examining Land Surveyor for Lincoln County, Montana, do hereby certify that I have examined the final plan of LAKE VIEW EXTATES and find that the survey data shown thereon meet the conditions set forth by or pursuant to Section 11-3862 of the Revised Codes of Montane, 1947. Dated this 2nd day of APRIL , 198/ Signature GERALD Name of Surveyor 4974-S Registration No. Lincoln County, Montana CERTIFICATE OF PRIVATE ROADWAYS The roadways shown on this plat are intended to be private in all respects. It is hereby dedicated forever to the sole use of the owners (and successors in interest) of the lots described on this plat. It is understood and agreed that this private roadway does not conform to the state and county requirements for a public roadway. Because of size limitations it is not suitable for all-season maintenance by the public authorities. The owners (and successors in interest) of the lots described in this plat will provide for the all-season maintenance of the private roadways. This dedication is made with the express understanding that the private roadways will never be maintained by any governmental agency or public authority. It is understood and agreed that the value of each lot described in this plat is enhanced by the private, exclusive nature of said roadway. Thus, the area encompassed by said private roadway will not be separately taxed or assessed by any governmental agency or public authority. Anlew Olson **VIEW** Land within the platted area of LAKE VIEW ESTATES, would be unsuitable, uneconomical, difficult to develop or maintain or other-County Clerk and Recorder

	STATE OF MONTANA) Lincoln SS COUNTY OF FLATHEAD)		
	On this 27 day of May	C/erK + Necorder 198/ hefore me a Notary Public for the State of Montana, nersona	ally appeared arline Olson
	on this x / day of //wg	Clerk + Recorder , 198/ , hefore me a Notary Public for the State of Montana, persona and known to me xecuted the same.	to be the persons whose names are subscribed to the foregoing
	instrument and acknowledged to me that they ex		
	Eleann & Taught		peil; Housena, do solumnly swear that I have made the survey of LAKE was madein accordance with the provisions of Sections
berk +	Notary Public for the State of Montana Residing at Suby	COUNTY OF FLATRICAD) 3859 through 11a 300 hand that	e Revised Codes of Montane, 1947; that the annexed plat is in accordant traces and the distantions of the lots and blocks are as the rape design
•	My commission expires 1-1-83		taxand the dimensions of the lots and blacks are as therein designate
		and that the said platted area was laid ou	
	CERTIFICATE WALV	ING PARK LAND DEDICATION AND	Deted this 3 day of Was 1
	ACCEPTING	CASH IN LIEU THEREOF	Chila w age
	1. Elann S. Vaushr County	Clerk of Lincoln County, Montana, do hereby certify that the following	Charles W. Doyle 2516-S riled for record this 28th day of
i in 🛖 🙀		Lincoln County, Montana, at a regular meeting thereof, held on the 📝	
	May , 198 / , and e	ntered into the proceedings of said body to wit: "Inasmuch as dedicati	ion of park

wise unsuitable for park and playground purposes, it is hereby ordered by the Board of County Commissioners of Lincoln County, Montana, that land dedication for park purposes he waived and that cash in lieu thereof be accepted in accordance with the provisions of Section 76-3-606, M.C.A. 1979.


In the amount of One Thousand six hundred & twenty dollars 1 to (\$1620.00

STATE OF MONTANA COUNTY OF LINCOLN Filed for record this 28th day LINCOLN COUNTY CLERG & RECORDE SHEET ! INST. REC. NO.

Lincoln County, Montana

 ω

BY: DOYLE ENTERPRISES PLAT OF 285 N. MAIN ST. PLAT OF LAKE VIEW ESTATES SUBDIVISION KALISPELL, MT., 59901 755-6481 IN THE N.E.1/4, OF SEC.18, T36N, R27W, PM.M., LINCOLN CO., MONTANA FOR ARLENE OLSON OWNER: II II II II II DATE NOV,19,1980 N.E. COR. SEC.18. FND BRASS CAP. (BASIS OF BEARINGS PER C.S. 814) N89° 29′ 38″W 2634.29 1790.25 FNO BRASS CAP 1 4/ 2 8/4 77.2 0068 814 LOT-3 NOT A PART 9.378 As GROSS 3.133 AS GROSS 2.735 AS NET 2.524 AS GROSS W 2.060 AS NET 8.836 AS NET (REMAINDER) 2.089 Aº GROSS 1.857 Aº NET 256 AS GROSS 679 AS NET Cofs 8/4 LOT-5 2.151 AS GROSS. 279/18 1.948 AS NET. WEST 7.. 4 COFS 8/4 0.04.3 8/4 cofs 814 0045 814 LEGEND NET LOTS - 10.279 AS SEC COR (AS NOTED) 16 COR 60' PRIVATE ROAD & UTILITY EASME! 874 AS SE COR NEGNEG FNO 36"REBAR BY 2516-S GOR (AS NOTED) TOTAL 12 153 AS ● FND % REBAR BY 2516-5 FER C S 814 * SET 5/4 * 24 REBAR W/CAP "LIAMPED (DOYLE 2516-5) 1=|8|°26'3|" R=50.00' L: 158.34 SHEET 2 OF 2 SHEETS PJ*3773



SEC, COR. 3' BRASS CAP LOT 1 EAST C.O.S. 986 2/9.18

ACRES

LAKEVIEW

△ = 104°49'06°

, R = 50.00'

L = 91.47'

133.94' ---183.94'-

LOT

6.124

1097

PREPARED BY: JACKOLA ENGINEERING & ARCHITECTURE, P.C. JAMES H. BURTON, R.L.S.

1830 3RD AVENUÉ EAST 3RD FLOOR, SOUTHFIELD TOWER P.O. BOX 1134 KALISPELL, NT 59903 406-755-3208

> PREPARED FOR: JONATHAN G. AXELROD CAROL J. ZACHARY

> > MAY 2002

PURPOSE OF SURVEY

BOUNDARY LINE ADJUSTMENT

AMENDED SUBDIVISION PLAT OF

LOT 2 OF LAKEVIEW ESTATES EAST

LOCATED IN THE N.E. I/A OF THE N.E. I/A OF SECTION 18, T36N, R27W, PM,M, LINCOLN COUNTY, MONTANA



O FOUND 5/8" RE-BAR WITH SURY-CAP MARKED 'DOYLE 25/65'

CERTIFICATE OF CONSENT

WE, THE UNDERSIGNED PROPERTY OWNERS, DO HEREBY CERTIFY THAT WE HAVE CAUSED TO BE SURVEYED, SUBDIVIDED AND PLATTED INTO LOTS, BLOCKS, STREETS AND ALLEYS, AS SHOWN BY THE PLAT HERETO ANNEXED, THE FOLLOWING DESCRIBED LAND IN THE COUNTY OF LINCOLN, MONTANA, TO-WIT:

A TRACT OF LAND LOCATED IN THE NORTHEAST QUARTER OF THE NORTHEAST QUARTER OF SECTION 18, TOWNSHIP 36 NORTH, RANGE 27 WEST, PRINCIPAL MERIDIAN, MONTANA, AND MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE NORTHEAST SECTION CORNER OF SAID SECTION 18; THENCE SOU'08'56"E, ON AND ALONG THE EAST BOUNDARY OF SAID NORTHEAST QUARTER OF THE NORTHEAST QUARTER, A DISTANCE OF 621.11 FEET TO A POINT; THENCE WEST, AND LEAVING SAID EAST BOUNDARY, A DISTANCE OF 279,18 FEET TO A POINT AND WHICH POINT IS THE NORTHEAST CORNER OF LOT 2 OF PLAT OF LAKEVIEW ESTATES EAST AND WHICH POINT IS THE TRUE POINT OF BEGINNING;

THENCE 582°10'29"W, ON AND ALONG THE NORTH BOUNDARY OF SAID LOT 2, A DISTANCE OF 356.50 FEET TO A POINT AND WHICH POINT IS A NORTHERLY CORNER OF TRACT 2 OF CERTIFICATE OF SURVEY NUMBER 1097, RECORDS OF LINCOLN COUNTY; THENCE N50°00'00"W, ON AND ALONG SAID NORTHERLY BOUNARY, A DITANCE OF 85.10 FEET TO A POINT AND WHICH POINT IS THE NORTHWEST CORNER OF SAID TRACT 2; THENCE 530'00'00"W, ON AND ALONG THE WEST BOUNDARY OF SAID TRACT 2, A DISTANCE OF 314.09 FEET TO A POINT AND WHICH POINT IS THE SOUTHWEST CORNER OF SAID TRACT 2; THENCE 551'06'42"E, ON AND ALONG THE SOUTHERLY BOUNDARY OF SAID TRACT 2. A DISTANCE OF 452,27 FEET TO A POINT AND WHICH POINT IS THE SOUTHEAST CORNER OF SAID TRACT 2 AND A CORNER OF SAID LOT 2; THENCE CONTINUING 551°06'42°E, ON AND ALONG A SOUTHERLY BOUNDARY OF SAID LOT 2, A DISTANCE OF 121.25 FEET TO A POINT; THENCE 589'25'24"E, CONTINUING ON AND ALONG A SOUTH BOUNDARY OF LOT 2, A DISTANCE OF 183.94 FEET TO A POINT AND WHICH POINT IS THE SOUTHEAST CORNER OF SAID LOT 2: THENCE NOS'00'00"W, ON AND ALONG THE EAST BOUNDARY OF SAID LOT 2, A DISTANCE OF 630.16 FEET TO THE TRUE POINT OF BEGINNING.

THIS LOT SHALL BE KNOWN AND DESIGNATED AS LOT 2A OF THE AMENDED SUBDIVISION PLAT OF LOT 2 OF LAKEVIEW ESTATES EAST AND CONTAINS 6,124 ACRES AND SUBJECT TO AND TOGETHER WITH A 60-FOOT PRIVATE ROAD AND UTILITY EASEMENT AS SHOWN HEREON AND SUBJECT TO AND TOGETHER WITH ALL APPURTENANT EASEMENTS OF RECORD.

WE HEREBY CERTIFY THAT THE PURPOSE OF THIS SURVEY IS TO RELOCATE COMMON BOUNDARIES IN A PLATTED SUBDIVISION WITH LAND OUTSIDE OF THE PLATTED SUBDIVISION. THEREFORE THIS SURVEY IS EXEMPT FROM REVIEW BY THE GOVERNING BODY AS A SUBDIVISION PURSUANT TO SECTION 76-3-207(I)(e) M.C.A. WHICH STATES "DIVISIONS MADE FOR THE PURPOSE OF RELOCATING A COMMON BOUNDARY LINE BETWEEN A SINGLE LOT WITHIN A PLATTED SUBDIVISION AND ADJOINING LAND OUTSIDE A PLATTED SUBDIVISION. A RESTRICTION ON THE ORIGINAL PLATTED LOT OR ORIGINAL UNPLATTED PARCEL CONTINUES TO APPLY TO THOSE AREAS." AND WE FURTHER CERTIFY THAT THIS SURVEY IS EXEMPT FROM REVIEW BY THE STATE DEPARTMENT OF ENVIRONMENTAL QUALITY PURSUANT TO SECTION 17.36.605 (2)(a), WHICH STATES " DIVISIONS FOR THE PURPOSE OF ACQUIRING ADDITIONAL LAND TO BECOME PART OF A PARCEL THAT DOES NOT HAVE SANITARY RESTRICTIONS IMPOSED PROVIDED THAT NO DWELLING OR STRUCTURE REQUIRING WATER OR SEWAGE WILL BE ERECTED ON THE ADDITIONAL ACQUIRED PARCEL.

JÓNATHAN G. AXELROD CAROL J. ZACHARY WASHINSTON STATE OF _____ ON THIS SO DAY OF MAY OF MAY DEPOSE ME THE UNDERSIGNED, A NOTARY PUBLIC FOR THE STATE OF MAY AND DEPOSE ME THE UNDERSIGNED, A XELROD AND CAROL J. ZACHARY AND KNOWN TO ME TO BE THE PERSONS WHOSE NAMES ARE SUBSCRIBED TO THE

IN WITNESS, WHEREOF I HAVE SET MY HAND AND AFFIXED MY NOTARIAL SEAL THE DAY AND YEAR FIRST ABOVE WRITTEN.

NOTARY PUBLIC FOR THE STATE OF CULTRICUSTON, DC. RESIDING AT 5505 CENNE HOLLE AND WOLLY FOR MY COMMISSION EXPIRES _

WITHIN INSTRUMENT AND ACKNOWLEDGED TO ME THAT THEY EXECUTED THE SAME.

Notary Public District of Columbia My Commission Expires: Sep 30, 2003 STATE OF MONTANA COUNTY OF LINCOLN

FILING FEE

6410

P.F. PLAT NUMBER

I HEREBY CERTIFY THAT ALL REAL PROPERTY TAXES ASSESSED AND LEVIED ON THE LAND DESCRIBED WITHIN THIS SURVEY ARE PAID. THIS CERTIFICATE IS MADE AS REQUIRED BY SECTION 76-3-207 (3), M.C.A.

DATED THIS 12 DAY OF Chure 2002

BY Lincoln County Freazurer

JAMES H. BURTON 54288

JAMES H. BURTON REGISTERED LAND SURVEYOR REGISTRATION NUMBER 54285

T - 3

879

1097

CONMPPROVED: W. WESTER 4130 S EXAMINING LAND SURVEYOR FREGISTRATION NUMBER 4/305 OWNERS

FOR: JONATHAN G. AXELROD & CAROL JEAN ZACHARY


PURPOSE: BOUNDARY LINE ADJUSTMENT

DATE: SEPTEMBER 16, 2013

CERTIFICATE OF SURVEY

(Being an Amended Plat of Lot 2A of the Amended Subdivision Plat of Lot 2 of Lakeview Estates East) NE1/4 NE1/4, Section 18, T36N R27W, P.M., M.

Lincoln County, Montana



LEGEND

- FOUND 5/8" REBAR WITH PLASTIC CAP MARKED "DOYLE 2516S"
- FOUND 5/8" REBAR (NO CAP)
- SET 5/8" BY 24" REBAR WITH PLASTIC CAP MARKED "MARQUARDT 73285"



SCALE: 1'' = 100'

NOTE:
NO SEARCH HAS BEEN MADE FOR EASEMENTS AFFECTING THIS PROPERTY AND
THIS SURVEY DOES NOT PURPORT TO SHOW ALL APPURTENANT EASEMENTS.

Parcel A
That portion of the Northeast ¼ of the Northeast ¼ of Section 18, Township 36 North, Range 27 West, P.M., M., Lincoln County, Montana, described as follows:
Beginning at the Southeast corner of the Northeast ¼ of the Northeast ¼;
Thence along the South line of the Northeast ¼ of the Northeast ¼, North 89°24'09" West 409.58 feet;
Thence North 00°01'16" West 59.82 feet;
Thence South 89°23'38" East 83.47 feet;
Thence North 05°00'00" West 615.44 feet;
Thence North 82°10'30" East 100.12 feet;
Thence North 89°58'18" East 279.07 feet to the East line of the Northeast ¼ of the Northeast ¼, South 00°07'26" East 690.07 feet to the Point of Beginning, containing 5.63 acres of land all as shown hereon.

Subject to and together with easements of record.

Subject to a Brainfield Easement as shown hereon.

Lot 2A-1

That portion of Lot 2A of the Amended Plat of Lot 2 of Lakeview Estates East in the Northeast 1/4 of the Northeast 1/4 of Section 18, Township 36 North, Range 27 West, P.M., M., Lincoln County, Montana, described as follows:

Commencing at the Southeast corner of the Northeast ¼ of the Northeast ¼;

Thence along the South line of the Northeast ¼ of the Northeast ¼, North 89°24'09" West 409.58 feet;

Thence North 00°01'16" West 59.82 feet to Point of Beginning; Thence North 51°06'07" West 573.47 feet;

Thence North 29°59'28" East 313.98 feet; Thence South 49°59'50" East 85.14 feet;

Thence South 49°59'50" East 85.14 feet; Thence North 82°10'30" East 256.36 feet;

Thence South 05°00'00" East 615.44 feet;

Thence North 89°23'38" West 83.47 feet to the Point of Beginning, containing 4.69 acres of land all as shown hereon.


Subject to and together with easements of record.
Together with a Drainfied Easement as Shown heren.

Owner Certification

We hereby certify that this division is made for the purpose of relocating a common boundary line between a single lot within a platted subdivision and adjoining land outside a platted subdivision. A restriction or requirement on the original platted lot or original unplatted parcel continues to apply to those areas pursuant to Section 76-3-207(1)(e), MCA.

We hereby certify that this division creates parcels of land that have no existing facilities for water supply, wastewater disposal, and solid waste disposal other than those that were previously approved by the reviewing authority under Title 76, chapter 4, part 1, if: no new facilities will be constructed on the parcels (Parcel A & Remainder);

and the division of land will not cause approved facilities to violate any conditions of approval. Therefore, this division is exempt from review by the Department of Environmental Quality pursuant to ARM 17.36.605(2)(b)(i)&(ii).



Printed Name:

Notary Public for the State of

Residing at

My Commission Expires

My Commission Expires

My Commission Expires Jane 36, 2014

Examined: Oct 9, 2013

Examining Land Surveyor
Ronald A. Pearson, 9008LS

CERTIFICATE OF SURVEYOR

DAWN MARQUARDT Registration No. 7328S Date (30)3



I hereby certify that all real property taxes and special assessments assessed and levied on the land to be divided have been paid. Dated the 3 day of 00000, 2013.

Nancy Protter Origins by John Kinder Clark
Treasurer, Lincoln County, Months

SEAL
STATE OF MONTANA

County of Lincoln

Filed on the 23 day of October

County Clerk and Recorder

Instrument Record No. <u>24806</u>7 CERTIFICATE OF SURVEY NO. 4239 Field Crew: BP CF

Date: Sept. 12, 2013 Revision Date: n/a


Project Name: Zachary Project Number: 13-146

Filename: BLA Drawn By: A

LINCOLN CLIUNTY, MONTANA RETRACEMENT OF: A PART OF LOT #5 NIN THE NW 1/4 OF THE SE 1/4 OF SECTION 35, TWP 32N., R 34W., P.M.M. FROM RECORD DATA PER COS 1936 PURPOSE OF SURVEY The purpose of this survey is to retrace the exterior boundaries of an existing tract of record, and no division of land is hereby created; therefore, this survey is exempt from review, being completed pursuant to Section 76-3-404, M.C.A. Chairman, Lincoln County, Montana Commissioners STATE OF MONTANA COUNTY OF LINCOLN 4.040 ACRES LEGEND FOUND 5/8 INCH DIAMETER REBAR WITH A 1 1/4 INCH DIAMETER PLASTIC CAP SET 5/8 INCH DIAMETER REBAR WITH A 1 1/4 INCH DIAMETER PLASTIC CAP STAMPED KED 4975-S SEE COS #1936 Per C. of S. No. 1936 FOR SECTION BREAKDOWN INFORMATION S 89°50′54″ E 153.10 S 89° 50'54" E 639.051) 1/16 GRAPHIC SCALE P.F. Plat No. 5062 (IN FEET) DAVIS SURVEYING INC. TROY, MONTANA (406)295-5441 1 inch = 50 ft.

LAPKA SUBDIVISION

IN THE S1/2 NW1/4 OF SECTION 2, T.31 N., R.31 W., P.M.MT. LINCOLN COUNTY, MONTANA JULY 1995



PROPERTY LINE CENTERLINE CURVE

Found BLM Brass cap with 2 BTs

LEGEND

SCOTT A. LAPKA CYNTHIA L. LAPK.

- Found 5.8 inch diam, rebar with plastic cap marked JHN-4661-S per Certificate of Survey No. 746
- Set 5/8 inch diam, rebar 24 inch long with plastic cap marked PEARSON 9008-LS
- BLM brass cap per C. of S. No. 746
- () Per Certificate of Survey No. 746 by J.H.N. 4661-8

BASIS OF BEARING

Bearings are based on C. of S. No. 746

PHYSICAL ACCESS

I hereby certify that physical access to lot 1 and the remainder within this subdivision is provided by Bobtail Creek Cut-off Road a county road with a right of way of 55 feet.

LAPKA SUBDIVISION LOT ONE (1)

A Subdivision of land in the south one-half of the Northwest Quarter of Section Two (2), Township thirty one (31) North, Range thirty one (31) West, P.M.Mt., Lincoln County Montana; more particularly described as follows:

Commencing at the West one quarter corner of Section Two (2), a B.L.M. brass cap 3 1/4 inch diam. ; thence N000-18'-30" E | 118.04 feet to a 5/8" inch rebar capped J.H.N. 4661 S ; thence N839-41'-28"E 514.07 feet to a 5/8" inch rebar capped J.H.N. 4661 S.; and the beginning of this description, Lot one of Lapka Subdivision; thence N830-41'-28"E 324.72' feet along the Bobtail creek road to a 5/8" inch rebar capped J.H.N. 4661 S and the point of curve; thence beginning a curve cocave to the south having a radius of 2895 feet and a delta-angle of 40-58'-28"; thence easterly 251.35 feet along said curve to point of tangent a 5/8" inch rebar capped J.H.N. 4661 S; thence $N88^{\rm o}$ -41'-45"E 5.92 feet to a 5/8" inch rebar capped J.H.N. 4661 S; thence $N64^{\rm o}$ -17'-20"W 245.89 feet to a 5/8" inch rebar capped J.H.N. 4661 S and the point of curve; thence beginning a curve concave to the north having a radius of 200,00 feet and a delta angle of 310-59'-38"; thence northerly 111.68 feet along said curve to point of tangent a 5/8" inch rebar capped J.H.N. 4661 S; thence N320-17'-42"W 25.85 feet to a 5/8" inch rebar capped J.H.N. 4661 S and the point of curve; thence beginning a curve concave to the south having a radius of 250,00 feet and a delta angle of 460-40'-32"; theace 203.66 feet along said curve to a non-tangent line with a radial bearing of \$290-03'-31"W, a 5/8" inch rebar capped J.H.N. 4661 S; thence \$260-52'-45"W 381.56 feet to the true point of beginning; encompassing an area of 1.87 acres. SUBJECT to a 40,00 foot easement 20,00 foot each side of the easterly property line of said lot 1 described tract of land as shown hereon.

On the 18 day for the State of Montana, personally appeared the State of Montana, personally appeared to the within instrument and acknowledged to me that they executed the same. In witness thereof, I have hereunto set my hand and affixed my offical seal the day and year first above written.

Notary Public for the State of Montana Residing in Luly . Montana My Commission expires 4-25-1996

SURVEYOR'S CERTIFICATE

I hereby certify that I am a Registered Land Surveyor in the State of Montana, that the survey on this Certificate has been prepared under my supervision and in accordance with the Montana Code Annotated (Sections 76-3-101 through 76-3-614) and the Lincoln County regulations adopted pursuant thereto.

Ronald A. Pearson, Montana Registration No. 9008LS CERTIFICATE OF EXAMINING OFFICER

CERTIFICATE OF CLERK AND RECORDER State of Montana, County of Lincoln, filed this oral M. Cumming by Doug Sty

PEARSON

9008 LS


TRESURER'S CERTIFICATE

I hereby certify that all real property taxes and special assessments assessed and levied on the land to be divided have been paid.

Dated this 2nd Day (Totale , 1995, A.D.

Treasurer, Lincoln County, Montana

Sanitary Restrictions Removed P.F.# 5433



Sanitary Lestrictions Lemond P.F. 4024

CERTIFICATE OF SURVEY PARTIAL RETRACEMENT EAST BOUNDARY OF LOT 1 OF LASALA SUBDIVISION S 1/2 Section 27, Twp. 32 N., R. 34 W., P.M.M. For: LASALA Date: April 2022 C.O.S. NO. 342 LOT 1 OF PLAT NO. 6025 LASALA SUBDIVISON C.O.S. NO. 224 Graphic Scale: (1 inch = 100 ft.)**LEGEND** FOUND 5/8 INCH DIA. REBAR WITH A PLASTIC CAP STAMPED K.E.D. 4975-S FOUND 5/8 INCH DIA. REBAR UNCAPPED FOUND 1/2 INCH DIA. REBAR UNCAPPED COMPUTED POINT DAVIS SURVEYING INC. RECORD PER PLAT NO. 6025 TROY, MONTANA RECORD PER C.O.S. 4551 REV: DATE: 4/11/22 DRAWN BY:

Land Projects 2022

FILE: t3234271.dwg

PURPOSE OF SURVEY

The purpose of this survey is to partially retrace the exterior boundaries of existing tracts of record and no new parcels have been created; therefore, this survey is exempt from review as a subdivision being completed pursuant to 76-3-404 M.C.A.

CERTIFICATE OF SURVEYOR STATE OF MONTANA County of Lincoln

I, Kenneth E. Davis, a registered land surveyor do hereby certify that I have performed the survey shown on the attached plat or that such survey was performed under my supervision to my best knowledge and ability; that said survey is trait and complete as shown and the monuments found and set occupy the positions shown lettered.

Date of this day of April ,2022 A.D.


Kennan Registered Land Surveyor No. 4975-S

STATE OF MONTANA COUNTY OF LINCOLN

Filed on this 19 day of April 2022 A.D. at 11:2

Robin a. Benson

CERTIFICATE OF SURVEY NO. 4866




OWNERS: CONNIE J. DIXON FOR: ROBERT GLENN

PURPOSE: SUBDIVISION

DATE: JULY 6, 2020

Subdivision Plat of LAUGHING LARCH

E1/2, Section 7, T36N R26W, P.M., M. Lincoln County, Montana



- © FOUND 1/4 CORNER 5/8" REBAR WITH PLASTIC CAP MARKED "MARQUARDT 7328S"
- FOUND 5/8" REBAR WITH PLASTIC CAP MARKED "MARQUARDT 73285"
- O SET 5/8" BY 24" REBAR WITH PLASTIC CAP MARKED "MARQUARDT 7328LS"
- * FOUND AND RECORD DIMENSION PER PLAT OF THE HILLS SUBDIVISION
- --- PROPOSED DRIVEWAY

LINE TABLE						
LINE	BEARING	LENGTH				
L1	S47*24'16"W	174.83				
L2	S47°24'16"W	66.64				
L3	S47*24'16"W	421.75				
L4	S47'24'16"W	48.77				
L5	S17'34'15"W	50.00	(Radial)			
L6	N06'06'54"E	32.70'				
L7	N02°26'48"W	243.78				
L8	N86°28'47"E	165.87				
L9	S86°28'47"W	229.34				
L10	S02°26'48"E	246.77				
L11	S06°06'54"W	58.70				

					-1117			
CURVE TABLE								
CURVE	DELTA	RADIUS	ARC LENGTH	CHORD BEARING	CHORD LENGTH			
C1	45°55'35"	50.00	40.08	S84°36'27"W	39.01			
C2	45*55'35"	50.00	40.08	N49'27'58"W	39.01			
C3	36°53'39"	50.00	32.20'	S80'05'29"W	31.64			
C4	9*01'56"	50.00	7.88'	N76'56'43"W	7.87			
C5	74"13'15"	90.00'	116.59	S34*39'50"W	108.60			
C6	76"10'40"	70.00	93.07	S84°31'25"W	86.36			
C7	165°33'17"	50.00'	144.47	N77'09'53"W	99.21			
C8	83°35'00"	50.00	72.94	N47°24'16"E	66.64			
C9	63'42'21"	50.00	55.59	S58'57'04"E	52.77			
C10	88*55'35"	50.00	77.60'	S42'01'00"W	70.05			

THE OWNERS OF LOT 1 AND 2 HEREON ARE FINANCIALLY REQUIRED TO CONTRIBUTE TO THE IMPROVMENTS RELATING TO THE WIDTH OF WAPITI LANE IN THE EVENT OF ANY SUBSEQUENT SUBDIVISION OF PARCELS ADJACENT TO WAPITI LANE.

THE OWNERS HEREBY WAIVE THE RIGHT TO PROTEST THE CREATION OF A SPECIAL IMPROVMENT DISTRICT FOR THE PURPOSE OF FINANCING IMPROVEMENTS TO AREA ROADS WHICH WILL SPECIFICALLY BENEFIT THIS SUBDIVISION.

BUYERS OF PROPERTY SHOULD ENSURE THAT THEY HAVE OBTAINED AND REVIEWED ALL SHEETS OF THE PLAT AND ALL DOCUMENTS RECORDED AND FILED IN CONJUNCTION WITH THE PLAT. BUYERS OF PROPERTY ARE STRONGLY ENCOURAGED TO CONTACT THE LOCAL PLANNING DEPARTMENT AND BECOME INFORMED OF ANY LIMITATIONS ON THE USE OF THE PROPERTY PRIOR TO CLOSING.

•	ACREAGE		
LOT NO.	GROSS AC.	COUNTY ROAD R/W	NET AC.
1	10.14	NA	10.14
2	10.11	NA	10.11
TOTALS:	20.25	NA	20.25

NO SEARCH HAS BEEN MADE FOR EASEMENTS AFFECTING THIS PROPERTY AND THIS SURVEY DOES NOT PURPORT TO SHOW ALL APPURTENANT EASEMENTS.

Kalispell, MT 59901 info@mmsurvey.net

CERTIFICATE OF DEDICATION

I, CONNIE J. DIXON, the undersigned property owner, do hereby certify that I have caused to be surveyed, subdivided and platted into lots (and streets) as shown by the plat hereto annexed, the following described land in Lincoln County, to-wit:

Lot 2 of The Hills, lying in the East 1/2 of Section 7, Township 36 North, Range 26 West, P.M., M., Lincoln County, Montana, containing 20.25 acres of land, all as shown hereon.

Subject to and together with easements as shown hereon. Subject to and together with easements of record.

The above described tract of land is to be known and designated as LAUGHING LARCH.

The undersigned hereby grants unto each and every person, firm or corporation, whether public or private, providing or offering to provide telephone, telegraph, electric power, gas, cable television, water or sewer service to the public, the right to the joint use of an easement for the construction, maintenance, repair, and removal of their lines and other facilities, in, over, under, and across each area designated on this plat as "Utility Easement" to have and to hold forever.

Onner Lander CONNIE J. DIXON

This instrument was signed and acknowledged before me on 8/25, 2020, by CONNIE J. DIXON.

Printed Name: Misook Park
Notary Public for the State of Idaho

My Commission Expires 05/21/21

CERTIFICATE OF COUNTY COMMISSIONERS

We, The undersigned, Montana and County Clerk and Recorder of said county do hereby certify that this accompanying plat of LAUGHING LARCH, Lincoln County, Montana has been submitted to the Board of County Commissioners of Lincoln County, Montana for examination and has been found by them to conform to law and is hereby approved.

Board of County Commissioners Lincoln County, Montana

County Clerk and Recorder Lincoln County, Montana

Access to all lots within this subdivision is provided by:

Legacy Larch Lane and the driving surface is approximately __ feet wide.

DAWN MARQUARDT Registration No. 7328LS

> CERTIFICATE OF SURVEYOR DAWN MARQUARDT Registration No. 7328LS




ed and levied on the land to be divided have been paid.

STATE OF MONTANA County of Lincoln Filed on the day of Sesten ber, 2020, A.D., at 1:35 o'clock am.

Robin Bussen
County Clerk and Recorder

By: Cliple & Rm Instrument Record No. 267989
PM # 3224

Field Crew: Revision Date: n/a Date: July 6, 2020 Project Number: 17-234 Project Name: Glenn Filename: Final Drawn By: A



LINE TABLE

LINE	BEARING	DISTANCE
L1	S 31 '00'01" E	90.14
1.2	S 27"28'57" E	53.85
L3	S 5'00'00" W	40.10
L4	\$ 26'00'00" E	86.55
L5	S 8'00'04" E	31.64
L6	\$ 31 '59'58" E	32.63
L7	S 4'00'01" W	42.56
L8	S 47 "00'00" E	68.60
L9	S 6"00'00" W	65.02
L10	S 7'00'00" E	81.11
L11	S 4'00'00" W	79.79
L12	S 10'00'01" E	136.86
L13	S 43 59 59 E	95.15
L14	S 25'00'01" E	101.35
L15	S 15'00'01" E	35.38
L16	S 15'00'00" E	48.64
L17	S 6'00'00" E	129.43
L18	S 9"00'00" E	63.42
L19	S 0.00,00 E	136 . 41
L20	S 37 '00'00" E	122.84
L21	\$ 10'00'00" E	133.96
L22	S 3'00'00 E	83.54
L23	S 27"00'00" E	68.86
L24	S 55°00'00" E	90.83
L25	S 30 '00'00" E	114.77
L26	S 24"00'00" E	43.38
L27	S 8'00'00" W	47.77
L28	S 18'00'00" W	134.47
L29	S 10'00'00" W	116.72
L30	S 34'00'00" W	85.51
L31	S 23'00'00" W	122.43
L32	\$ 67'00'00" W	107.68
L33	S 30 '00'00" W	114.79
L34	S 16'00'00" W	106.81
L35	5 89 43 00 W	145.00

COUNTY COMMISSIONERS

The County Commission for Lincoln County, Montana does hereby approve this subdivision plat.

Chairman

Commissioner

Commissioner

Buf Bull)

LEGEND

- △ Found-5/8" rebar/plastic cap-4232-S.
- Set-5/8" rebar/plastic cap-4232-S.

BASIS OF BEARINGS

Bearings are based on Certificate of Survey No. 496.

ACCESS CERTIFICATION

I hereby certify that physical access to all lots within this subdivision is provided by a 60.00 foot wide Forest Service road as per Book 63, page 447, records of Lincoln County, known as Spar Lake Rd.

Melvin D. Lauteren, 4232-5

C-25-49

OWNERS CERTIFICATE

Be it known that Ernest and Clora Lauteren have caused to be surveyed and subdivided into lots as shown on this plat the following described land:

A parcel of land in the W 1/2, E 1/2 of Section Thirty (30), Township Thirty (30) North, Range Thirty-three (33) West, P.M.M., Lincoln County, Montana; more particularly described as follows:

BEGINNING at a 5/8 inch rebar tagged MDL 4232-S located on the Westerly right of way line of a 60.00 foot wide Forest Service road as per Book 63, page 447, Lincoln County records, said point intersecting the South boundary line of Section 30, T30N, R33W, P.M.M. bearing \$89°-43'-00"W 145.00 feet from the South 1/4 corner of said Section 30; thence, along said boundary S89°-43'-00"W 145.00 feet to a Brass Cap being the South 1/4 corner of said Section 30; thence, leaving said boundary NO*-13'-17"W 3787.78 feet along the North South center line of said Section 30 to a 5/8 inch rebar tagged MDL 4232-S on the Westerly right of way line of the aforementioned Forest Service road; thence, along said right of way line the following 40 courses: S31'E 90.14 feet, S27'E 54.74 feet, S11'E 213.57 feet, S05'W 40.10 feet, S26'E 86.55 feet, S08 E 31.64 feet, S32 E 32.63 feet, S04 W 42.56 feet, S47 E 68.60 feet, S06 W 66.02 feet, S07'E 81.11 feet, S04'W 79.79 feet, S10'E 136.86 feet, S44'E 95.15 feet, S25'E 101.35 feet, S15'E 35.38 feet, S15'E 48.64 feet, S06'E 129.43 feet, S09'E 63.42 feet, South 204.26 feet, S10°E 174.00 feet, South 136.41 feet, S37°E 122.84 feet, S10°E 133.96 feet, S03°E 83.54 feet, S27°E 68.86 feet, S55°E 90.83 feet, S30°E 114.77 feet, S43°E 173.40 feet, S24°E 43.38 feet, SOB'W 47.77 feet, S18'W 134.47 feet, S10'W 116.72 feet, S34'W 85.51 feet, S23'W 122.43 feet, S58'W 288.18 feet, S67'W 107.68 feet, S30'W 114.79 feet, S12'W 323.71 feet, S16'W 106.81 feet to the TRUE POINT OF BEGINNING; encompassing an approximate area of 33.318 acres.

Emest Lauteren

6-18-94

Clorg Lanteren

6-28-94

ACKNOWLEDGEMENT

Subscribed to and acknowledged before me, a Notary Public for the State of County of Least, by the above named person(s), on this gray day of UNK, 1974. In witness whereof I have hereunto set my hand and affixed my notorial seal.

Report C. Mary Mublic for the State of M.T., residing at Lesses My commission expires 4 1095.

COUNTY TREASURER

I hereby certify that all real property taxes and special assessments assessed and levied on the fand to be divided have been paid.

Mera a. Miller by Janua & Mehrhe -Treasurer, Lincoln County Deputy aug. 11, 1994

CERTIFICATE OF RECORDER Filed for record this day of day 1994, at 8:20 o'clock A.M.

Lincoln County Recorder

By Jeannes Alennes

Deputy

	DATE: 4-6-94	
	JOB NO. M9403	SECTION 30
-	DWN. BY: ARE	TOWNSHIP 301
	DWN. BY: ARE	RANGE 33
	REVISION	PRINCIPAL MERIDI
	SHEET 1 OF 1	LINCOLN COUN

SURVEYOR'S CERTIFI I, Melvin D. Lauteren, do hereby certify that this Certificate of Survey has been prepared in conformance to the Montana Subdivision & Platting Act (Sections 76-3-101 through 76-3-614 M.C.A.) and the regulations

Certificate of Survey has been prepared in conformance to the Montana Subdivision & Platting Act (Sections 76-3-101 through 76-3-614 M.C.A.) and the regulations adopted pursuant thereto, and that the map shown hereon is a true representation of a survey made by me.

IAN MT

Melvin D. Lauteren, 4232-S

Date

SURVEYOR'S CERTIFICATE

on, do hereby certify that this has been prepared in conformance vision & Platting Act (Sections 19-614 M.C.A.) and the regulations hereto, and that the map shown resentation of a survey made by

LALYTEN D.

LA

J.R.S. SURVEYING, INC.

P. F. PLAT NO. <u>5156</u>

P.O. BOX 1050 317 MINERAL AVE LIBBY, MONTANA 59923 (406) 293-5059

Sanitary Restricter Semoved P.F. # 5155


A PLAT OF PURPOSE OF SURVEY AND OWNER'S CERTIFICATION I, MD, L.L.C. representative, hereby certify that the purpose of this survey and division of land is to create an 8 Lot LAVON ESTATES SUBDIVISION major sudivision, to be known as "Lavon Estates Subdivision"; Lot 1 being 1.04 acres, Lot 2 being 1.06 acres, Lot 3 being 0.75 acres, Lot 4 being 1.08 acres, Lot 5 being 0.35 acres, Lot 6 being 1.10 acres, Lot 7 being 1.08 acres, and Lot AMENDED LOT 1, HAPPY'S INN SUBDIVISION, PLAT NO. 6876 8 being 1.54 acres; for a total of 8.00 acres, pursuant to 76-4-103, M.C.A. I also hereby grant unto each and every person, firm, or corporation whether public or private, providing or offering to provide telephone, electric power, gas, cable television, water or sewer service to the lots shown hereon, the right to joint use of an easement for NE1/4, SE1/4, SECTION 24, T.27N., R.28W., P.M., MT. construction, maintenance, repair and removal of their lines and other facilities, in, over, under and across each area designated on this plat as "Utility Easement" to have and hold forever. LINCOLN COUNTY, MONTANA Michael A Musico 06-30-2011
MD, L.L.C. Representative Date DATE: JUNE, 2011 FOR: M.D., L.L.C. **ACKNOWLEDGMENT** The foregoing Certification was subscribed and acknowledged before me, a Notary Public for the State of MONTANA _____, County of \angle , NCCLN ____, by the above named person(s), on 26' X 66' DRAINFIELD EASEMENT FOR LOT 8 HAPPY'S INN DRAINFIFI D & REPLACEMENT AREA BOOK 325 PAGE 7 this **3** Day of **JUNE** 2011. In witness whereof, I have hereunto set my hand LOTS 5 AND 8 ARE EXEMPT FROM DEQ REVIEW PURSUANT TO M.C.A. 76-4-125(2)(a): "THE EXCLUSIONS CITED IN 79-3-201 AND 76-3-204: AND M.C.A. 76-3-201(1)(h): "IS **BRIST** Byran Sunderson Lot 8 N75°53'18"W and affixed my notorial seal. CREATED FOR RIGHTS-OF-WAY OR UTILITY SITES. A SUBSEQUENT CHANGE IN 1.54 Acres USE OF THE LAND TO A RESIDENTIAL, COMMERCIAL, OR INDUSTRIAL USE IS Notary Public for the State of MONTANA SUBJECT TO THE REQUIREMENTS OF THIS CHAPTER. BYRON SANDERSON NOTARY PUBLIC for the My Commission expires: 12-1-13 Residing at Libby, Montana My Commission Expires **BASIS OF BEARING** S 89°24'38" E The basis of bearing for this survey is $N00^{\circ}00'35''W$, as shown on Plat No. 6803, between the East $\frac{1}{4}$ corner and Southeast meander corner, Section 24. S 24°51'52" W METHOD OF SURVEY A total station with data collector was used with closed traverse procedures to tie 1.08 Acres STILTNER previously set controlling monuments by Kelly Rooney, June, 2007. WELL PROTECTION ZONE HISTORY OF SURVEY S 07°58'55" W S 24°51'52" W 1954 - Irregular Plat No. 269 by Miller, 402S 1966 - Irregular Plat No. 1182, no Surveyor named LOT 2, HAPPY'S INN S 84°52'27" W 163.99 1968 - Irregular Plat No. 2268 by Bishop, 1834S (N 85°00'00" E) (163.04') 1973 - Irregular Plat No. 2112 by Wheeler, 394ES 1.10 Acres 1976 - Retracement, COS No. 285 by Putnam, 4373S LOT 7 & HAPPY'S INN 15' 1991 - Retracement, COS No. 1915 by Pearson, 9008LS TRUE POINT LOT 7 15' WIDE WELL & WIDE WELL & WATER LINE 1993 - Boundary Line Adjustment, COS No. 2157 by Davis, 4975S 0' WIDE ACCESS & OF BEGINNING LAVON LAKE 1995 - Crystal Acres Subdivision, Plat No. 5422 by Marquardt, 7328S S 07°58'55" W 1996 - Boundary Line Adjustment, COS No. 2517 by Davis, 4975S 2007 - Boundary Line Adjustment, Plat No. 6803 by Hughes, 7322LS 2008 - Happy's Inn Subdivision, Plat No. 6876 by Hughes, 7322LS **DETAIL "A"** 2008 - Two Lakes Subdivision, Plat No. 6957 by Hughes, 7322LS Lot 2 S 47°37'13" E Lot 3 NO SCALE **ACCESS CERTIFICATION** 1.08 Acres 1.06 Acres N 55°10'21" W 0.75 Acres N 49°43'42" E N 87°22'57" E 220.33' S 38°23'21" I hereby certify that physical and legal access to Lot 1 is by a 40' wide access easement Residential **JOHNSON** known as "Happy's Border Lane"; Lots 2 & 3 by a 30' wide access & utility easement; SEE DETAIL "A" N 89°59'24" E Lot 5 Lots 4, 5, 6, & 7 by a 60' wide access & utility easement known as "Beach Road"; Lot 8 1.04 Acres S 02°37'01" E 50.29' by an existing driveway from Highway 2; each as shown hereon 0.35 Acres (N.02°29'30" W) (50.00') Owah 7. Jugher 7322LS N 89°59'24" E N 89°59'24" E 32.36' Alvah F. Hughes, PLS, 7322LS 3 89°59'24" V **MCMANNAMY** S 00°00'36" E <u>LOT 1</u> COUNTY TREASURER'S CERTIFICATION I hereby certify that all real property taxes and special assessments assessed and levied N 89°59'24" E 478.16' parcel shown hereon are paid, pursuant to Section 76-3-611(1)(b), MCA. N89°59'24"E LOT 4 WELL & WATER Nancy Trotter liggins By: LINE EASEMENT LEGAL DESCRIPTION ~ "LAVON ESTATES SUBDIVISION" PLAT NO. 6957 An irregular tract of land lying southeasterly from Libby, Montana, Lincoln County, within the East 1/2, Section 24, "TWO LAKES SUBDIVISION" JOHNSON & BRUNDAGE 10' WIDE SEPTIC EASEMENT BOOK 321 PAGE 202 Township 27 North, Range 28 West, P.M., MT., containing 9.46 acres and more particularly described as: LAND SURVEYOR'S CERTIFICATION Commencing at the east one-quarter corner, said Section 24, an aluminum capped monument, Thence S00°03'33"E, 311.63 feet to a 5/8 inch diameter rebar with plastic cap marked 7328S lying on the southerly right of way of US LEGEND I hereby certify that I am a Registered Land Surveyor in the State of Montana, that the survey shown Highway 2; Thence S89°59'24"W, 0.27 feet to an unmarked computed point; Thence N55°10'21"W 48.55 feet to a 5/8 on this Plat has been prepared under my supervision and in accordance with Montana Code ►O 1/4 CORNER- ALUMINUM CAP MONUMENT inch diameter rebar with plastic cap marked 7328S and the TRUE POINT OF BEGINNING: Annotated, Sections 76-3-101 through 76-3-625 and the Lincoln County regulations adopted Thence S55°10'21"E, 48.55 feet to an unmarked computed point; Thence S00°00'35"E, 158.33 feet to a 5/8 inch MEANDER CORNER - ALUMINUM CAP MONUMENT diameter rebar with plastic cap marked Hughes, 7322LS; Thence S89°59'24"W, 40.00 feet to a 5/8 inch diameter rebar Alvah F. Hughes, Montana Reg. No. 7322LS MEANDER with plastic cap marked Hughes, 7322LS; Thence S89°59'24"W, 162.74 feet to a set 5/8 inch diameter rebar with SET A 5/8 INCH DIAMETER REBAR WITH PLASTIC CORNER plastic cap marked Hughes, 7322LS; Thence S89°59'24"W, 141.81 feet to a set 5/8 inch diameter rebar with plastic cap CAP MARKED HUGHES, 7322LS marked Hughes, 7322LS; Thence S89°59'24"W, 133.61 feet to a 5/8 inch diameter rebar with plastic cap marked 5/8 INCH DIAMETER REBAR WITH PLASTIC CAP Hughes, 7322LS; Thence N00°00'36"W, 93.98 feet to a 5/8 inch diameter rebar with plastic cap marked Hughes, MARKED KED, 4975S 7322LS; Thence S89°59'24"W, 200.38 feet to a 5/8 inch diameter rebar with plastic cap marked Hughes, 7322LS; EXAMINING LAND SURVEYOR'S CERTIFICATION Thence S89°59'24"W, 32.36 feet to an unmarked computed point; Thence S89°59'24"W, 38.79 feet to a found 1 1/2 5/8 INCH DIAMETER REBAR WITH PLASTIC CAP **VICINITY DIAGRAM** inch diameter unmarked pipe; Thence N02°37'01"W, 50.29 feet to a 1 1/2 inch diameter unmarked pipe; Thence MARKED HUGHES, 7322LS day of Duly S87°22'57"W, 220.33 feet to a 5/8 inch diameter rebar with plastic cap marked Hughes, 7322LS; Thence N38°23'21"W, 5/8 INCH DIAMETER REBAR WITH PLASTIC CAP 59.58 feet to a set 5/8 inch diameter rebar with plastic cap marked Hughes, 7322LS; Thence N38°23'21"W, 141.42 feet to an unmarked 5/8 inch diameter rebar. Thence N84°52'27"E, 163.99 feet to a 5/8 inch diameter rebar with plastic Ronald A. Pearson, PLS, 9008LS **Examining Land Surveyor** cap marked Hughes, 7322LS; Thence N24°51'52"E, 124.60 feet to a set 5/8 inch diameter rebar with plastic cap UNMARKED 5/8 INCH DIAMETER REBAR marked Hughes, 7322LS; Thence N24°51'52"E, 54.80 feet to a 5/8 inch diameter rebar with plastic cap marked Hughes, 7322LS; Thence N89°24'38"W, 227.10 feet to a 5/8 inch diameter rebar with plastic cap marked KED, 4975S; 1 1/2 INCH DIAMETER UNMARKED PIPE COUNTY COMMISSIONER'S CERTIFICATION of FINAL PLAT APPROVAL Thence N00°52'32"W, 330.24 feet to a 5/8 inch diameter rebar with plastic cap marked Hughes, 7322LS lying on the The County Commission of Lincoln County, Montana does hereby certify that it has examined this 8 lot plat of southerly edge of US Highway No. 2 right of way; Thence southeasterly along said southerly right of way through COMPUTED POINT the following courses: "Lavon Estates Subdivision", finding that it does meet the requirements of the subdivision laws and regulations of () RECORD PER PLAT NO. 2112 S57°43'51"E, 373.82 feet to a set 5/8 inch diameter rebar with plastic cap marked Hughes, 7322LS; Thence S57°43'51"E, 134.01 feet to an unmarked 5/8 inch diameter rebar; Thence S75°53'18"E, 40.61 feet to a 5/8 inch RECORD PER COS NO. 2517 Chairman Lincoln County Commissioners diameter rebar with plastic cap marked Hughes, 7322LS; Thence leaving said southerly right of way \$19°07'11"W, < > RECORD PER PLAT NO. 6803 199.19 feet to a 5/8 inch diameter rebar with plastic cap marked Hughes, 7322LS; Thence S67°21'36"E, 225.99 feet to a set 5/8 inch diameter rebar with plastic cap marked Hughes, 7322LS; Thence S67°21'36"E, 81.75 feet to a 5/8 inch EXISTING WELL diameter rebar with plastic cap marked Hughes, 7322LS; Thence N32°10'21"E, 109.26 feet to a set 5/8 inch diameter CLERK AND RECORDER'S CERTIFICATION --- ACCESS/UTILITY EASEMENT LIMIT rebar with plastic cap marked Hughes, 7322LS; Thence N32°10'21"E, 60.43 feet to a 5/8 inch diameter rebar with plastic cap marked Hughes, 7322LS lying on the southerly edge of said US Highway No. 2 right of way; Thence ---- UTILITY EASEMENT LIMIT State of Montana, County of Lincoln, filed this 13 day of Lucy _20<u>//</u>, at**2:35**0'clock **/2**M. southeasterly along said southerly right of way through the following courses: **SECTION 24** PROPOSED OR EXISTING DRIVEWAY Thence S57°49'39"E, 129.51 feet to a set 5/8 inch diameter rebar with plastic cap marked Hughes, 7322LS; Thence S57°49'39"E, 192.40 feet to a 5/8 inch diameter rebar with plastic cap marked 7328S and the TRUE POINT OF SCALE BEGINNING, containing 8.00 acres. Subject to a 60 foot wide access and utilities easements known as "Beach Road", a 60 foot wide "Access Easement", two septic drainfield & replacement easements, a 10 foot wide waterline 100 200 300 PLAT NO. # 7090 easement, a 15 foot wide "Utility" easement, and a 40 foot wide access and utility easement known as "Happy's 50 Border Lane", as shown hereon, and together with all appurtenant easements of record. DOCUMENT NO. 233622

Manuels for Subcl. P.F. 10815 - Doc 233631 Platting Certificate Doi 233618 p.F. 10807 Sanday Restrictions Remod Doi 233619 P.F. 10808 Topene Weed plan Doc" 233620 P.F. 10809 Road Inspection Doc" 233621 P.F. 10810 Corbinante 200 233623 5 337/795 Road Maintenance Da 233624 5 337/796

AMENDED SUBDIVISION PLAT

OF

LOTS 2 & 3, LAVON ESTATES SUBDIVISION, AMENDED LOT 1, HAPPY'S INN SUBDIVISION PLAT No. 6876 LOCATED IN A PORTION OF THE NE 1/4, SE 1/4, SECTION 24, T.27 N.,R.28 W.,P.M.M., LINCOLN COUNTY MT.



PURPOSE OF SURVEY

BOUNDARY LINE ADJUSTMENT WITHIN A PLATTED SUBDIVISION:

I THE UNDERSIGNED LANDOWNER DO HEREBY CERTIFY THAT THE PURPOSE OF THIS SURVEY IS TO RELOCATE THE COMMON BOUNDARIES FOR F

OR FEWER LOTS WITHIN A PLATTED SUBDIVISION, THE RELOCATION OF COMMON BOUNDARIES THIS DIVISION IS EXEMPT FROM REVIEW AS A

AMENDED LOTS 2 & 3 ARE EXCLUDED FROM SANITATION REVIEW BY THE DEPARTMENT OF ENVIRONMENTAL QUALITY PURSUANT TO ARM 17.36.605 (2) (b) AS A PARCEL THAT HAS A PREVIOUS APPROVAL ISSUED UNDER TITLE 76, CHAPTER 4, PART 1, M.C.A. IF: (i) NO FACILITIES OTHER THAN THOSE PREVIOUSLY APPROVED EXIST OR WILL BE CONSTRUCTED ON THE PARCEL; AND (ii) THE DIVISION OF LAND WILL NOT CAUSE APPROVED FACILITIES TO DEVIATE FROM THE CONDITIONS OF APPROVAL. IN VIOLATION OF 76-4-130. MCA:

THE AREA THAT IS BEING REMOVED FROM ONE TRACT OF RECORD AND JOINED WITH ANOTHER TRACT OF RECORD IS NOT ITSELF A TRACT OF RECORD. SAID AREA SHALL NOT BE AVAILABLE AS A REFERENCE LEGAL DESCRIPTION IN ANY SUBSEQUENT REAL PROPERTY TRANSFER AFTER THE INITIAL TRANSFER ASSOCIATED WITH THE CERTIFICATE OF SURVEY ON WHICH SAID AREA IS DESCRIBED, UNLESS SAID AREA IS INCLUDED WITH OR EXCLUDED FROM ADJOINING TRACTS OF RECORD.


LEGAL DESCRIPTION;

LOTS 2 & 3, LAVON ESTATES SUBDIVISION, AMENDED LOT 1, HAPPY'S INN SUBDIVISION PLAT No. 6876 LOCATED IN A PORTION OF THE NE 1/4, SE 1/4, SECTION 24, T.27 N.,R.28 W.,P.M.M., LINCOLN COUNTY MT. CONTAINING 1.80 ACRES, SUBJECT TO ALL RESTRICTIONS, RESERVATIONS AND EASEMENTS. APPARENT OR OF RECORD.

PATRICK J. GILROY JR.

(NOTARY SIGNATURE)
(NOTARY PRINTED)

(NOTARY PRINTED)
NOTARY PUBLIC FOR THE STATE OF
RESIDING AT Fund mustus



EXAMINING LAND SURVEYOR'S CERTIFICATION

EXAMINED THIS TO DAY OF MALL 2022, AD

STEVEN A BOYER PL S 9/500 S. LINCOLN COLINTY EXAMINING LAND SURVEY

LINCOLN COUNTY PLANNING DEPT.

EXAMINED THIS A DAY OF MAR 2022, AD

NOAH PYLE LAND SPECIALIST, LINCOLN COUNTY CLERK & RECORDER OFFICE

CLERK & RECORDER CERTIFICATION

STATE OF MONTANA, COUNTY OF LINCOLN, FILED THIS 15 DAY

OF MAR 2022, A.D. AT 11:02 O'CLOCK

ROBIT A. BONSON BY MICHAEL BY

LINCOLN COUNTY OF ERK & RECORDER

SURVEY PREPARED BY CARSTENS & ASSOC. 38863 DUBAY ROAD POLSON, MT. 59860 (406) 883-2672



LAWRENCE ADDITION


TO

WEST TROY

LINEOLN COUNTY MONTANA

LOT 2. SECTION 13. T. 31 N.R. 34 W. M.P.M.
STANLEY S. CRAIG, C.E.

C. SCALE 1"= 50" -9



CERTIFICATE OF DEDICATION

STATE OF MONTANA S.S.

THADDEUS B. LAWRENCE AND SOPHIN F LAWRINCL, IIIS WIFE, HAS CAUSED TO BE SURVEYED, PLATTED AND SUBDIVIDED, INTO LUTS, BLUCKS, STREETS, EVENUES AND ALLEYS, AS SHOWN BY THE ACCOMPANYING PLAT AND CERTIFICATE OF SURVLY, HEREUNTO ANNEXED, THE FOLLOWING DESCRIBED LAND TOWIT; BEGINNING AT THE SOUTH WEST CORNER OF BLOCK NUMBER ONE OF PRINCES SOUTH PLAT ADDITION TO WEST TROY, LINCOLN COUNTY, MONTHAM, KAN WEST 244, FF. ON SECTION LINE BET WEEN SECTIONS 12 AND 13 TOWNSHIP 31 NOATH RANG 34 WI YI. M.P.P.M. THENCE SOUTH 361.3FT. THENCE EAST 361.3FT. THENCE NOATH 361.3FT. THENCE WEST 116.3FT. TO INLITIACE OF BEGINNING; SAID FRACT OF LAND IS LOCATED IN LOT 2, SELTION 13 TSIN A.SAW MIPPIL CONTAINING 3.00 ACRES; THE SHID TRACT OF LAND TO BE KNOWN AND DESIGNALL AS LAWRENCE ADDITION TO WEST TROY AND THE LAND INCLUDED IN ALL STREETS, AVENUES AND ALLEYS SHOWN ON SAID PLAT ARE HEREBY CRANTED AND DEDICATED TO THE PUBLIC FOREYER.

IN WITHESS WHEREOF THE SAID THADDEUS B LAWKENCE AND SOMMA F. LAWRENCE, HIS WILL, HAS HEREUNTO SET HIS AND HER HAND HAD SEAL THIS 29" DAY OF JUNE H.D. 1918.

SOPHIRE LAWRENCE

STATE OF MONTANA) 55.

ON THIS 29th DAY OF JUNE H.D. 1918, BEFORE ME EARL B. HINGELL H NOTHRY PUBLIC FOR THE STATE OF MONTANA, PERSONALLY APPENCED THADDENS B. LAWRENCE AND SOPNIA F. I AWKENCE, HIS WIFE KNOWN TO ME TO BE THE PERSONS WHOSE NAMILS SUBSCRIPTLY TO THE ABOVE CERTIFICATE OF DEDICATION AND ACKNOWLEDGED TO ME THAI THEY EXECUTED THE SAME.

IN WITNESS WHEREOF ! HAVE HERFUNTO SET MY HAND AND AFFIXED MY NITAKINE SEAL THE DAY AND YEAR IN THIS CERTIFICATE LIAST MOONE WRITTEN.

EARL B. HNGELL

NOTARY PUBLIC FOR THE STATE OF MONTANA
RESIDING AT TROY MONTANA
MY COMMISSION TAPIKTS MARKET "" 1920



ENGINEERS CERTIFICATE

STATE OF MONTANA 3.5.

I, STANLEY SCAHIG, ATIVIL ENGINEER AND SURVEYOR DO HEREBY CERTIFY THAT BETWEEN THE HE AND IST DAYS OF JUNE H.D. 1918, | MADE A CARLILLI HIND FICE WARTE SURVEY OF THAT TRACT OF LAND EMBRACED IN LAWRING HIDITION TO WEST TROY, AS SHOWN BY THE ANNEXED PLAT, THAT SUCH SURVEY WAS MADE IN COMPORTITY WITH SECTIONS 3465 TO 3478 OF THE REVISED CODES OF MONTANA AND ACTS AMENDATORY THERETO; THAT LEGAL MONUMENTS WERE SET HITHE INTERSECTIONS OF THE CENTER LINES OF ALL STREETS AND AVENUES AS SHOWN ON THE ANNEXED PLAT MARKED, +

STHNLEY S. CRAIL

SUBSCRIBED HAD SWORN TO BEFORE ME THIS 24 TH DAY OF JUNE A.D. 1918.

EARL B. ANGELL

NOTARY PUBLIC FOR THE STATE OF MONTANA

RESIDING AT TROY MONTANA

MY COMMISSION EXPIRES MARCH 7" 1920.



COMMISSIONERS CERTIFICHTE OF APPROVAL

STATE OF MONTANA S.S.

WE, C.T. YOUNG, F.EARL WILLIAMS AND H.W. ROUSE, THE BOARD OF COMMISS IONERS OF SAID LINCOLN COUNTY, IN THI STATE OF MONTANA, DO HEREBY CERTIFY THAT THE AN NEXED PLAT OF LAWRENCE ADDITION TO WEST TROY WAS EXAMINED AND APPROVED BY US ON THE ISDAY OF JULY 13.11, 1918. (AND WE FURTHER CERTIFY THAT NO PARK OR PLAY GROUND NEED BE SET ASIDE OR DEDICATED THEREON) THE TRACT PLAITED IS UNDER TWENTY THES

IN WITNESS WHEREOF WE NAME HEREUNTO SET OUR NAMES AND CAUSED TO BE AFFIXED THE SEAL OF SAID LINCOLN COUNTY MONTANA.

ATTEST

COUNTY CLERK AND RECORDER

C.T. YOUNG


F.EARL WILLIAMS

H.W. ROUSE

APPROVED

COUNTY SURVEYOR





Subdivision Plat of OWNER/ FOR: JFLI TRUST LAZY AJ ACRES SUBDIVISION PURPOSE: OCTOBER 7, 2015 SE 1/4, Section 34, T37N R27W, P.M., M. Lincoln County, Montana AIRPORT ROAD - 60' COUNTY ROAD. N88°58'52"W S71°35'48"E 48.84 GLID EASEMENT PER BOOK 13, PAGE 565 (WIDTH NOT SPECIFIED) S51°14'10"W 20' GLID DITCH Lot 5 4.11 Ac. (Gr.) ___S51°14′10″W 4.08 Ac. (Net) Lot 6 3.18 Ac. (Gr.) 20' GLID DITCH Lot 4 3.28 Ac. (Gr.) 3.00 Ac. (Net) GLID DITCH CENTERLINE - S35°15'44"W IRRIGATION LINE EASEMENT LINE TABLE **APPURTNENAT** Lot 3 BEARING LENGTH TO PARCELS B AND C PER C. OF L1 S14°36'33"E 119.88' AND C PER C. OF S. NO. 4026 AND 4.26 Ac. (Gr.) L2 N34*45'41"E PARCELS DESCRIBED IN BK 3.71 Ac. (Net) ∽S37°55'32"W L3 N34°45'41"E 391.14' L4 N34°45'41"E 107.95' 334 PG 108 AND L5 N34°45'41"E 167.92' € BK 263 PG 368 L6 N34°45'41"E 401.14' L7 N34*45'41"E 12.07' N51°46'06"W 60.11 S14°36'33"E 135.05 S01°54'03"E 51.29' S55°14'19"E 25.67' L12 S55'14'19"E 50.00' L13 N16'48'10"E 50.00' L14 N42*02'07"W 50.00 L15 N61'17'38"W 22.13' L17 N51°46'06"W 23.89' Lot 2 L18 N75°05'26"W 20.87' GLID DITCH CENTERLINE 3.15 Ac. (Gr.) 2.86 Ac. (Net) S31°08'52"W **CURVE TABLE** ARC DELTA RADIUS LENGTH BEARING LENGTH S31°08'52"W 11'21'44" 315.00' 62.47' S08'55'41"E 62.36' -35.98' 38°00'30" 315.00' 208.96' S15°45'26"W 205.15' 62°10'55" 25.00' 27.13' N03°40'14"E 25.82' S21°43'39"W 50.00' 65.79' S10'16'19"W 61.14'
 C6
 107'57'31"
 50.00'
 94.21'
 N19'13'04"W
 80.88'

 C7
 42'29'30"
 255.00'
 189.11'
 S13*30'56"W
 184.81'

 C8
 6*52'44"
 255.00'
 30.62'
 S11'10'11"E
 30.60'
 HATCHING DENOTES GLID DITCH EASEMENT (MINIMUM WIDTH 20') - S04°41'51"W ~S03°49'18"E Lot 1 **LEGEND** 3.53 Ac. (Gr.) Lot 1 FOUND 5/8" REBAR WITH PLASTIC CAP 2.82 Ac. (Net) MARKED "MARQUARDT 73285" 3.53 Ac. (Gr.) 15' UTILITY EASEMENT 2.82 Ac. (Net) SET 5/8" BY 24" REBAR WITH PLASTIC CAP -BOOK 328, PAGE 745 MARKED "MARQUARDT 73285" PROPOSED DRIVEWAY ~S14*36'33"E 691.07 N89°34'24"E ______ ►IOWA FLATS - 60' COUNTY ROAD 1. A Notice of Proposed Construction or Alteration form, attached to the deed, shall be submitted, prior to construction of any residence, to the Lincoln County Planning Department, for forwarding to the Eureka Airport Board for its review & approval. 2. Lot use is single family residential GLID NOTES: SCALE: 1'' = 100'1. No lot in the subdivision will be bonded nor have access to GLID water. 2. It will be stated in the Warranty deed of each parcel that it is not bonded land. EASEMENTS AFFECTING THIS PROPERTY AS REFERENCED IN TITLE GUARANTEE NO. 5010500-539045-LI, ISSUED BY FIRST AMERICAN TITLE COMPANY, ARE SHOWN HEREON UNLESS NOTED BELOW:

LINCOLN ELECTRIC COOPERATIVE EASEMENT - BOOK 328, PAGE 745: THIS EASEMENT IS

Certificate of Dedication

I, MICHAEL J. LUCIANO, TRUSTEE of JFLI TRUST, the undersigned property owner, does hereby certify that we have caused to be surveyed, subdivided and platted into lots as shown by the plat hereto annexed, the following described land in Lincoln County, to-wit:

Parcel A as shown on Certificate of Survey No. 4026RB in the Southeast 1/4 of Section 34, Township 37 North, Range 27 West, P.M., M., Lincoln County, Montana, containing 21.51 acres of land all as shown hereon.

Subject to and together with easements of record. Subject to and together with easements as shown hereon.

Subject to County Road right of way as shown hereon.

The above described tract of land is to be known and designated as LAZY AJ ACRES.

The undersigned hereby grants unto each and every person, firm or corporation, whether public or private, providing or offering to provide telephone, telegraph, electric power, gas, cable television, water or sewer service to the public, the right to the joint use of an easement for the construction, maintenance, repair, and removal of their lines and other facilities, in, over, under, and across each area designated on this plat as "Utility Easement" to have and to hold forever.

JFLI TRUST

STATE OF HEW JEWSEY

County of MOTRIS)

This instrument was signed and acknowledged before me on 04/13, 20 6, by MICHAEL J. LUCIANO, TRUSTEE of JFLI TRUST.

Printed Name: Notary Public for the State of Residing at My Commission Expires

CERTIFICATE OF COUNTY COMMISSIONERS

_, Chairperson of the Board of County Commissioners of (Lincoln or Flathead) County, We, The undersigned, , County Clerk and Recorder of said county do hereby certify that this accompanying plat of Lazy AJ Acres, Lincoln County, Montana has been submitted to the Board of County Commissioners of Lincoln County, Montana for examination and has been found by them to conform to law and is hereby approved.

Dated the Zs day of May, 2016

Board of County Commissioners

Goung Chark and Recorder Lincoln County, Montana

Lincoln County, Montana

CERTIFICATE OF WAIVER OF PARKLAND DEDICATION AND ACCEPTANCE OF CASH IN LIEU THEREOF

the reasons set forth in the minutes of this meeting, it is hereby ordered by the County Commissioners that land dedication for park purposes be waived and that cash in lieu of park land be accepted in accordance with the provisions of Title 76, Chapter 3, MCA."

In witness whereof, I have hereunto affixed the seal of Lincoln County, Montana this 2nd day of June By Clyd E Rn, Deputy

MARQUARD


Access to all lots within this subdivision is provided by Tia Lane and the driving surface is approximately $\frac{\partial \psi}{\partial \phi}$ feet wide. As certified by: APEC Engracering.

DAWN MARQUARDT, Registration No. 73285


CERTIFICATE OF SURVEYOR

I, Dawn Marquardt, a Professional Land Surveyor, do hereby certify that the monuments indicated hereon to be set will be set after the installation of improvements, no later than May 25 2016

DAWN MARQUARDT Registration No. 7328S







CERTIFICATE OF SURVEYOR

DAWN MARQUARDT Registration No. 73285



Nuncy Trother Higgins by Cothyagetta. Clerk Treasurer, Jincoln County, Madotana

STATE OF MONTANA

Robin Benson

Instrument Record No. <u>**263284**</u> PM # <u>**7185**</u>

Field Crew: BP SM Date: June 7, 2011 Revision Date: March 28, 2016 Project Number: 09-069 Project Name: Connelly Airport... Filename: Final Drawn By: A

77+16170 Liky = #263279

Consent to Plat #263280 DEQ 263281 Road Inspection # 263282 Weed Plan # 263283 Covenants #263285

CONNELLY AIRPORT ROAD

CERTIFICATE OF SURVEY

"BOUNDARY LINE ADJUSTMENT"

E1/2, SECTION 34, T.37N., R.27W., P.M.,MT. LINCOLN COUNTY, MT

FOR: JFLI TRUST

DATE: AUGUST, 2020

LEGAL DESCRIPTION: PARCEL A1

A regular tract of land, north from Eureka, Montana, Lincoln County, and lying within the NW1/4 NE1/4 and W1/2 SW1/4 NE1/4, Section 34, T.37N., R.27W., P.M.,MT., and more particularly described as follows: Commencing at the North 1/4 Corner, Section 34, a found 2 inch diameter brass cap marked 2989ES and being the TRUE POINT OF BEGINNING: Thence along the northerly boundary said section, S89'29'24"E, 1335.24 feet to a found 5/8 inch diameter rebar with plastic cap marked MARQUARDT 2989ES; Thence leaving said boundary, S00°23'35"W, 1330.50 feet to a set 5/8 inch diameter rebar with plastic cap marked HUGHES 7322LS, lying on the northeast corner of Tract 2A; Thence along the northerly boundary of said tract N89°29'32"W, 665.44 feet to a set 5/8 inch diameter rebar with plastic cap marked HUGHES 7322LS; Thence along the westerly boundary of said tract S00°17'57"W, 1330.53 feet to a set 5/8 inch diameter rebar with plastic cap marked HUGHES 7322LS, lying on the east-west mid-section line, Section 34; Thence along said mid-section line N89°29'40"W, 663.26 feet to a set 5/8 inch diameter rebar with plastic cap marked HUGHES 7322LS, being the Center 1/4 corner, Section 34; Thence along the north-south mid-section line N00°12'19"E, 2661.14 to a found 2 inch diameter brass cap marked 2989ES, being the North 1/4 corner, Section 34. and the TRUE POINT OF BEGINNING, containing 61.01 acres and subject to and together with all appurtenant easements of record.

LEGAL DESCRIPTION: PARCEL B A regular tract of land, north from Eureka, Montana, Lincoln County, and

lying within the SE1/4, Section 34, T.37N., R.27W., P.M., MT., and more particularly described as follows: Commencing at the southwest corner, Parcel B, COS No. 4026RB, a found 5/8 inch diameter rebar with plastic cap marked MARQUARDT 7328S and being the TRUE POINT OF BEGINNING: Thence N11*37'47"W. 625.02 feet to a found 5/8 inch diameter rebar with plastic cap marked MARQUARDT 7328S, being the northeast corner of Parcel C, COS No. 4026RB; Thence N00°17'58"E, 662.24 feet to a found 5/8 inch diameter rebar with plastic cap marked MARQUARDT 7328S, being the northwest corner Parcel B, COS No. 4026RB; Thence S89°31'22"E, 1286.45 feet to a found 5/8 inch diameter rebar with plastic cap marked MARQUARDT 7328S, lying on the westerly right-of-way limits of a 60.00 foot county road known as "Airport Road"; Thence leaving said road right-of-way limits S89'31'22"E, 38.54 feet to an unmarked computed point lying on the easterly section line, Section 34; Thence along said section line S00°26'32"W, 677.61 feet to an unmarked computed point; Thence leaving said section line N70°41'01"W, 48.89 feet to a found 5/8 inch diameter rebar with plastic cap marked MARQUARDT 7328S, lying on the westerly right-of-way limits of said Airport Road; Then leaving said road limits N71*39'31"W, 359.73 feet to a found 5/8 inch diameter rebar with plastic cap marked MARQUARDT 7328S, being the northwest corner Lot 6, Lazy AJ Acres Subdivision; Thence along the northerly boundary Lot 5, said subdivision the following three (3) courses: N88'08'56"W, 318.18 feet to a set 5/8 inch diameter rebar with plastic cap marked HUGHES 7322LS; Thence S63'24'36"W, 178.28 feet to a set 5/8 inch diameter rebar with plastic cap marked HUGHES 7322LS; Thence S38'59'30"W, 98.60 feet to a found 5/8 inch diameter rebar with plastic cap marked MARQUARDT 7328S; Thence along the westerly boundary Lot 4, said subdivision \$25°23'50"W, 354.02 feet to a found 5/8 inch diameter rebar with plastic cap marked MARQUARDT 7328S; Thence along the westerly boundary Lot 3, said subdivision S25°23'11"W, 275.84 feet to a found 5/8 inch diameter rebar with plastic cap marked MARQUARDT 7328S and the TRUE POINT OF BEGINNING, containing 21.22 acres and subject to and together with all appurtenant easements of record.

LEGAL DESCRIPTION: PARCEL B1

A regular tract of land, north from Eureka, Montana, Lincoln County, and lying within the E1/2 SE1/4 NE1/4, Section 34, T.37N., R.27W., P.M., MT., and more particularly described as follows: Commencing at the East 1/4 Corner, Section 34, a found 2 inch diameter brass cap marked 2989ES and being the TRUE POINT OF BEGINNING: Thence along the east-west mid-section line said section, N89'29'40"W, 35.57 feet to a set 5/8 inch diameter rebar with plastic cap marked HUGHES 7322LS. lying on the westerly right-of-way limits of a 60.00 foot wide county road known as "Airport Road"; Thence leaving said road limits, N89*29'40"W, 627.69 feet to a set 5/8 inch diameter rebar with plastic cap marked HUGHES 7322LS, lying on the southeast corner of Tract 6B; Thence along the easterly boundary of said tract N00°29'13"E, 1330.47 feet to a set 5/8 inch diameter rebar with plastic cap marked HUGHES 7322LS, lying on the southerly boundary of Tract 4A3; Thence along said boundary, S89'29'32"E, 632.63 feet to a set 5/8 inch diameter rebar with plastic cap marked HUGHES 7322LS, lying on the westerly right-of-way limits of said county road; Thence leaving said road limits S89'29'32"E, 32.81 feet to an unmarked computed point lying on the easterly section line, Section 34; Thence S00'34'51"W, 1330.45 feet to a found 2 inch diameter brass cap marked 2989ES, being the North 1/4 corner, Section 34, and the TRUE POINT OF BEGINNING, containing 20.29 acres and subject to and together with all appurtenant easements of record.

LEGAL DESCRIPTION: PARCEL C A regular tract of land, north from Eureka, Montana, Lincoln County, and

lying within the SE1/4, Section 34, T.37N., R.27W., P.M., MT., and more particularly described as follows: Commencing at the southwest corner, Parcel B, COS No. 4026RB, a found 5/8 inch diameter rebar with plastic cap marked MARQUARDT 7328S and being the TRUE POINT OF BEGINNING: Thence along the westerly boundary of Lot 3, Lazy AJ Acres Subdivision; Thence along the westerly boundary of Lot 3, said subdivision S25°20'13"W, 46.97 feet to a found 5/8 inch diameter rebar with plastic cap marked MARQUARDT 7328S; Thence along the westerly boundary of Lot 2, said subdivision S25°23'13"W, 385.68 feet to a found 5/8 inch diameter rebar with plastic cap marked MARQUARDT 7328S; Thence along the westerly boundary of Lot 1, said subdivision S25'23'44"W, 321.15 feet to a found 5/8 inch diameter rebar with plastic cap marked MARQUARDT 7328S, lying on the northerly right-of-way limits of a 60.00 foot wide county road known as "lowa Flats"; Thence leaving said road right-of-way limits S25'25'52"W, 33.04 feet to an unmarked computed point lying on the centerline of said county road, also being the southerly section line, Section 34; Thence along said section line N89'34'48"W, 457.09 feet to an unmarked computed point; Thence leaving said section line N00°16'09"E, 29.70 feet to a found 5/8 inch diameter rebar with plastic cap marked MARQUARDT 7328S, lying on the northerly right-of-way limits of said lowa Flats; Thence leaving said road right-of-way limits along the westerly boundary of Parcel C, COS No. 4026RB, N00'16'09"E, 1295.26 feet to a found 5/8 inch diameter rebar with plastic cap marked MARQUARDT 7328S; Thence along the northely boundary said parcel, S89°32'44"E, 662.24 feet to a found 5/8 inch diameter rebar with plastic cap marked MARQUARDT 7328S; Thence along the easterly boundary said parcel, S11*37'47"E, 625.02 feet to a found 5/8 inch diameter rebar with plastic cap marked MARQUARDT 7328S and the TRUE POINT OF BEGINNING, containing 20.42 acres and subject to and together with all appurtenant easements of record.

LEGAL DESCRIPTION: PARCEL D

An irregular tract of land, north from Eureka, Montana, Lincoln County, and lying within the SE1/4, Section 34, T.37N., R.27W., P.M.,MT., and more particularly described as follows:

Commencing at the northwest corner, Lot 6, Lazy AJ Acres Subdivision, a found 5/8 inch diameter rebar with plastic cap marked MARQUARDT 7328S; Thence N88'08'56"W, 318.18 feet to a set 5/8 inch diameter rebar with plastic cap marked HUGHES 7322LS and being the TRUE POINT OF BEGINNING: Thence S63'24'36"W, 178.28 feet to a set 5/8 inch diameter rebar with plastic cap marked HUGHES 7322LS; Thence S38'59'30"W, 98.60 feet to a found 5/8 inch diameter rebar with plastic cap marked MARQUARDT 7328S; Thence N11'24'25"E, 165.81 feet to a found 5/8 inch diameter rebar with plastic cap marked MARQUARDT 7328S; Thence S88'08'56"E, 188.77 feet to a set 5/8 inch diameter rebar with plastic cap marked HUGHES 7322LS and the TRUE POINT OF BEGINNING, containing 0.27 acres and subject to and together with all appurtenant easements of record.

LEGAL DESCRIPTION: PARCEL C1

A regular tract of land, north from Eureka, Montana, Lincoln County, and lying within the N1/2 NE1/4 SE 1/4, NW1/4 SE1/4 & W1/2 SW1/4 SE1/4, Section 34, T.37N., R.27W., P.M.,MT., and more particularly described as follows:

Commencing at the East 1/4 Corner, Section 34, a found 2 inch diameter brass cap marked 2989ES and being the TRUE POINT OF BEGINNING: Thence along the easterly section line, said section, S00°26'32"W, 661.82 feet to an unmarked computed point; Thence along said section line S00°26'32"W, 677.61 feet to an unmarked computed point; Thence leaving said section line N70°41'01"W, 48.89 feet to a found 5/8 inch diameter rebar with plastic cap marked MARQUARDT 7328S, lying on the westerly right-of-way limits of a 60.00 foot county road known as "Airport Road"; Thence leaving said road limits N71°39'31"W, 359.73 feet to a found 5/8 inch diameter rebar with plastic cap marked MARQUARDT 7328S, being the northwest corner Lot 6, Lazy AJ Acres Subdivision; Thence along the northerly boundary Lot 5, said subdivision the following three (3) courses: N88'08'56"W, 318.18 feet to a set 5/8 inch diameter rebar with plastic cap marked HUGHES 7322LS; Thence S63*24'36"W, 178.28 feet to a set 5/8 inch diameter rebar with plastic cap marked HUGHES 7322LS; Thence S38*59'30"W, 98.60 feet to a found 5/8 inch diameter rebar with plastic cap marked MARQUARDT 7328S; Thence along the westerly boundary Lot 4, said subdivision S25°23'50"W, 354.02 feet to a found 5/8 inch diameter rebar with plastic cap marked MARQUARDT 7328S; Thence along the westerly boundary Lot 3, said subdivision the following two (2) courses: S25'23'11"W, 275.84 feet to a found 5/8 inch diameter rebar with plastic cap marked MARQUARDT 7328S; Thence S25'20'13"W, 46.97 feet to a found 5/8 inch diameter rebar with plastic cap marked MARQUARDT 7328S; Thence along the westerly boundary Lot 2, said subdivision S25°23'13"W, 385.68 feet to a found 5/8 inch diameter rebar with plastic cap marked MARQUARDT 7328S; Thence along the westerly boundary Lot 1, said subdivision S25°23'44"W, 321.15 feet to a found 5/8 inch diameter rebar with plastic cap marked MARQUARDT 7328S, lying on the northerly right-of-way limits of a 60.00 foot county road known as "lowa Flats"; Thence leaving said limits \$25*25'52"W, 33.04 feet to an unmarked computed point lying on the centerline of said county road, also being the southerly section line, Section 34; Thence along said section line the following two (2) courses: N89'34'48"W, 457.09 feet to an unmarked computed point; Thence N89°34'48"W, 660.51 feet to a found 2 inch diameter brass cap marked 2989ES, being the South 1/4 corner, Section 34; Thence along the north-south mid-section line, said section N00°25'12"E, 30.00 feet to a set 5/8 inch diameter rebar with plastic cap marked HUGHES 7322LS, lying on the northerly right-of-way limits of said lowa Flats; Thence leaving said road right-of-way limits N00°12'12"E, 2621.27 feet to a set 5/8 inch diameter rebar with plastic cap marked HUGHES 7322LS, being the Center 1/4 corner, Section 34; Thence along the east-west mid-section line, said section S89°29'40"E, 663.26 feet to a set 5/8 inch diameter rebar with plastic cap marked HUGHES 7322LS; Thence along the southerly boundary Tracts 2A & 6B, S89'29'40"E, 1326.52 feet to a set 5/8 inch diameter rebar with plastic cap marked HUGHES 7322LS; Thence along the east-west mid-section line, said section S89°29'40"E, 627.69 feet to a set 5/8 inch diameter rebar with plastic cap marked HUGHES 7322LS, lying on the westerly right-of-way limits of a 60.00 foot county road known as "Airport Road"; Thence leaving said road limits S89°29'40"E, 35.57 feet to a found 2 inch diameter brass cap marked 2989ES being the East 1/4 corner, Section 34, and the TRUE POINT OF BEGINNING, containing 122.49 acres and subject to and together with all appurtenant easements of record.

LEGAL DESCRIPTION: LOT 5A


A regular tract of land, north from Eureka, Montana, Lincoln County, and lying within the E1/2 SE1/4, Section 34, T.37N., R.27W., P.M.,MT., and more particularly described as follows:

Commencing at the northwest corner, Lot 6, Lazy AJ Acres Subdivision, a found 5/8 inch diameter rebar with plastic cap marked MARQUARDT 7328S and being the TRUE POINT OF BEGINNING: Thence along the easterly boundary of Lot 5, said subdivision, S17°39'34"W, 536.64 feet to a found 5/8 inch diameter rebar with plastic cap marked MARQUARDT 7328S lying on northerly right-of-way limits of a 50.00 foot cul-de-sac; Thence S17*39'34"W, 50.00 feet to the center of said cul-de-sac; Thence leaving said center N41'12'30"W, 49.86 feet to a found 5/8 inch diameter rebar with plastic cap marked MARQUARDT 7328S lying on the northerly road limits of said cul-de-sac; Thence along the westerly boundary of Lot 5, Lazy AJ Acres Subdivision, N41°12'30"W, 498.89 feet to a found 5/8 inch diameter rebar with plastic cap marked MARQUARDT 7328S; Thence leaving said boundary N38°59'30"E, 98.60 feet to a set 5/8 inch diameter rebar with plastic cap marked HUGHES 7322LS; Thence N63°24'36"E, 178.28 feet to a set 5/8 inch diameter rebar with plastic cap marked HUGHES 7322LS lying on the northerly boundary of said Lot 5; Thence along said boundary S88'08'56"E, 318.18 feet to a found 5/8 inch diameter rebar with plastic cap marked MARQUARDT 7328S and the TRUE POINT OF BEGINNING, containing 3.84 acres and subject to and together with all appurtenant easements of record.



#4721 RB

SHEET 2 OF 2



FEET

PURPOSE OF SURVEY AND OWNERS EXEMPTION

, Michael J. Luciano, Trustee of the <u>JFLI TRUST</u>, record owner, hereby certify that the purpose of this survey and division of land is the relocation of common boundaries pursuant to MCA 76-3-207(1)(a) divisions made outside of platted subdivisions for the purpose of relocating common boundary lines between adjoining properties: (e) as divisions made for the purpose of relocating a common boundary line between a single lot within a platted subdivision and adjoining land outside a platted subdivision. A restriction or requirement on the original platted lot or original unplatted parcel continues to apply to those areas. I further certify that Parcels A1, B1 & C1 are exempt from sanitation review by the Department of Environmental Quality pursuant to MCA 76-4-102(17) as Parcels are 20 acres or greater, exclusive of public roadways. I also certify that Lot 5A is exempt from sanitation review by the Department of Environmental Quality pursuant to ARM 17.36.605(2)(b) as a parcel that has a previous approval issued under Title 76, chapter 4, part 1, MCA if: (i) no facilities other than those previously approved exist or will be constructed on the parcel; and (ii) the division of land will not cause approved facilities to deviate from the conditions of

The foregoing Exemptions were subscribed and acknowledged before me a Notary Public

the State of MONTANA

on this day of OCTOBER 202 On witness whereof,

MT My Commission expires: 12.1.21

SURVEYORS NOTE

The area that is being removed from one tract of record and joined with another tract of record is not a tract of record. Said area shall not be available as a reference legal description in any subsequent real property transfer after the initial transfer associated with this [certificate of survey or amended plat] on which said area is described, unless said area is included with or excluded from adjoining tracts of record.

HISTORY OF SURVEY

2000 - Plat No. 6288, Subdivision Plat of "Corner Acres No. 2", Dawn Marquardt, 7328S

2003 - Plat No. 6450, "lowa Flats Subdivision", Kenneth E. Davis, 4975S

2010 - COS No. 4026RB, Boundary Line Adjustment, Dawn Marquardt, 7328S

2016 - Plat No. 7185, "Lazy J Acres Subdivision", Dawn Marquardt, 7328S

BASIS OF BEARING

The basis of bearing for this survey is N89'34'48"W, derived from Survey Grade GPS system calibrated to local control between the S1/4 corner, Section 34, a found 2 inch diameter brass cap marked 2989ES and the southeast corner, Section 34, a found 2 inch diameter brass cap marked 2989ES.

METHOD OF SURVEY

A Nikon total station with data collector and a Trimble R8 GNSS GPS system were used with RTK radial procedures to tie the previously set controlling corners and road alignments by Elisha Green, August, 2020.

LAND SURVEYOR'S CERTIFICATION

I hereby certify that I am a Registered Land Surveyor in the State of Montana, that the survey shown on this "Certificate of Survey" has been prepared under my supervision and in accordance with the Montana Code Annotated, Sections 76-3-101 through

76-3-625, and the Lincoln County Regulations adopted pursuant thereto.

CLERK AND RECORDER'S CERTIFICATION

of October Robin Benson

CERTIFICATE OF SURVEY No. 4721 RB

SHEET 1 OF 2




AMENDED LOT 1 OF LEDBETTER SUBDIVISION PURPOSE OF SURVEY CERTIFICATION NW/14 NW 1/4, SECTION 25, T.30N., R.31W., P.M., MT. We, <u>William P. Stine and Karen M. Stine</u>, owners of record, hereby certify that the purpose of this survey is to create a 2 Lot Minor Subdivision with a remainder, to be LINCOLN COUNTY, MONTANA known as "Arnended Lot 1 of Ledbetter Subdivision"; Lot 1A containing ± 1.000 acres; and Lot 1B containing ±4.000 acres; pursuant to M.C.A. 76-4-10. FOR: WILLIAM STINE MARCH 2001 LOT 1A **©**Ø\$ Parcel "B" PLAT NO. ACKNOWLEDGMENT This instrument was subscribed and acknowledged before me, a Notary Public for the State of Montana, County of Lincoln, by the above named person(s), on this 3 day of 70% 2001. In witness whereof, I bave hereunto set my hand and affixed my notarily seal. WESLEY N. & MAVIS E. JOHNSON PARCEL "B" Notary Public for the State of Montana MITCHELL A. & TAMMY M. RAILEY 1198 Parcel 'a' TRACT "A" MOUNTAIN VIEW ACRES HISTORY OF SURVEY 1978 - COS No. 528, by JHN, 4661-\$ (S89"18'03"W) 1983 - COS No. 1198, by JHN, 4661-S 235.32 \$89*17'06'W - McKAY CROSSING 1984 - COS No. 1334, by MDL, 4232-S Access Easement 1994 - Plot No. 5187, by Marquardt, 7328-S 1998 - CO\$ No. 2662, by Marguardt, 7328-S TRUE POINT OF LEGEND BEGINNING 1998 - Plat No. 6184, by Hughes, 7322-LS LOT 1A 1999 - Plat No. 6238, by Marquardt, 7328-S FOUND 5/8 INCH DIAMETER REBAR WITH A PLASTIC CAP STAMPED MDL 4232-S 1.000 ACRES± FOUND 5/8 INCH DIAMETER REBAR WITH A <u>METHOD OF SURVEY</u> rot PLASTIC CAP STAMPED MARQUARDT, 7328-S A tatal station and data collector was used with closed traverse procedures to COMPUTED POINT ONLY tie the previously set controlling corners. LOT SET 5/8 INCH DIAMETER REBAR WITH A PLAT PLASTIC CAP STAMPED HUGHES 7322-LS 235.23' BASIS OF BEARING RECORD PER PLAT NO. 5187, MARQUARDT, 7328-S PLAT The basis of beoring for this survey is \$00°23°17"E, as shown on Plat No. 5187, TRUE POINT OF between found 5/8 inch rebars, capped Marquardt-7328-S and along the easterly BEGINNING LOT 1B COUNTY TREASURE CERTIFICATION 5187 LOT 1A I hereby certify, pursuant to Section 76-3-611(1)(b), MCA, that all real property taxes and special assessments assessed and levied on the parcel shown hereon are WILLIAM P. & KAREN M. STINE Geri D. Miller by Janua R. Menulo- Toputy June 20,2001 Lincoln County Treasurer, Lincoln County, Montana Date LOT 2A NO. LEONARD D. & RUTH M. RICE LOT 1B ACCESS CERTIFICATION I hereby certify that physical and legal access to Lot 1A, shown hereon, is provided by McKay Crassing, a 30.00 wide access easement; and to Lot 1B by Trainer Hill Road, a 40.00 foot wide county road. 4.000 ACRES± LEGAL DESCRIPTION LOT 1A JOHN RIEWOLDT awill 7. Hughen 7322.25 06/10/0/ A tract of land, lying south of Libby, Montana, Lincoln County, and lying in the NW 1/4 NW 1/4, Section 25, T.30N., R.31W., P.M., MT., containing ±1.000 acres, and more M©° particularly described as follows: Commencing at a 5/8 inch rebar, marked Marquardt 7328—S, lying on the centerline of a PARCEL "Æ" 30.00 foot wide access easement, known as McKay Crossing and being the Northwest LAND SURVEYOR'S CERTIFICATION corner of Lot 1 — Ledbetter Subdivision and being the True Point of Beginning: Therice along the centerline of McKay Crossing, S89'17'06"W, 235.32 feet to a 5/8 inch I hereby certify that I am a Registered Land Surveyor in the State of Montana, that the survey shown on this Certificate of Survey has been prepared under my supervision and in accordance with the Montana Code Annotated, Sections 76—3—101 through 76—3—625, **CO**\$ 1334 rebor, marked Marquardt 7328-S; Thence leaving said centerline of McKay Crossing, \$00°23'44"E, 185.15 feet to a set 5/8 and the Lincoln County regulations adopted pursuant thereto. inch rebar, marked Hughes 7322LS; Alvah F. Hughes, Montana Reg. No. 7322LS Date Thence \$8917'06"W. 235.23 feet to o set 5/8 inch rebor, marked Hughes 7322-LS: Thence N00°25′19″W, 185.15 feet to a 5/8 inch rebar, marked Marquardt 7328-S and being the True Point of Beginning, containing ±1.000 acres. Subject to a 15.00 foot wide access easement known as Mckay Crossing, as shown hereon and together with all appurtenant easements of record. EXAMINING OFFICIAL CERTIFICATION LEGAL DESCRIPTION LOT 1B COUNTY COMMISSIONER'S CERTIFICATION A tract of land, lying south of Libby, Montana, Lincoln County, and lying in the NW 1/4 NW 1/4, Section 25, T.30N., R.31W., P.M.,MT., containing ±4.000 acres, and more TRAINER HILL - COUNTY ROAD particularly described as follows: Commencing at a 5/8 inch rebar, marked Marquardt 7328—S, lying in the centerline of a 30.00 foot wide access easement, known as McKay Crossing and being the Northwest corner of Lot 1 - Ledbetter Subdivision; Thence S00"25"19"E, 185.15 feet to a set 5/8 inch rebor, marked Hughes 7322LS and being the True Point of Beginning: Thence N89'17'06"E, 235.23 feet to a set 5/8 inch rebar, marked Hughes 7322LS; Thence S00'23'44"E, 778.35 feet to a 5/8 inch rebar, marked Marquardt 7328—S, lying on the northerly limit of a 40.00 foot wide county road, known as Trainer Hill Road; Thence continuing along said northerly limit of Trainer Hill Road, N73'03'55"W, 246.07 feet TOOTENAL SURVEYORS IN to an 5/8 inch rebar marked MDL 4232-5; GRAPHIC SCALE Thence leaving said northerly limit of Trainer Hill Road, N00°25'19"W, 703.74 feet to a set 5/8 inch rebar, marked Hughes 7322—LS and being the True Point of Beginning, containing P.O. BOX 393 LIBBY, MT 59923 (406)293-4354 Subject to and together with all appurtenant easements of record. (IN FEET) 1 inch = 100 ft

Sanitary Restrictione Leonard D.F. 4 6960 DOC+ 153443 Platting Certificate p.F. 4 6961 DOC+ 153444

OWNERS: Daniel R. Goyen **Amended Subdivision Plat of:** DETAIL Paul P. Hrabel AREA NOT TO SCALE Lot 2, Ledbetter Subdivision & **PURPOSE: Boundary Line Adjustment** ~ NOO*10*05*W, 1.70* DATE: 6-7-99 Lot 1, Mountain View Subdivision CERTIFICATE OF DEDICATION NW 1/4, Section 25, T30N R31W, P.M.,M. We, Daniel R. Goyen and Paul P. Hrabai, the undersigned property owners, do hereby certify that we have caused to be surveyed, subdivided and platted into tota as shown by the plat and Certificate of Survey Hereunto included, the following described Tract of Land, To-Wit: Lincoln County, Montana Lot 2 of Ledbetter Subdivision and Lot 1 of Mountain View Subdivision all in the northwest quarter of Section 25, Township 30 North Range 31 West, Principal Meridian, Montana, Lincoln County, Montana. CONTAINING 29.97 acres of land all as shown hereon. SUBJECT TO: all existing easements and Right-of-Ways **OWNERS CERTIFICATION** North line of the NW 1/4 Per The above described tract of land is to be known and designated as Amended Subdivision Plat of Lot 2, COS No. 1334 Ledbetter Subdivision and Lot 1, Mountain View Subdivision, Lincoln County, Montana. We hereby certify that purpose of this survey is to relocate common boundaries between existing lots within a platted subdivision, that fewer than five lots are affected, and that no additional lots are hereby created. N69"23'02"E, 391.39" Therefore, this survey is exempt from review as subdivision pursuant to Section 76-3-207(1)(A), MCA. I also hereby certify that this division of land (Lot 2A) is to create parcels where sanitation facilities will not be used, in which no structure requiring water or sewage disposal will be erected, therefore this division is COS No. 1198; exempt from review by the Department of Environmental Quality pursuant to ARM 17.36.605(2(E). Old Boundary Line ... On this 23 day of 000, 1991, before me, the undersigned, a Notary Public for the state LOT 1A aforesaid, personally appeared Daniel R. Goyen, known to me to be the person whose name is 24.96 acres subscribed to the foregoing instrument and acknowledged to me that they are executed the same. IN WITNESS THEREOF, I have hereunto set my hand and affixed my Notarial Seal the day and year 886°10'17'E, 338.46 first above written. Notary Public for the State of Montana S89"18"03"W My commission expires 9.14.03 On this 23 day of ______, 1999__, before me, the undersigned, a Notary Public for the state aforesaid, personally appeared Paul P. Hrabal, known to me to be the person whose name is subscribed to the foregoing instrument and acknowledged to me that they are executed the same. IN WITNESS THEREOF, I have hereunto set my hand and affixed my Notarial Seal the day and year LOT 2A first above written. 5.01 Jarun Dache Notary Public for the State of Montana Residing at _____hibbu My commission expires 1 STATE OF MONTANA County of Lincoln sa County Clerk and Recorder Ledberter Subdivision Cool Me. Commengs Clark & Records Geta Rhuerman Redeug Chaerman reneola County Commission merited "MDL" Found 5/6" rober with cap 873°01'41°E, 1111.81" merked "Marquardt 7328 S" CERTIFICATE OF SURVEYOR DAWN MARQUARDT Found 5/8" reber with cap Registration No. 7328 S I hereby certify that all real property taxes and special assessments assessed and levied arquardt & LEGEND on the land to be divided have been paid. Dated the Star Day of Luley Set 5/8" x 24" reber with pleatic cap stamped "7328 S" Treesurer, Lincoln County, Montana Found (as noted) Date: 6-7-99 Project Name: Goyen fac: (406) 744-3065 Ketepel, Nr 59901 Filename: working.dwg

99-12x Goyen

FINAL PLAT OF Ledbetter Subdivision NW I/4, Sec. 25, T30N R3IW P.M., M., Lincoln County, Montana 1/2 CNR PER NORTH LINE NW 1/4 PER 1.70' (R&M) C of 5. No. 1334 C. OF S. NO. 1334 Fd. MDL REBAR 30 ACCESS UTILITY EASEMENT -584 25' (REC. CERTIFICATE OF DEDICATION 1. DANIEL R. GOYEN, THE UNDERSIGNED PROPERTY OWNER, DO HEREBY CERTIFY THAT I HAVE CAUSED TO BE SURVEYED. SUBDIVIDED AND PLATTED INTO LOTS AS SHOWN BY THE PLAT AND CERTIFICATE OF SURVEY HEREUNTO INCLUDED THE FOLLOWING DESCRIBED TRACT OF LAND, TO-WIT: THAT PORTION OF THE NORTHWEST 1. SECTION 25, TOWNSHIP 30 NORTH, RANGE 31 WEST, P.M., M., LINCOLN COUNTY, MONTANA DESCRIBED AS FOLLOWS: Commending at the North & corner, Section 25; thence along the North Line of the Northwest & South 89°23'02" West 584.25 feet to the Point of Beginning; thence South 0°08'34" East 1862.39 feet to the North Line of Trainer Hill Road; thence along the North Line of the Road North 73°01'41" West 1111.81 feet; THENCE NORTH 023125" WEST 888.96 FEET; THENCE NORTH 89º18103" 337.08 FEET; THENCE SOUTH 88° 10'13" EAST 338.48 FEET; THENCE NORTH 0'10'05" WEST 651.40 FEET TO THE N. 89-18'03"E. NORTH LINE OF THE NORTHWEST 1; THENCE ALONG THE NORTH LINE NORTH 89°23'02" EAST 391.39 FEET TO THE POINT OF BEGINNING CONTAINING 31.497 ACRES OF LAND ALL AS SHOWN Fd 5/8 REBAR SUBJECT TO AND TOGETHER WITH PRIVATE ROAD AND UTILITY EASEMENTS AT SHOWN. THE ABOVE DESCRIBED TRACT OF LAND IS TO BE KNOWN AND DESIGNATED AS LEDBETTER SUBDIVISION, LINCOLN COUNTY, MONTANA. PARCEL C C. OF S. NO. 1334 STATE OF MONTANA COUNTY OF LINCOLN LOT 2 LOT ! 5.000 ACRES 26.497 ACRES , BEFORE ME, THE UNDERSIGNED, A NOTARY PUBLIC FOR THE STATE AFORESAID, PERSONALLY APPEARED DANIEL R. GOYEN, KNOWN TO ME TO BE THE PERSON WHOSE NAME IS SUBSCRIBED TO THE FOREGOING INSTRUMENT AND ACKNOWLEDGED TO ME THAT THE EXECUTED THE SAME. NO. 1334 IN WITNESS WHEREOF. I HAVE HEREUNTO SET MY HAND AND AFFIXED MY NOTARIAL SEAL THE DAY AND YEAR FIRST ABOVE WRITTEN. NOTARY PUBLIC FOR THE STATE OF MONTANA
RESIDING AT 4866 MY COMMISSION EXPIRES 12 April 1996 Fd. 5/8"— REBAR MDL'42325 CERTIFICATE OF COUNTY COMMISSIONERS CHAIRPERSON OF THE BOARD OF COUNTY COMMISSIONERS OF LINCOLN COUNTY, MONTANA AND CORAL M CHEMMINGS , COUNTY CLERK AND RECORDER OF SAID COUNTY DO HEREBY CERTIFY THAT THIS ACCOMPANYING PLAT OF LEDBETTER SUBDIVISION, LINCOLN COUNTY, MONTANA HAS BEEN SUBMITTED TO THE BOARD OF COUNTY COMMISSIONERS OF LINCOLN COUNTY, MONTANA FOR EXAMINATION AND HAS BEEN FOUND BY THEM TO CONFORM TO LAW AND WAS APPROVED BY THEM AT THEIR REGULAR MEETING HELD ON THE 28 DAY OF SEPT , 19 94 . PARKLAND DEDICATION CHAIRPERSON, BOARD OF COUNTY COMMISSIONERS LINCOLN COUNTY, MONTANA LINCOLN COUNTY, MONTAN CERTIFICATE OF SURVEYOR HEREBY CERTIFY THAT PHYSICAL ACCESS TO ALL LOTS WITHIN THIS SUBDIVISION IS PROVIDED BY THE DRIVING SURFACE IS APPROXIMATELY 18 FEET WIDE. Private Roads & Trainer Hill Road REGISTRATION No. 7328 S LEGEND O SET 5/8"x 24" REBAR WITH PLASTIC CAP STAMPED 173285" STATE OF MONTANA • FOUND POINT AS NOTED COUNTY OF LINCOLI 94, A.D. AT 2: 20 0'CLOCK 4, M. MARQUARDT & McALISTER SURVEYING, INC. 1031 South Main (406) 755-6285 SCALE~1"= 200' RALISPELL, MONTANA 50901 P.F. NO. GOYEN



Sanitary Restriction Removed P.F. # 5252

LINCOLN COUNTY, MONTANA AMENDED PLAT OF: **BOUNDARY LINE ADJUSTMENT**

Lot 1 of Leighty Acres Plat No. 5253 &

Lots 18 & 19 of Wild River Estates Plat No. 6788

In the SW 1/4 of Section 09, Twp. 32 N., R. 34 W., P.M.M.

For: Steven Fisher Revocable Trust

Date: April 2018

DESCRIPTION OF LOT 1A

A tract of land near Troy of Lincoln County, Montana, lying in the SW1/4 of Section 09, Twp. 32 N., R. 34 W., P.M.M., being Lot 1 of Leighty Acres Plat No. 5253, and a portion of Lots 18 & 19 of Wild River Estates Plat No. 6788, containing 5.55 acres more or less and more particularly described as follows:

Beginning at a set 5/8 inch dia. rebar capped K.E.D. 4975-S which marks the new common corner between Lots 18 & 19 of Wild River Estates Plat No. 6788 and Lot 1 of Leighty Acres Plat No. 5253; thence, along the new boundary line N20°37'00"W 113.62 feet to found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, N20°37'00"W 144.94 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, N20°37'00"W 20.69 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, N69°16'45"E 348.62 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S located on the west right-of-way line of a 80.00 foot wide U.S. Highway No. 2; thence, along said right-of-way line S23°51'59"E 788.56 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S located on the south section line of Section 09, Twp. 32 N., R. 34 W., P.M.M.; thence, leaving said right-of-way line along said section line S89°57'35"W 290.25 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, leaving said section line N24°01'07"W 204.70 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S65°54'44"W 109.64 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, N20°37'00"W 207.70 feet to the point of beginning.

*The aforedescribed Lot 1A contains 5.55 acres more or less and is subject to and together with all appurtenant easements of record.

DESCRIPTION OF LOT 18A

A tract of land near Troy of Lincoln County, Montana, lying in the SW1/4 of Section 09, Twp. 32 N., R. 34 W., P.M.M., being a portion of Lot 18 of Wild River Estates per Plat No. 6788, containing 4.71 acres more or less and more particularly described as follows:

Beginning at a set 5/8 inch dia. rebar capped K.E.D. 4975-S which marks the new common corner between Lots 18 & 19 of Wild River Estates Plat No. 6788 and Lot 1 of Leighty Acres Plat No. 5253; thence, along the south line of said Lot 18 S70°20'18"W a total distance of 773.25 feet to a computed point located on the high waterline of the east bank of the Kootenai River; thence, along said high water line N29°32'48"W 262.41 feet to a computed point; thence, leaving said high water line N70°20'18"E a total distance of 813.99 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S20°37'00"E 144.94 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S20°37'00"E 113.62 feet to the point of beginning.

LOT 18

LOT 18A

Gross: 4.71 ACRES±

Net: 4.47 ACRES±

(375.15') 375.25'

(N89°53'40"E) (425.15') 425.25'

Graphic Scale:

(1 inch = 100 ft.)

EASEMENT

LOT 19A 4.41 ACRES±

DESCRIPTION OF LOT 19A

The aforedescribed Lot 18A contains 4.71 acres more or less and is subject to and together with all appurtenant easements of record.

LOT 17 PLAT NO. 6788 Legend

SET 5/8 INCH DIA. REBAR WITH A PLASTIC CAP

STAMPED K.E.D. 4975-S FOUND 5/8 INCH DIA. REBAR

CAPPED K.E.D. 4975-S FOUND 3 1/4 ALUM BLM

BRASS CAP COMPUTED POINT

() RECORD PER PLAT NO. 6788

RECORD PER PLAT NO. 5253

CABINET MOUNTAIN SURVEYING, LLC

DATE: 05/01/18

FILE: T32R34S9SF.dwg DRAWN BY: MDM

DESCRIPTION OF PARCEL A

A tract of land near Troy of Lincoln County, Montana, lying in the SW1/4 of Section 09, Twp. 32 N., R. 34 W., P.M.M., being a portion of Lot 18 of Wild River Estates Plat No. 6788, containing 4091.85 sq.ft. more or less and more particularly described as follows:

Beginning at a set 5/8 inch dia. rebar capped K.E.D. 4975-S which marks the southwest corner of Parcel A and the new common corner between Lots 18 & 19 of Wild River Estates Plat No. 6788 and Lot 1 of Leighty Acres Plat No. 5253; thence, N20°37'00"W 113.62 feet to a found 5/8 rebar capped K.E.D. 4975-S; thence, S52°43'16"E 135.53 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S70°20'18"W 72.07 feet back to the point of beginning.

The aforedescribed Parcel A contains 4091.85 sq.ft. more or less and is to become a permanent part of Lot 1A of Leighty Acres Plat No. 5253 as shown hereon.

DESCRIPTION OF PARCEL B

A tract of land near Troy of Lincoln County, Montana, lying in the SW1/4 of Section 09, Twp. 32 N., R. 34 W., P.M.M., being a portion of Lot 19 of Wild River Estates Plat No. 6788, containing 20,518.75 sq. ft. more or less and more particularly described as follows:

Beginning at a set 5/8 inch dia. rebar capped K.E.D. 4975-S which marks the northwest corner of Parcel B and the new common corner between Lots 18 & 19 of Wild River Estates Plat No. 6788 and Lot 1 of Leighty Acres Plat No. 5253; thence, N70°20'18"E 72.07 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, thence, S52°43'16"E 53.06 feet to a computed point; thence, S24°01'07"E 155.19 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S65°54'44"W 109.64 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, N20°37'00"W 207.70 feet to the point of beginning.

The aforedescribed Parcel B contains 20,518.75 sq. ft. more or less and is to become a permanent part of Lot 1A of Leighty Acres Plat No. 5253 as shown hereon.

20.69' (20.64') LOT 1 PLAT NO. 5253 PARCEL A 0.09 ACRES± (4,091.85 sq. ft.) LOT 1A 5.55 ACRES± (Includes new acreage) PLAT NO. 6788 NEW 40' ACCESS **OLD BOUNDARY NEW BOUNDARY** P.O.B. LOT 19 PLAT NO. 6788 (290.30') 290.25' (515.41') 515.48' (S89°57'35"W) (N89°57'35"E) U.S.F.S

A tract of land near Troy of Lincoln County, Montana, lying in the SW1/4 of Section 09, Twp. 32 N., R. 34 W., P.M.M., being a portion of Lot 19 of Wild River Estates per Plat No. 6788, containing 4.41 acres more or less and more particularly described as follows:

Beginning at a set 5/8 inch dia. rebar capped K.E.D. 4975-S which marks the new common corner between Lots 18 & 19 of Wild River Estates Plat No. 6788 and Lot 1 of Leighty Acres Plat No. 5253; thence, along the north line of said Lot 19 S70°20'18"W a total distance of 773.25 feet to a computed point located on the high waterline of the east bank of the Kootenai River; thence, along said high water line \$29°32'48"E 89.20 feet to a computed point located on the south section line of Section 09, Twp. 32 N., R. 34 W., P.M.M.; thence, leaving said high water line along the said section line N89°53'40"E a total distance of 425.25 to a found 3 1/4 inch dia. BLM Brass Cap; thence, N89°57'35"E 515.48 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, N24°01'07"W 204.70 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S65°54'44"W 109.64 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, N20°37'00"W 207.70 feet to the point of beginning.

The aforedescribed Lot 19A contains 4.41 acres more or less and is subject to and together with all appurtenant easements of record.

CERTIFICATE OF ADJUSTMENT/ PURPOSE

I, Steven Fisher Revocable Trust, do hereby certify that the purpose of this survey is to relocate a common boundary between three existing lots within a platted subdivision; therefore this survey is exempt from review as a subdivision being completed pursuant to Section 76-3-207(1)(d) M.C.A., which states "for five or fewer lots within a platted subdivision, the relocating a common boundaries." furthermore this survey is exempt from sanitation review being completed pursuant to 17.36.605(2)(b)(i)&(ii) which states: a parcel that has a previous approval issued under Title 76, chapter 4, part 1, MCA, if: no facilities other than those previously approved exist or will be constructed on the parcel; and the division of land will not cause approved facilities to deviate from the conditions of approval, in violation of 76-4-130, MCA;

STATE OF MONTANA County of Lincoln

On this 10 th day of August, 2018 A.D. before Notary Public in and for the State of Montana, Steven Fisher Revocable Trust, personally appeared known to me to be the persons whose names are subscribed to the within instrument and acknowledged to me that they executed the same.

TREASURER CERTIFICATION

I hereby certify that all real property taxes and special assessments assessed and levied on the land to be divided have been paid. Dated this day of

CERTIFICATE OF SURVEYOR STATE OF MONTANA County of Lincoln


I, Kenneth E. Davis, a registered land surveyor do hereby certify that I have performed the survey shown on the attached plat or that such survey was performed under my supervision to my best knowledge and ability; that said survey is true and complete as shown and the monuments found and set occupy the positions shown hereon

CERTIFICATION OF LINCOLN COUNTY EXAMINING LAND SURVEYOR:

Examined this 7 day of August 2018 A.D.

Professional Land Surveyor No. 9008LS Ronald A. Pearson STATE OF MONTANA

COUNTY OF LINCOLN



AMD. PLAT OF SOPHIE SHORES CW 1/16 UNIT # 2 2/84 NO 1087.24 (·) 30' PRIVATE ROAD AND UTILITY EASEMENT -WEST 1/16th CORNER SEC. 15 SEC. 22 30' PRIVATE 30' PRIVATE ROAD AND LOT ROAD AND UTILITY UTILITY EASEMENT EASEMENT 9.698 10.301 ACRES PARCEL ₹O 643.66 443.65 Ô , O 89°45′ 54" W 1087.31 3.0° A D PARCEL - 242.12' N. 89.45'53" W CORNER LINE TABLE BEARING DISTANCE \$.10° 23"12"W 57.32 5.20°08'57"W 67.08 5.10° 23' 12"W 65, 25" 5 20° 08' 57"W. 71,80" 5, 28° 23' 05' W. 64.11' LEGEND O SET THIN REBAR WITH PLASTIC CAP STAMPED 173285" O FOUND 9/8" REBAR 4975-5 PER C OF S. NO. 1800 FOUND \$18" REBAR '73285' PER C OF S. NO. 1872 • FOUND POINT AS NOTED I BEREIN CERTIFY THAT ALL BEAL PROPERTY TAXES AND SPECIAL ASSESSMENTS ASSESSMENTS SCALE ~ 1"= 200" AND LEVIED THAT TOUR DELT TO THE PROPERTY OF T 1297 Dovember 1297 Marquardt Surveying, Inc. Geria Millow by Janya Rychino-Doputy 285 1st AVE. EN. TREASURER, LINCOLN COUNTY, MONTANIA KALISPELL, MONTANA 59901

PHONE (406) 755-6285

A FINAL PLAT OF LEMER SUBDIVISION

SW 1/4, Sec. 15 and NW 1/4, Sec. 22, T37N R27W P.M., M., Lincoln County, Montana

CERTIFICATE OF DEDICATION

, PAUL J. LEMER, THE UNDERSIGNED PROPERTY OWNER DO HEREBY CERTIFY THAT ! HAVE CAUSED TO BE SURVEYED, SUBDIVIDED AND PLATTED INTO LOTS AS SHOWN BY THE PLAT AND CERTIFICATE OF SURVEY HEREUNTO INCLUDED, THE FOLLOWING DESCRIBED TRACT OF LAND, TO-WIT:

THOSE PORTIONS OF THE SOUTHWEST & OF THE SOUTHWEST & SECTION 15 AND THE NORTHWEST & OF THE NORTHWEST & SECTION 22, TOWNSHIP 37 NORTH, RANGE 27 WEST, P.M., M., LINGOLN COUNTY, MONTANA DESCRIBED AS FOLLOWS:

BEGINNING AT THE SOUTHEAST CORNER OF THE SOUTHWEST & OF THE SOUTHWEST & SECTION 15; THENCE ALONG THE EAST LINE OF THE SOUTHWEST & OF THE SOUTHWEST & SECTION 15 NORTH 00°08'48" EAST 279.50 FEET; THENCE NORTH 89°45'53" WEST 1087.24 FEET; THENCE SOUTH 00°10'01" WEST 801.23 FEET; THENCE SOUTH 89°45'54" EAST 1087.31 FEET TO THE EAST LINE OF THE NORTHWEST & OF THE NORTHWEST & SECTION 22; THENCE ALONG THE EAST LINE NORTH 00°10'14" EAST 521.73 FEET TO THE POINT OF BEGINNING CONTAINING 19.999 ACRES OF LAND

ALL AS SHOWN HEREON.

SUBJECT TO AND TOGETHER WITH A 60 FOOT PRIVATE ROAD AND UTILITY EASEMENT AS SHOWN.

THE ABOVE DESCRIBED TRACT OF LAND IS TO BE KNOWN AND DESIGNATED AS LEMER SUBDIVISION, LINCOLN COUNTY, MONTANA.

Saul J Lemer

STATE OF MONTANA

ON THIS 10 TO DAY OF POTONOS , 1997, BEFORE ME, THE UNDERSIGNED, A NOTARY PUBLIC FOR THE STATE AFORESAID, PERSONALLY APPEARED PAUL J. LEMER, KNOWN TO ME TO BE THE PERSON WHOSE NAME IS SUBSCRIBED TO THE FOREGOING INSTRUMENT, AND ACKNOWLEDGED TO ME THAT HE EXECUTED THE SAME.

IN WITNESS WHEREOF, I HAVE HEREUNTO BET MY HAND AND AFFIXED MY NOTARIAL SEAL THE DAY AND YEAR FIRST ABOVE WRITTEN.

NOTARY PUBLIC FOR THE STATE OF MONSAMA, RESIDING AT DUMBE TO UNDER THE STATE OF MONSAMA, MY COMMISSION EXPIRES 8-70-07461C

CERTIFICATE OF COUNTY COMMISSIONERS

WE, THE UNDERSIGNED, LANGENCE A. DOCETAL , CHAIRPERSON OF THE BOARD OF COUNTY COMMISSIONERS OF LINCOLN COUNTY, MONTANA AND COMMISSIONERS , COUNTY CLERK AND RECORDER OF SAID COUNTY DO HEREBY CERTIFY THAT THIS ACCOMPANYING PLAT OF LEMER SUBDIVISION, LINCOLN COUNTY, MONTANA HAS BEEN SUBHITTED TO THE BOARD OF COUNTY COMMISSIONERS OF LINCOLN COUNTY, MONTANA FOR EXAMINATION AND HAS BEEN FOUND BY THEM TO CONFORM TO LAW AND WAS APPROVED BY THEM AT THEIR REGULAR MEETING HELD ON THE 54 DAY OF NOVEMBER, 1997. PARKLAND DEDICATION IS EXEMPT PER SECTION 76-3-621(3)(A), MCA.

CHAIRPERSON, BOARD OF COUNTY COMMISSIONERS LINCOLN COUNTY, MONTANA COUNTY CLERK AND RECORDER LINCOLN COUNTY, MONTANA

APPROVED: 11-5, 1997 BY Bul Bulan,

CERTIFICATE OF SURVEYOR

HEREBY CERTIFY THAT PHYSICAL ACCESS TO ALL LOTS WITHIN THIS SUBDIVISION IS PROVIDED BY

DAWN MARQUARDT REGISTRATION No. 7328 S

STATE OF MONTANA

FILED ON THE 6 DAY OF & Josepher, 1997, A.D., AT 9:50 O'CLOCK A M.

COUNTY GLERK AND RECORDER

BY France Lenger

P.F. NO. 6012


LINCOLN COUNTY, MONTANA A PLAT OF: A MINOR SUBDIVISION: LENWELL ACRES A PART OF HES 480 IN SECTIONS 32 & 33 TWP 37N, R 31W, P.M.M. (N 89°39′53° E) (1077.55) N 89°39'40" E 1078.00 REMAINDER GREATER THAN 20 ACRES HES 480 § (N 19°31'12° N 19°31'12° ≥ 🕏 S 89'56'31" E 1503.61 00°03′53′ 00°03′18′ 00 LOT 1 20.001 ACRES± N 89'56'31" W 1695.99

LEGEND

- SET 5/8 INCH DIAMETER REBAR WITH A 1 1/4 INCH DIAMETER PLASTIC CAP STAMPED KED 4975-S
- FOUND ORIGNAL HES STONE AS NOTED
- FOUND 5/8 INCH DIAMETER REBAR CAPPED GEB 4974-S PER COS ND. 1388
- RECORD PER COS NO.1388

DAVIS SURVEYING INC. TROY, MONTANA (406)295-5441 PARCEL 'B'

PER COS NO.1388



(N 89*56'23" W)

STATE OF MONTANA County of Lincoln

CERTIFICATE OF SURVEYOR

(1695.85)

I, Kenneth E. Davis, do hereby certify that a survey was made of Fried Acres, a minor subdivision, under my supervision, during the month of September 74 1994, in appardance with the provisions of Sections 76-3-201 Montana Codes Annotated, 1978; that the annexe with such survey, that the streets and shown hereon; and that the said out on the ground according to law. day of February, 1996 A.D. 49255 Registration No. 4975S nd Surveyor GRAPHIC SCALE

- P.O.B.

(IN FEET) 1 inch = 200 ft.

CERTIFICATE OF BEDUICATION

the undersigned property owner(s), do hereby certify that I/we have caused to be surveyed, subdivided and platted into lots and streets, as shown by the Plat hereto annexed, the following described land near _ Montana to wit:

DESCRITPION OF LENWELL ACRES

A tract of land near Yaak, in Lincoln County, Montana, being a part of the remainder as shown on C. of S. No. 1388 lying within HES 480 in Sections 32 and 33, Twp. 37 N, R. 31 W, P.M.M., containing 20.001 acres, more or less, and more particularly described as follows:

Beginning at a 5/8 inch dia. rebar capped: GEB 4974-S per C. of S. No. 1388 reported to mark the southeast corner of the Remainder as shown on said C. of S. No. 1388; thence, from said point of beginning N 89°56'31" W 1695.99 feet along the south line of said Remainder to a found 5/8 inch dia. rebar capped: The of said Remainder to a found 5/8 inch dia. rebar capped:
GEB 4974-S located on the easterly Right-of-Way line of Upper
Ford Road which measures 30.00 feet from the centerline thereof;
thence, N 19°31'12" E 577.60 feet along said Right-of-Way line to
a 5/8 inch dia. rebar capped: KED 4975-S; thence, S 89°56'31" E
1503.61 feet to a 5/8 inch dia. rebar capped: KED 4975-S located
on the east line of said HES 480; thence, S 00°03'53" W 544.59
feet along said east line to the point of beginning.

The above described tract of land contains 20.001 acres,
more or less and is subject to a powerline easement per

more or less, and is subject to a powerline easement per Book M 21, Pages 517 to 520, all as shown hereon.

	-described	tract	of	land	is	to	be	known	and	
designated as,										
Lincoln County	Montana.									^
Dated this	16 ¹² day	of	Ē	eLn	-	~ ₩			_, 1	.99 %.

STATE OF MONTANA County of Lincoln

On this 16 day of rebrucy, 199 A.D., before me, a Notary Public in and for the State of Montana, personally appeared Dec. A. LEW WELL known to me to be the persons whose names are subscribed to the within instrument and acknowledged to me that they executed the My Commission Expires

TAX CERTIFICATION

I hereby certify that all real property taxes and special assessments assessed and levied on the land to be divided have been paid. Dated this 324 day of // hickey Treasurer Lincoln County Montana

LEGAL AND PHYSICAL ACCESS

I hereby certify that physical access to all lots within this subdivision is provided by Hower Ford Rend. The driving surface is approximately 24 feet wide. Kenneth E. Davis, RLS Registration No. 4975-S

STATE OF MONTANA County of Lincoln

On this ____ day of _____, 19___, before the undersigned, a Notary Public for the State aforesaid, , 19___, before me, personally appeared known to me to be the person whose name is subscribed to the foregoing instrument and acknowledged to me that he executed

In witness whereof, I have hereunto set my hand and affixed my Notarial Seal the day and year first above written.

Notary Public for the State of Montana

EXAMINED AND	APPROVED	FOR LINCOLN	COUNTY BY:	Bud Brackete
				3-2-65


Chairman, Lincoln County, Montana Commissioners

STATE OF MONTANA COUNTY OF LINCOLN

Filed on this 31day of Phace O'clock .m. Joral M. Cumming County Clerk and Recorder

P.F. PLAT NO.

PLAT OF LEONARD ADDITION TO LIBBY MONTANA SCALE 17-100' TRANSPOSED



State of Montana
County of Flathead
Filed on this 6th day of Aug.

A.D. 1907 at 140 o'clock P.M.

C.T. Young

County Clerk & Recorder

By Fee 37.10 chg.

Deputy

CERTIFICATE OF DEDICATION

We James A. Coram and Mary L. Coram his wife do hereby cartify that we have caused to be surveyed platted and subdivided into lots, blocks, streets, avenues and alleys, as shown on the accompanying Plat and certificate of survey, hereunto annexed the following described tract of land to wit:

Beginning at a point from which the 4 Section corner on the south side of Section 3 Township 30 North of Rang 31 West MM. heard South 16°37'02" West 1072.14 feet and running thence North 24°58'50" East 34500 feet, thence North 65°01'10" West 995.00 feet, thence South 24°58'50" West 224.00 feet thence North 65°01'10" West 975.00 feet; thence South 24°58'50" West 721.00 feet thence South 65°01'10" East 1970.00 feet to place of beginning, containing 37.72 Acres more or less.

The said tract to be known and designated as the Leonard Addition to Libby, Flathead County, State of Montana and the lands included in all streets, are nues, and alleys, shown on said Plat are hereby Granted and Dedicated to the Public forever.

Reserving, however, unto the said J.A. Coram and Mary L. Coram their successors and assigns the right to occupy all Streets, Acenues and Alleys of said Addition to said Town, for the purpose of constructing, maintaining and operating lines of Water and Gas pipes, Telegraph Telephone and Electric wires and poles, Street Cars, Steam and Electric Motors.

In witness whereof we have hereunto set our hands this 3rd day of stuguet A.D. 1907.

James A. Coram Mary L. Coram

Stale of Montana County of Flathead Ss

On this 3rd day of August AD 1907 before me a Notary Public in and for said County and State personally appeared James A Coram and Mary L. Coram his wife, whose names are subscribed to the foregoing instrument as parties thereto, personally known to me to be the same persons described in and who executed the above instrument as parties thereto and who each of them acknowledged to me that they cach of them respectively executed the same freely and voluntarily without fear or compulsion

And the said Mary L. Coram, wife of the said James A Coram having been by me first made acquainted with the contents of said instrument, acknowledged to me on examination apart from and without the hearing of her husband, that she executed the same freely and voluntarily without fear or compulsion, or undue influence of her husband and that she does wish to retract the execution of the same.

In witness whereof I have hereunto set my hand and affixed my official seal the day and year in this certificate first above written.

D.F.Long Notary Pul

Notary Public in and for Flathead County, State of Montana

SURVEYOR'S CERTIFICATE

I, Arthur B. Young a Civil Engineer and Surveyor, do hereby certify that I made the survey of the Leonard Addition to the Town of Libby. Flathead County, State of Montana, in the month of June A.D. 1907 according to the provisions of the Statutes of Montana relating to Town and Village Sites and Plats setting good and legal Stone Monuments at the intersection of the center lines of all streets as shown upon the accompanying Plat and designated thus + That the accompanying map is to the best of my knowledge and belief, a correct survey completed June 18th A.D., 1908.

Arthur B. Young.

State of Montana s.s. I. William Jennison, a Notary Public in and for said County of Flathead . I. William Jennison, a Notary Public in and for said County and State do hereby certify that on this 29th day of July J.I.I. 1907 personally appeared before me Icrthur B. Young, to me known as the individual described in and who executed the above instrument and who chily acknowledged to me that he executed the same.

In witness whereof I have hereunto set my hand and affixed my afficial seal the day and year in this certificate first above written.

William Jannison Notary Public in and for Mathead County, State of Montana

State of Montana 35.5. We Halmar Liewis, RW. Main, and John E. While County Commissioners in and for the aforesaid County, do hereby certify that this Map or Plat of the Leonard Addition to Libby, Flathead County, Montana, is by us a proved this day.


Witness our hands and the Scal of Fluthead Country affixed this 7th day of August A.D. 1907.

Attest

Halman Lowis Chairman

CT Young County Clerk and Recorder Halmar Lawis Chairman
R.W.Main Commissioner
J.E.White Commissioner

LINCOLN COUNTY, MONTANA & INTERSECTION LOUISIANA AVENUE MAIN AVENUE AMENDED PLAT OF AND SECOND STREET LOTS 8 THRU 11 OF BLOCK THE LEONARD ADDITION TO IN THE S1/2 OF SECTION 3 TWP. 30 N., R. 31 W., P.M.M. DATE: SEPTEMBER, 1985. FOR: THE LINCOLN COUNTY SHELTERED WORKSHOP LEGEND: () RECORD PER LIBBY DATUM AND THE LEONARD ADDITION & INTERSECTION INCH DIA. REBAR CAPPED: J.H.N. 46615 IN MONUMENT CASING DAKOTA AVENUE DIA. REBAR CAPPED: J.H.N. 46615 IN PAVEMENT THIRD STREET 3/4 INCH DIA BRASS CAPPED MONUMENT FOUND 5/8 INCH DIA. REBAR IN MONUMENT CASING FOUND RAILROAD SPIKE IN PAVEMENT (OBLONG TOP I" X 1/2" 1) SET 5/8 INCH DIA X 24 INCH LONG REBAR WITH 1/4 INCH DIA YELLOW P.V.C. PLASTIC CAP STAMPED: M.D.L. 4232 S FOUND SOILS TEST HOLES - REFILLED FOUND CAPPED CASING FOR WATER SHUT OFF VALVE FOUND COMBINATION POWER AND TELEPHONE POLE FOUND SANITARY SEWER MAN HOLE & INTERSECTION FOUND STORM SEWER MAN HOLE AND FOURTH STREET EXISTING SANITARY SEWER MAIN . SET 6 INCH SPIKE FOR LOCAL CONTROL E INTERSECTION DESCRIPTION PARCEL "A" IDAHO AVENUE A tract of land in Libby in Lincoln County, Montana being Lots 8 thru ll of Block l of the Leonard Addition to Libby (a recorded subdivision in Lincoln County, Montana) lying within the St of Section , Tw., 30m., h. jim., r.M.M., containing 0.291 acre, more or less (12.696 square feet, more or less). PURIOUS FOR CONVEY-RETEROUSENT-TO ALL PARTIES INTERESTED IN TITLE TO PREMISES The initial purpose of this survey is to retrace the exterior boundaries of Lots 8 thru 11 of Block 1 of the Leonard Addition to Libby for the Lincoln County Sheltered Workshop. This survey does not aggregate Lots 8 thru ll into one parcel. This survey was based upon existing monumentation at centerline intersections in Libby, Montana found to be located on the ground as delineated hereon, and this survey was done pursuant to Section 76-3-404, M.C.A. and no division of land is hereby created. The secondary purpose of this survey is to locate all improvements, utilities, encroachments, etc... on or adjacent to the Subject Parcel "A". I hereby certify that this survey was made on the ground as per record description under my personal supervision in September, 1985 and is correct and that there are no encroachments either way across property lines except as shown. BM ELEV. 2100.00 ASSUMED APPROVED: This ______, 1985 A.D. BASIS FOR BEARINGS Bearings were based upon the record bearing of Registration No. Examining Land Surveyor Louisiana Avenue between Tenth Street and Second Street in Libby, Montana, reported to bear N 24059' E. AFPROVED: Chairman, Kincoln County, Montana Commissioners AFPROVED: Mayor, City of Libby, Montana CERTIFICATE OF COUNTY CLERK AND RECORDER STATE OF MONTANA. COUNTY OF LINCOLN. Scale: Filed on this 16 may of October, 1985 A.L. at 2/250 clock P. . M. KOOTENAI ENGINEERING CIVIL ENGINEERING & LAND SURVEYING BOX H LIBBY, MONTANA 406-293-7721 P.F. PLAT NO. 4274 COMPILED & DRAWN BY: L.A. DOLEZAL 4



I HEREBY CERTIFY THAT NO REAL PROPERTY TAXES ASSESSED AND LEVIED ON THE LAND TO BE DIVIDED DESCRIBED ABOVE ARE DELINQUENT Paid DATED THIS 16th DAY OF DECEMBED, 1998. Meri A Mullerby Janya R. Hehrle-Deput, TREASURER, LINCOLN COUNTY, MONTANA LEGEND O SET 5/8"x 24" REBAR WITH PLASTIC CAP STAMPED '73285' & SET CHISELED "X" IN SIDEWALK ● FOUND 5/8" REBAR '73285' PER C. OF 5. NO. 4573 Ø FOUND ORIG CHISELED "X" IN SIDEWALK PER C. OF S. NO. 4573 CERTIFICATE OF SURVEYOR SCALE ~1"= 50" REGISTRATION NO. 7328 s Marquardt Surveying, Inc. 285 1st AVE. E.N. KALISPELL, MONTANA 59901 PHONE (406) 755-6285

Amended Subdivision Plat of Lots 8-11, Block 9, Leonard Addition to Libby

SW 1/4, Sec. 3, T30N R31W P.M., M., Lincoln County, Montana

CERTIFICATE OF DEDICATION

WE, THE ROTHSCHILD FAMILY TRUST BY SUCCESSOR TRUSTEES, NORTHERN TRUST BANK OF CALIFORNIANACO-TRUSTEE AND JUDITH A. KATZ, CO-TRUSTEE, THE UNDERSIGNED PROPERTY OWNERS, DO HEREBY CERTIFY THAT WE HAVE CAUSED TO BE SURVEYED, SUBDIVIDED AND PLATTED INTO LOTS AS SHOWN BY THE PLAT AND CERTIFICATE OF SURVEY HEREUNTO INCLUDED, THE FOLLOWING DESCRIBED TRACT OF LAND, TO-WIT:

LOTS 8, 9, 10 AND 11, BLOCK 9, LEONARD ADDITION TO LIBBY CONTAINING 0.292 ACRE OF LAND ALL AS SHOWN HEREON.

Subject to easements of record.

THE ABOVE DESCRIBED TRACT OF LAND IS TO BE KNOWN AND DESIGNATED AS AMENDED SUBDIVISION PLAT OF LOTS 8-11, BLOCK 9, LEONARD ADDITION TO LIBBY, LINCOLN COUNTY, MONTANA. WE HEREBY CERTIFY THAT THE PURPOSE OF THIS SURVEY IS TO RELOCATE COMMON BOUNDARIES BETWEEN EXISTING LOTS WITHIN A PLATTED SUBDIVISION, THAT FEWER THAN SIX LOTS ARE AFFECTED, AND THAT NO ADDITIONAL LOTS ARE HEREBY CREATEO. THEREFORE, THIS SURVEY IS EXEMPT FROM REVIEW AS A SUBDIVISION PURSUANT TO SECTION 76-3-207(1)(D), MCA. WE ALSO HEREBY CERTIFY THAT THE PURPOSE OF THIS DIVISION OF LAND IS TO AGGREGATE EXISTING LOTS IN A PLATTED SUBDIVISION. FIVE OR FEWER LOTS ARE AFFECTED AND THE LOTS ARE CURRENTLY SERVED BY PUBLIC WATER AND SEWER. THEREFORE, THIS DIVISION IS EXEMPT FROM REVIEW BY THE DEPARTMENT OF ENVIRONMENTAL QUALITY PURSUANT TO ARM 17.36.605(1)(B).

NORTHERN TRUST BANK OF CALIFORNIA NA CO-TRUSTEE BY:

BY:

STATE OF CALIFORNIA

)

OUD ITH A. KATZ
CO-TRUSTEE

TATE OF (ALIFORNIA)
OUNTY OF LOS ANGINS) SS

IN WITNESS WHEREOF, I HAVE HEREUNTO SET MY HAND AND AFFIXED MY NOTARIAL SEAL THE DAY AND YEAR FIRST ABOVE WRITTEN.

MARGARET L. MONCREE

Comm. # 1117473

NOTARY PUBLIC - CALIFORNIA
Los Angeles County
My Comm. Expires Nov. 18, 2000

NOTARY PUBLIC FOR THE STATE OF CALIFORNIA RESIDING AT MY COMMISSION EXPIRES NOUR, 2010

STATE OF CALIFORNIA

ON THIS ZORA DAY OF November, 1998, BEFORE ME, THE UNDERSIGNED, A NOTARY PUBLIC FOR THE STATE AFORESAID, PERSONALLY APPEARED JUDITH A KATZ, KNOWN TO ME TO BE THE PERSON WHOSE NAME IS SUBSCRIBED TO THE FOREGOING INSTRUMENT AND ACKNOWLEDGED TO ME THAT SHE EXECUTED THE SAME.

IN WITNESS WHEREOF, I HAVE HEREUNTO SET MY HAND AND AFFIXED MY NOTARIAL SEAL THE DAY AND YEAR FIRST ABOVE WRITTEN.

MARGARET L. MONCREE

Comm. # 1117473

NOTARY PUBLIC - CALIFORNIA
Los Angeles County
My Comm. Expires Nav 18, 2001. 1

NOTARY PUBLIC FOR THE STATE OF CALIFORNIA
RESIDING AT
MY COMMISSION EXPIRES NAUR 2000

STATE OF MONTANA

FILED ON THE 16th DAY OF Secunder, 198, A.D., AT 9:30 O'CLOCK A.M.


COUNTY CLERK AND RECORDER

BY

DEPUTY

INSTRUMENT RECORD NO. Lat 136972

P. F. No. 6280



LINCOLN COUNTY, MONTANA

AMENDED PLAT

A PORTION OF LOTS 8, 9, 10 AND 11 OF BLOCK ! OF LEONARD ADDITION IN SECTION 3, TWP. 30 N., R.31W., P.M.M.

FOR: TIMBERLINE FORD

OWNER: JAMES A ANDERSON

DATE : JANUARY , 1988

DESCRIPTION PARCEL "B"

⋖० TIMBERLINE 2 FORD

V64° 59' 13" W

RP REPLACED -

BY A RRSPIKE

Coutron

A tract of land within the City of Libby in Lincoln County, Montana, being a part of Leonard Addition in the SE4 of Section 3, Twp 30 N, R 31 W, P.M.M. Beginning at the Southeasterly corner of Lot 11 of said Block 11 which bears Note47'22" W 76.17 feet from a railroad spike marking the intersection of Montana Avenue and the Eastbound lane of Lincoln Boulevard from said point of beginning along the Easterly line of Lots 11, 10, 9 and 8 of said Block 11 N 24 59 00 E 100.04 feet to a point marking the Northeasterly corner of Lot 8 of said Block 11; thence, leaving said Easterly line N 64.59'13" W 63.17 feet along the Northerly line of said Lot 8 of Block 11 to a point; thence, leaving said Northerly line S 24 59 18" W 100.04 feet dividing Lots 8, 9, 10 and 11 equally in half, all of said Block 11 to a point on the Southerly line of said Block 11; thence,

S 64°59'13" E 63.48 feet to the point of beginning. 29.-(5 cq. 59./9"e The aforedescribed Parcel "B" contains . 1158 acro.

executed the same.

Calorado

DESCRIPTION PARCEL "A"

EXAMINED AND APPROVED FOR LINCOLN COUNTY BY:

A tract of land within the city of Libby in Lincoln County, Montana, being a part of

of beginning along the Southerly line of said Block 11 S 64°59'13" E 63.49 feet to a 5/8 inch

Lot 11 of said Block 11 which bears N40°57'28"W 171.90 feet from a railroad spike marking

the intersection of Montana Avenue and Eastbound lane of Lincoln Boulevard from said point

dia. rebar capped: 4975 S; thence, leaving said Southerly line N 24°59'18" E 100.04 feet

located on the Southerly line of Lot 7 of said Block 11; thence, N 64°59*13" W 63.48 feet

corner thereof; thence, leaving said Southerly line S 24°59'38" W 100.04 feet along the

Westerly line of Lots 8, 9, 10 and 11 of said Block 11 to the point of beginning.

I (we) hereby certify that the purpose of this survey is to aggregate

land to review under the provision of the Sanitation in Subdivisions Act.

The aforedescribed Parcel "A" contains .1458 acre.

PURPOSE OF SURVEY/EXEMPTION CERTIFICATION

dividing Lots 11, 10, 9 and 8 equally in half all of said block 11 to a 5/8 inch dia. rebar

along said Southerly line to a 5/8 inch dia. rebar capped: KED 4975 S marking the Southwest

existing lots within a platted subdivision that fewer than six lots are affected and that no additional lots are hereby created; therefore, this survey is exempt from review as a subdivision pursuant to Section 76-3-207(1)(e), MCA. Furthermore, I (we) hereby certify that the purpose of this division of land is to create a parcel to be used for a "parking lot" and no structures requiring water or sewage disposal will be erected on the Parcel so created; therefore, this division is exempt from review by the Department of Health and Environmental Science pursuant to ARM 16.16.605 (2)(e). Any change in land use subjects this division of

On this /oth day of the state of personally appeared , known to me to be the person whose name is subscribed to the within instrument, and acknowledged to me that he

Beginning at a 5/8 inch dia. rebar capped: 4975 S marking the Southwesterly corner of

Block 11 of Leonard Addition in the SE4 of Section 3, Twp 30 N, R 31 W, P.M.M.

hairman, Lincoln County, Montana Commissioners

CERTIFICATE OF COUNTY CLOPK AND RECORDER

STATE OF MUNTANA. COUNTY OF LINCOLN.

Filed on this 2/25 day of March, 1988 A.D. at 11:000'clock A.M.

Quel B. J. Since by Sherry J. Howks

County Clerk and Recorder

TAX CERTIFICATION

I hereby certify that no real property tax assessed and levied on the land to be divided described above are delinquent. Dated this 21 of Thurch

reasurer, Lincoln County, Montana

SCALE : 1" 50

DAVIS SURVEYING INC.

TROY, MT.

PHONE 295-5441

COMPUTED POINT ONLY

SET A 5/8" X Z4" LONG REBAR WITH A YELLOW P.V.C. CAP

MARKED : K.E.D. 49755.

FOUND JHN REBARE CAP

FOUND % X 24" LONG REBAR WITH A YOLLOW PYC KAP M ARKED MOL 42323

RECORD PER C. OF S. No. 683


PECORD PER PLAT NO. 4426 LEONARD AdditION

LEGEND

RAILROAD SPIKE CONTROL

CONTROL MONUMENT

AMENDED PLAT . No. 4469



Amended Plat of Leonard Addition Block 15


Aggregation of Lots

PURPOSE OF SURVEY AND

EXEMPTION CERTIFICATION

6, 7, 8, 9, 10 & 11 in the SE 1/4 Sec. 3, T.30N., R.31W., Principal Meridian

ACE Properties Libby, LLC record owner, does hereby certify that the purpose of this survey is for the aggregation of lots between adjoining Libby, Lincoln County properties, and no additional parcels are hereby created; therefore this division of land is exempt from review as a subdivision to Section April 2011 76-3-207 (1)(f), M.C.A. DESCRIPTION LOT 7A EXEMPTION CERTIFICATION Cudry C. Werner 5-11-11 A tract of land in Libby, Lincoln County, Montana, Review of subdivision application — land divisions excluded from review. A subidivision excluded from being a part of Lots 6, 7 and 8, as shown on Certificate of Survey 638, Leonard Addition, Block ACE Properties LLC, Member ACE Properties LLC, Member the privisions of chapter 3, subject to the 15 within the southeast 1/4, Section 3, T. 30 N., provisions of subchapter 3, the remainder is served R. 31 W., Principal Meridian, Montana, and more by a public or multiple-user sewage system particularly described as follows: **ACKNOWLEDGMENT** approved before January 1, 1997, pursuant to local Beginning at an iron rebar 5/8 inch diam., regulations or this chapter. 76-4-125 (2) (e) (i) capped: Boyer 9750LS located at the southeast The foregoing Exemption(s) were subscribed and acknowledged before me, a Notary Public for the block corner, Block 15 Leonard Addition, thence N25'00'10"E 75.02 feet to a 5/8 inch iron rebar capped: Boyer 9750LS, and the True Point of Beginning for lot 7A, thence, N65'03'44"W, 126.79 residing at //9 Mohelle In Libby. My commission expires May 20 feet to a 5/8 inch diam., iron rebar capped: Boyer 9750LS, thence N2518'01"E, 75.21 feet to a 5/8 inch diam., iron rebar capped: MDL 4232S, thence S64*53'40"E, 126.44 feet to a 5/8 inch diam., iron rebar capped: MDL 4232S, thence S25°00'10"W, 75.02 feet to a 5/8 inch diam., iron rebar capped: Boyer 9750LS, and true point of beginning for Lot BASIS OF BEARING 7A, containing 0.22 acres, more or less. The Basis of Bearing for this survey is N65°00'57"W, between the found Center Line monuments on Lincoln Blvd. between Dakota Ave. and Minnesota Ave., as shown on Certificate of Survey No. 638 CERTIFICATE OF COUNTY TREASURER I hereby certify, pursuant to Section 76-3-611(1)(b), M.C.A., that all real property taxes and BLOCK CERTIFICATE OF CITY COUNCIL, LIBBY We, the undersigned, City Council, do hereby certify that this Certificate of Survey for Aggregation of Lots in the Jennison Addition Block 1, Libby, Lincoln County, Montana, has been submitted for review and found by us to conform to Montana Statutes and Lincoln County regulations and is approved by us at our meeting held on the day of _____, 2011. _ day of City Council, Libby, MT CERTIFICATE OF CLERK AND RECORDER 232846 BOOK: CS SURVEYS PAGE: 4077 Pages: 1 7/NCOTN STATE OF MONTANA LINCOLN COUNTY DESCRIPTION LOT 10A RECORDED: 05/31/2011 9:50 KOI: CERT/SURVE [N65.00'5>"W TAMMY D. LAUER CLERK AND RECORDER FEE: \$6.00 BY: To: FILED STEVE BOYER, A tract of land in Libby, Lincoln County, Montana, being a part of Lots 9, 10 and 11 as shown on Certificate of Survey 638, Leonard Addition, Block 15 within the southeast 1/4, Section 3, T. 30 N., CERTIFICATE OF LINCOLN COUNTY - N65°00'5>"W [N65°00'5>"W 500'5>"W BEARING 334.96'] R. 31 W., Principal Meridian, Montana, and more particularly described as follows: EXAMINING SURVEYOR Beginning at an iron rebar 5/8 inch diam., capped: Boyer 9750LS located at the southeast Examined this day of 2011, A.D. block corner, Block 15 Leonard Addition and the True Point of Beginning for lot 10A, thence, POINT OF BEGINNING N65°03'58"W, 127.22 feet to a 5/8 inch diam., iron rebar capped: Boyer 9750LS, thence N2518'01"E, Ronald A. Pearson PLS 9008LS 75.21 feet to a 5/8 inch diam., iron rebar capped: LEGEND Boyer 9750LS, thence S65°03'44"E, 126.79 feet to a SURVEYOR'S CERTIFICATE 5/8 inch diam., iron rebar capped: Boyer 9750LS, thence S25°00'10"W, 75.02 feet to a 5/8 inch I Steven A. Boyer, do hereby certify that I am a Registered Land Surveyor in the State of Montana, and that the survey shown on this Certificate of Survey has been prepared under supervision and in accordance with the Montana Subdivision & Platting Act, Sections of through 76-3-625 M.C.A. and the Lincoln County regulations adopted pursuant there. diam., iron rebar capped: Boyer 9750LS, and true point of beginning for Lot 10A, containing 0.22 Set 5/8 inch by 24 inch rebar with a 1 1/4 inch diam. orange plastic cap marked Boyer 9750LS Found 5/8 in. steel rebar with yellow plastic cap mkd. MDL 4232-S STEVEN A BOYER Found 5/8 inch diam. steel rebar with yellow plastic mkd. JHN 4661S 9750LS PEGISTE RED Steven A. Boyer, Montana Registration No. 9750LS Found 1/2 inch diam. steel rebar Δ CHECKED BY SUR DRAWN BY: SAB GRAPHIC SCALE BOYER SURVEYING Found 3/4 inch diam. steel rebar SCALE: 1" = 40FTCalculated point not set 910 MAIN AVE. DATE: April, 2011 LIBBY, MONTANA 59923 New Boundary Line (IN FEET) JOB NUMBER SHEET 1 OF 1 Record - Per Leonard Addition 1 inch = 40 ft.Certificate of Survey No. Record — Certificate of Survey No. 638




PLAT # 64

DESCRIPTION

Beginning at the southwest corner of Asa Wood Addition to Libby, Montana which corner lies on the northeasterly right of way line of U.S. Highway No. 2 at a distance of 48.07 feet S46008 E from the intersection of said right of way line with the west line of Section 3 Twp. 30N., R.31W., M.P.M. at a distance of 746.43 feet south of the West & Corner of said Section 3; thence, along said right of way line S46008'E 93.08 feet; thence S24059'W along the westerly boundary of the Adkins Block, to the northeasterly boundary of Frary-Olson Addition; thence, along said boundary N65001 W to the north line of the SE4 SE4 of said Section 3; thence, along said north line, west 415.24 feet to the northwest corner of Frary-Olson Addition; thence, along the westerly boundary of Frary-Olson Addition S420E 236.5 fect; S 10°45 * 374.0 fect; thence, S24°59 W 85.0 feet; to the Southwest corner of Block 14 said Frary-Olson Addition; thence S65001 E 120.0 feet to the southeast corner of said Block 14; thence, easterly, crossing Nevada Avenue to the southwest corner of Block 9 of said Frary-Olson Addition; thence, S65001°E along the southerly lines of Blocks 9 and 6 of Frary-Olson Addition and of Block 2 of Karnes Addition to the centerline of California Avenue; thence, a long the centerline of California Avenue, S24059 To the south line of Sec. 3 Twp. 30N., R.31W., M.P.M.; thence, along said Section line, N89045 W to the corner common to Sections 3,4,9 and 10 of said Township and Range; thence, along the line between Sections 9 and 10 said Township and Range, S 0004 E to the southeast corner of the NEW SEW of said Section 9; thence, along the north line of the NEW SEW of Section 9 to the southwest corner of the SEW NEW SEW of Section 9; thence, north along the west line of said SEW NEW 246 feet, more or less to a point on the westerly right of way line of Flower Creek Road; thence, along said westerly right of way line on the arc of a curve to the right, having a radius of 980.0 feet, which radius bears \$75013'13"W, turning through an angle of 19043'47" a distance of 336.89 feet; thence, continuing along said right of way line. N4057'E 90.02 feet to a point on the south line of the NWA NEW SET of said Section 9 at a distance of 19.79 feet west of the southeast corner thereof; thence, west along the south line of the NVA NET SET said Section 9 a distance of 123.2 feet to the southwest corner of Hall-Nelson Lot "C" thence, along the westerly line of said Lot "C", 11.23 feet to the southeast corner of Hall-Welson Lot "A" thence, along the westerly line of said Lot "A" the following three courses: 1145004 W 101.16 feet; N27005 W 73.55 feet; N59020 30 Te 76.79 feet to a point on the southwesterly right of way line of Parmenter Creek Road; thence, crossing said Parmenter Creek RoadN28012 E 60.0 feet to a point on the southwesterly line of Lot 24 of Flower Creek Homesites; thence, along the westerly boundary of Flower Creek Homesites the following ten courses: N61048 W 20.59 feet; thence N54026 30 W 61.75 feet; thence, N28004 W 77.37 feet; thence N7001 W 75.66 feet; thence M14037 W 75.00 feet; thence N37034 W 82.00 feet; thence N 1025 W 76.53 feet; thence N 10005 E 82.56 feet; thence N7004 E 86.08 feet; thence N4015 30 E 226.23 feet to the northwest corner of Lot 16 of Flower Creek Homesites; thence, along the north line of said Lot 16 N75023 E 40.0 feet to a point on the westerly line of Flower Creek Road; thence, along said westerly line, N14037 W 58.83 feet; thence on the arc of a curve to the right having a radius of 525.0 feet; turning through an angle of 20040 a distance of 183.87 feet; thence

N6003 E 33.29 feet to a point on the north line of the SW4 SE4 NE4 said Section 9 thence, generally north along the westerly right of way line of Flower Creek Road to the southeast corner of Block"F" as shown on Plat No. 840 Lincoln County Records, which point is \$89056 W 236.04 feet from the southwest corner of Pioneer Park; thence, along the south line of said Block "F" 1 3.85 feet to the southwest corner thereof; thence N 1002'25"E along the west line of said Block "F" 267.28 feet to the northwest corner thereof which point is on the southerly boundary of Haschke Homesites; thence, along the southerly boundary of Haschke Homesites N75010*51"W 798.92 feet: thence \$89020'W 291.52 feet to a point on the east line of Piedmont Acres; thence, along said east line S 1009 E 2.0 feet to the southeast corner of said Piedmont Acres; thence, along the south line of Piedmont Acres, S89020 W 421.24 feet to the northeast corner of Lot 8 said Piedmont Acres: thence, along the east line of said Lot 8 S 0040 E 100.0 feet; thence, along the south line of said Lot 8 S89020 W 125.0 feet to a point on the west line of the NW NET of said Section 9; thence, along the north-south centerline of said Section 9, N. 0004 W 1060.8 feet to the North & Corner of said Section 9; thence north, along the north-south centerline of Section 4 Township 30N., Range 31W., M.P.M. to the northwest corner of the SW# SW# of said Section 4; thence, east along the north line of the Sa Sa of said Section 4 to the south west Corner of the NEW S W said Section 4; thence N89032 E along the south line of the NET SED said Section 4 a distance of 664.0 feet to the southeast corner of the Wa NEW SEW of said Section 4; thence N 0009 E along the east line of said W NEW SE to an intersection with the centerline of U. S. Highway No. 2; thence, along said centerline, S46008'E 935.09 fect; thence N24059'E 42.27 foot to a point on the northeasterly right of way line of U.S. Highway No. 2, which point is the southwest corner of Asa A. Wood Addition, the point of beginning.

MINNEAN E GUN DRING, TROY, HONTANA



Libby

Lincoln County, Montana.

Annexation ~ Resolution No. 587


DESCRIPTION


A part of the West Half of the Northeast Quarter of the Southeast Quarter of Section 4 Township 30 North, Range 31 West, Montana Principal Meridian.

Beginning at a point on the east - west centerline of Section 4 Twp. 30 N., R. 31 W., M.P.M., which point is on the centerline of a 40 foot County Road running easterly and westerly through said Section 4, at a distance of 1328.0 feet S 89°32'W from the East † Corner of said Section 4; thence, from said point, and following the 40 line S 0°09'W 1328.5 feet; thence, along the south side of the 40, N 89°32'E 664.0 feet; thence, through the center of the 40, N 0°69'E 1162.28 feet to a point on the centerline of U.S. Highway No.2; thence, along said centerline, N 46°08'W 239.22 feet to a point on the east - west centerline S 89°32'W 491.97 feet to the point of beginning, and containing an area of 19.923 acres, more or less.

Passed Dec. 18,1965.
(Sheet 2 of 2 sheets)

J.W.Ninneman - Montana License No. 534 E.S. May 1967.





Nactor-132805 to 40 3850 THE LIBBY CEMETERY The West 1 of the N.E 1 of the SE. 14 of Section 4, T. 30M. R.31 M. M. D.M. Certificate of Dedication State of Montana S.S. County of Lincoln S.S. The Libby Cometary Association, a Corporation, by its duly elected and qualified President, has caused to be platted, surveyed and subdivided into lots, blocks, streets, arenues and alleys, as shown by the accompanying plat and a certificate of survey hereundo annexed, the talkwing fract of land, to-uit;

Beginning at a point on the south boundary line of a 40 ft County Road Right of may running easterly and wasterly through the center of Section 4, Township 30 horth, Range 31 Nost, M.M.M., (and from soid point the east \$ 5. Corner to said Section 4 bears north 38 of east 1522.0 th distance) thence thom said point and following the 40 line South ordinest -1302.5 th, thence along the south side of 40 = 1,89 % east -664.0 th the 10 line South ordinest 1508.5 th, thence along said south line of Road right-of may = 589 32 west -664.0 th the aboresaid point of beginning, and containing an area of 1864 acres, more or less.

This is the fact of land to be known and designated as the fibby Cometery, and and dedicated to the use of the public forever.

The witness watered, said tilby Cometery Association has caused this bertificate of Dedication to be signed by whether said tilby Cometery Association has caused this bertificate this day of the land and affirmed threshot this day of the land and gualified tresident and its Corporate such affired thereto this day of the land and affirmed threshot this ann be Fleetwood Signed Mrs. John & Jean Provided Association Attest; State of Montana SS.

County of Lincoln SS.

County of Lincoln SS.

Ch this 3nd day of May add 1926, before me McCoulond a Notary Public for the State of Montana persondly appeared Montana form Stand the persons whose names are subscribed to the toregoing certificate of dedication, and administrate to be to that they executed the same, In switness whereof it have known set my hand and offixed my Motarial Seal the day and year first above surithen.


Dignal 11. D. Rowland


Malanu Rubbic for the State of Montana, 15 16 17 18 Digned III. D. Rosuland Notary Public for the State of Montana, Restling at Likby, Montana, My Commission expires December 3/st 1928 Surveyors Bertificate State of Montana 55. between the 23rd day of fune and the 30th day of November AD 1725. I made a careful and accurate Survey of that tract of land embraced in "The Libby Cometery. Lincoln County, Montana, as shown by the annexed plat: and that such survey was made in conformity with sections 3465 to 3478 of the revised codes of Montana, that legal monuments were set at the intersections of the center lines of all Streets and avenues as shown on the annexed plat, marked thus + Signed Ova 6. Miller, Subscribed and sworn to before me this ad 1926 20 22 21 2/ Signed M. Dowland ____ 24 23 22 2/ Hotary Public for the State of Montana Restding at Lithy Montana, My Commission expires 1928 Sul @ 3rd 1300 Commissioners approval State of Montana S.S. of the said Lincold County, in the State of Montains, do hereby certify that the annexed plat of 'The Libby Cemetery' was examined and approved by its on this day of all 0.0.1926. Attest: boot, Chairman of Board 24 27 22 44 189°32'E - 6640

Sra G. Millon 4 /2

Minor Subdivision Plat of "Libby Creek 2"

Located in the SW 1/4 NE 1/4 Section 30, T.29 N.,R.30 W.,P.M.M., Lincoln County, Montana





LINCOLN COUNTY MONTANA

PLAT OF: Libby Creek Estates In the W 1/2 Section 1, Twp. 29 N., R. 31 W., P.M.M. For: Libby Creek SJ, L.L.C. Date: September 2

Date: September 2006

TOTAL ACREAGE: 101.66 ACRES±

CERTIFICATE OF DEDICATION

I/we the undersigned property owners(s), do hereby certify that I/we have caused to be surveyed, subdivided and platted in to lots and streets as shown by the Plat hereto annexed, the following described land near Eureka in Lincoln County Montana to wit:

DESCRIPTION OF Libby Creek Estates

A tract of land near Libby, in Lincoln County Montana, lying in the W 1/2 of Section 1, Twp. 29 N., R. 31 W., P.M.M. containing Lots 1 through 5 for a total acreage of 101.66 acres more or less and more particularly described as follows:

Beginning at a 5/8 inch dia. rebar capped K.E.D. 4975-S which marks the C-W 1/16th of Section 1, Twp. 29 N., R. 31 W., P.M.M.; thence, S89°44'53"W 33.77 feet to a computed point located on the approximate centerline of Libby Creek; thence downstream the following six (6) courses; N01°02'24"W 63.52 feet to a computed point; thence, N04°30'46"W 159.30 feet to a computed point; thence, N28°37'37"W 161.25 feet to a computed point; thence, N58°45'59"W 141.45 feet to a computed point; thence, N00°21'02"E 101.44 feet to a computed point; thence, N23°11'12"E 35.28 feet to a computed point; thence leaving said approximate centerline, N90°00'00"W a total distance of 1155.89 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S located on the west line of said Section 1; thence, S00°32'00"E 577.02 feet to 3 1/4 inch dia. brass BLM monument which marks the W 1/4 corner of Section 1, Twp. 29 N., R. 31 W., P.M.M.; thence, S00°35'02"E a total distance of 2651.28 feet along the west line of said Section 1, to a 3 1/4 inch dia. brass BLM monument which marks the south-west corner of said Section 1; thence, N89°42'47"E 1306.65 feet along the south line of said Section 1, to a 5/8 inch dia. rebar capped K.E.D. 4975-S which marks the W 1/16th of said Section 1; thence continuing, N89°42'47"E a total distance of 423.85 feet to a computed point located on the approximate centerline of said Libby Creek; thence downstream the following eleven (11) courses; N16°25'52"W 105.13 feet to a computed point; thence, N25°22'24"W 250.84 feet to a computed point; thence, N62°01'00"W 124.94 feet to a computed point; thence, N44°19'29"W 126.49 feet to a computed point; thence, N39°17'22"W 90.41 feet to a computed point; thence, N39°17'22"W 42.67 feet to a computed point; thence, N12°39'58"E 128.07 feet to a computed point; thence, N28°26'45"E 185.57 feet to a computed point; thence, N01°18'38"E 301.43 feet to a computed point; thence, N01°18'38"E 132.20 feet to a computed point; thence, N32°05'50"W 26.50 feet to a computed point; thence leaving said centerline, S89°43'50"W 125.72 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S which marks the SW 1/16th of said Section 1; thence, N00°25'20"W a total distance of 1325.22 feet to the point of beginning.

The aforedescribed Libby Creek Estates contains lots 1 through 5 for a total acreage of 101.66 acres more or less and is subject to and together with all appurtenant easements of record.

The above described tract of land is to be known and designated as, Libby Creek Estates, Lincoln County, Montana.

STATE OF MONTANA County of Lincoln

On this _____day of ___("X _, 2006 A.D. before me, a Notary Public in and for the State of Montana, 140% (1884) personally appeared known to me to be the persons whose names are subscribed to the within instrument and acknowledged to me that they executed the same.

Notary Public My Commission Expires

DESCRIPTION OF REMAINDER

A tract of land near Libby, in Lincoln County Montana, lying in the W 1/2 of Section 1, Twp. 29 N., R. 31 W., P.M.M. containing 25.00 acres more or less and more particularly described as follows:

Beginning at a 5/8 inch dia. bare rebar which marks the N 1/16th of Section 1, Twp. 29 N., R. 31 W., P.M.M.; thence, S89°51'03"W 1318.23 feet to a computed point which marks the NW 1/16th of said Section 1; thence, S89°51'03"W a total distance of 574.53 feet to a computed point located on the approximate centerline of Libby Creek; thence upstream the following eight (8) courses; S28°59'55"W 154.36 feet to a computed point; thence, \$16°04'27"W 98.14 feet to a computed point; thence, S54°49'13"W 142.86 feet to a computed point; thence, N84°21'08"W 274.59 feet to a computed point; thence, S66°11'32"W 131.10 feet to a computed point; thence, S36°43'09"W 116.06 feet to a computed point; thence, S04°28'03"W 258.81 feet to a computed point; thence, \$23°11'12"W 72.04 feet to a computed point; thence leaving said approximate centerline, N90°00'00"W a total distance of 1155.89 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S located on the west line of said Section 1; thence, N00°32'00"W 749.90 feet to the point of beginning.

The aforedescribed Remainder contains 25.00 acres more or less and is subject to and together with all appurtenant easements of record.

Davis Surveying Inc.

TROY MONTANA, (406)295-5441 DATE: 12/12/05

DRAWN BY: CJR FILE: T2931\$1,11,12.dwg



CERTIFICATE OF SURVEYOR

STATE OF MONTANA County of Lincoln

I Kenneth E. Davis, do hereby certify that a survey was made of Libby Creek Estates, a minor subdivision, during the month of September 2006, In accordance with the provisions of Sections 76-3-201 through 76-3-625 M.C.A.; that the of plat is in accordance with such a survey, that the streets and dimensions ois are as shown hereon; and that the said platted area was laid out on the

YSICAL ACCESS

bysical access to all lots within this subdivision is

driving surfac pproximately ______feet wide.

Registered Land Surveyor No.

TREASURER CERTIFICATION

I hereby certify that all real property taxes and special assessments assessed and levied on the land to be divided have been paid. Dated this // day of oclober 2006 A.D.

Hora a. Miller By Conner Vogal Clark

COUNTY CERTIFICATE OF FINAL PLAT APPROVAL

The County Commission of Lincoln County, Montana does hereby certify that it has examined this subdivision plat and having found the same to conform to law, approves it, and hereby accepts the dedication to public use of and all lands shown on this plat as being dedicated to such use, this // day of 2 2006, A.D.

(Signatures of Commissioner)

(Signature of Clerk and Recorder)

CERTIFICATION OF EXAMINING LAND SURVEYOR:

Approved this 9 day of __ OCT _2006 A.D. Registered Land Surveyor No. 14731

STATE OF MONTANA COUNTY OF LINCOLN

O'clock €m.

County Clerk and Recorder Deputy

PLAT NO. 4740 Dec 197866

Plathing (lestificate p.F. 8789 Doc 197965 (nureate Doc 197967 5307/715

A PLAT OF AMENDED LOT 2 - LIBBY CREEK ESTATES NW1/4 SW1/4, SECTION 1, T.29N., R.31W., P.M., MT. LINCOLN COUNTY, MONTANA FOR: BRANCH DATE: APRIL, 2011 UPPER WEST VISTA PLAT NO. 6895 TRUE POINT (\$ 90°00'00" E 1313.87') \$ 89°58'08" E 1313.81' LOT 2 LOT 1 8.043 acres 5.912 acres RESIDENTIAL RESIDENTIAL CENTERLINE TABLE CURVE LENGTH RADIUS DELTA 77.20 77.64 C1 C2 66.13 101.05 **C**3 690.45 5°43'52" BEARING LENGTI N74°19'15"E 236.05 N66°22'41"E 45.00 S89°58'26"E N09°26'27"E S 89°58'26" E 862.86' 422.86' LOT 3 6.864 acres RESIDENTIAL N 89°59'24" W 1311.90' (N 90°00'00" E 1311.92') LOT 3 - LIBBY CREEK ESTATES LEGEND LEGAL DESCRIPTION - AMENDED LOT 2 - LIBBY CREEK ESTATES An irregular tract of land lying southeasterly from Libby, Montana, Lincoln County, in the NW1/4 SW1/4 SECTION CORNER - 21/2 INCH DIAMETER IRON PIPE WITH 31/4 INCH BLM BRASS CAP , Section 1, T.29N., R.31W., and more particularly described as: Commencing at the West Quarter corner (W1/4), Section 1, T.29N., R.31W., a 3 1/4 inch diameter BLM brass capped monument; Thence S00°35'02"E, 106.65 feet to a 5/8 inch diameter rebar with plastic cap marked "KED 4975S" and the TRUE POINT OF BEGINNING: Thence S89°58'08"E, 1283.38 feet to a 5/8 1/4 CORNER - 21/2 INCH DIAMETER IRON PIPE WITH 31/4 inch diameter rebar with plastic cap marked "KED 4975S"; Thence S89°58'08"E, 30.43 feet to a unmarked INCH BLM BRASS CAP computed point; Thence \$00°25'15"E, 690.53 feet to a 5/8 inch diameter uncapped rebar; Thence N89°59'24"W, 1311.90 feet to a 5/8 inch diameter rebar with plastic cap marked "KED 4975S" lying on the West Section line said Section 1; Thence along said Section line N00°35'02"W, 691.04 feet to a 5/8 inch SET 5/8 INCH DIAMETER REBAR WITH PLASTIC CAP MARKED HUGHES, 7322LS diameter rebar with plastic cap marked "KED 4975S" and the TRUE POINT OF BEGINNING, containing VICINITY MAP Subject to a 60 foot wide access and utilities easement, and together with a 30 foot wide private access 5/8 INCH DIAMETER REBAR WITH PLASTIC CAP MARKED KED, 4975S (NO SCALE) and utilities easement for Lot 2 and Lot 3 as shown hereon and all appurtenant easements of record. UNMARKED COMPUTED POINT 5/8 INCH DIAMETER UNCAPPED REBAR SUBDIVISION NOTES: Lot owners must complete a "602 Notice of Completion of Groundwater Development" form and submit RECORD - PLAT NO. 6740 it to the DRNC, Water Rights Division for review and approval. RECORD - C.O.S. NO. 3543 RB Lot owners must complete the "Notice of Proposed Construction or Alteration form," prior to any construction, and submit to the Lincoln County Planning Department for review and approval. **EASEMENT LIMITS** T29N R31W SECTION LINE PROPERTY BOUNDARY - THIS SURVEY PROPOSED DRIVEWAY

PURPOSE OF SURVEY AND OWNER'S CERTIFICATION

We, Norman L. and Kathryn Branch and Jack and Carrie Rumfola, record owners, hereby certify that the purpose of this survey and division of land is to create a 3 Lot minor subdivision, to be known as "Amended Lot 2, Libby Creek Estates"; Lot 1 being 5.912 acres, Lot 2 being 8.043 acres and Lot 3 being 6.864 acres pursuant to 76-4-103, M.C.A.

Norman I. Branch	S / / b / ff	
With a R R	Elillan.	
Kathryn E. Branch	Date	
Carl Wagich C	15 / 1/2 / Souls	
Jack Rumfola	Date	
_ (D 12 of 1 ham 1 3 1 3 +	A DERING	
Carrie Rumfola	Date	
ACKNOWLEDGMENT The foregoing Certification was subscribed and acl	knowledged before me a Notory Public for the	
	*	
	h 1000 land, by the above named person	on(s),
this day of	whereof, I have hereunto set my hand	A
and affixed my notorial seal.	under .	
Notary Public for the State of	, residing in:, M7:	
My Commission expires: 12 / 13	·	edm
BASIS OF BEARING		 N
The basis of bearing for this survey is S00°35'02"E,	as shown on Plat No. 6740, along the west	013
boundary of Lot 2, both being 5/8 inch diameter rel	bars capped KED 4975S.	
METHOD OF SURVEY		
A total station with data collector was used with cle previously set controlling monuments by Kelly Roc		
	-	
HISTORY OF SURVEYS 1893 - GLO original township and subdivision surv	your by Murahmuo	
2006 - Boundary Line Adjustment, C.O.S No. 3532 I	RB By K. Davis, 4975S	
2006 - Boundary Line Adjustment, C.O.S. No. 3543 2006 - "Libby Creek Estates Subdivision", Plat No. 6	740 by K. Davis, 4975S	
2007 - "Upper West Vista Subdivision", Plat No. 689	95 By K. Davis, 4975S	VTY TR
LINCOLN COUNTY TREASURER'S		
I hereby certify that all real property taxes and spe-	7167.1	- A T
parcel shown hereon are paid, pursuant to Section		
pulsualit to section	76-3-611(1)(b), MCA.	<u>'Al</u>
nanytrotter Higgin	76-3-611(1)(b), MCA. 2 64 Comic VOJel ST	ay
Dany trotter Higgin Lincoln County Treasurer	76-3-611(1)(b), MCA. 2 by Comic Vogel St.	A
Nanytrotter Higgin Lincoln County Treasurer ACCESS CERTIFICATION	76-3-611(1)(b), MCA. Sy Comic Vogel Date	# MON
Nanytrotte Higgin Lincoln County Treasurer ACCESS CERTIFICATION I hereby certify that physical and legal access to Lohereon, is provided by "Mustang Lane" a 60 foot w	t 1, "Amended Lot 2 - Libby Creek Estates", as side private access and utilities easement with a	shown a 24 foot
Nanytrotte Higgin Lincoln County Treasurer ACCESS CERTIFICATION I hereby certify that physical and legal access to Lo	t 1, "Amended Lot 2 - Libby Creek Estates", as side private access and utilities easement with a cot wide Single Division Road, with a 16 foot w	shown a 24 foot ride
ACCESS CERTIFICATION I hereby certify that physical and legal access to Lo hereon, is provided by "Mustang Lane" a 60 foot w wide driving surface and Lot 2 and Lot 3, by a 30 fdriving surface constructed to Lincoln County road Approval.	t 1, "Amended Lot 2 - Libby Creek Estates", as side private access and utilities easement with a cot wide Single Division Road, with a 16 foot will specifications required at the date of Preliminary	shown a 24 foot ride
ACCESS CERTIFICATION I hereby certify that physical and legal access to Lohereon, is provided by "Mustang Lane" a 60 foot wwide driving surface and Lot 2 and Lot 3, by a 30 fedriving surface constructed to Lincoln County road Approval. What J. Jughes 132224	t 1, "Amended Lot 2 - Libby Creek Estates", as side private access and utilities easement with a cot wide Single Division Road, with a 16 foot will specifications required at the date of Preliminary	shown a 24 foot ride
ACCESS CERTIFICATION I hereby certify that physical and legal access to Lo hereon, is provided by "Mustang Lane" a 60 foot w wide driving surface and Lot 2 and Lot 3, by a 30 fdriving surface constructed to Lincoln County road Approval.	t 1, "Amended Lot 2 - Libby Creek Estates", as side private access and utilities easement with a cot wide Single Division Road, with a 16 foot will specifications required at the date of Preliminary	shown a 24 foot ride
ACCESS CERTIFICATION I hereby certify that physical and legal access to Lohereon, is provided by "Mustang Lane" a 60 foot wwide driving surface and Lot 2 and Lot 3, by a 30 fedriving surface constructed to Lincoln County road Approval. What J. Jughes 132224	t 1, "Amended Lot 2 - Libby Creek Estates", as stide private access and utilities easement with a loot wide Single Division Road, with a 16 foot will specifications required at the date of Preliminal Date	shown a 24 foot ride
Lincoln County Treasurer ACCESS CERTIFICATION I hereby certify that physical and legal access to Lo hereon, is provided by "Mustang Lane" a 60 foot w wide driving surface and Lot 2 and Lot 3, by a 30 for driving surface constructed to Lincoln County road Approval. Alvah F. Hughes, PLS, 7322LS LAND SURVEYOR'S CERTIFICATIO I hereby certify that I am a Registered Land Survey	t 1, "Amended Lot 2 - Libby Creek Estates", as stide private access and utilities easement with a coot wide Single Division Road, with a 16 foot will specifications required at the date of Preliminary 16 2611 Date ON Tor in the State of Montana, that the survey show	shown a 24 foot ride ary Plat
Lincoln County Treasurer ACCESS CERTIFICATION I hereby certify that physical and legal access to Lo hereon, is provided by "Mustang Lane" a 60 foot w wide driving surface and Lot 2 and Lot 3, by a 30 fd driving surface constructed to Lincoln County road Approval. Alvah F. Hughes, PLS, 7322LS LAND SURVEYOR'S CERTIFICATIO I hereby certify that I am a Registered Land Survey on this Plat has been prepared under my supervision Annotated, Sections 76-3-101 through 76-3-625 and	t 1, "Amended Lot 2 - Libby Creek Estates", as stide private access and utilities easement with a cot wide Single Division Road, with a 16 foot will specifications required at the date of Preliminary or in the State of Montana, that the survey show on and in accordance with Montana Code	shown a 24 foot ride ary Plat
Lincoln County Treasurer ACCESS CERTIFICATION I hereby certify that physical and legal access to Lohereon, is provided by "Mustang Lane" a 60 foot wwide driving surface and Lot 2 and Lot 3, by a 30 fedriving surface constructed to Lincoln County road Approval. Alvah F. Hughes, PLS, 7322LS LAND SURVEYOR'S CERTIFICATIO I hereby certify that I am a Registered Land Survey on this Plat has been prepared under my supervisid Annotated, Sections 76-3-101 through 76-3-625 and pursuant thereto.	Date t 1, "Amended Lot 2 - Libby Creek Estates", as saide private access and utilities easement with a coot wide Single Division Road, with a 16 foot will specifications required at the date of Preliminary 16 2611 Date ON Tor in the State of Montana, that the survey show on and in accordance with Montana Code the Lincoln County regulations adopted	shown a 24 foot ride ary Plat
Lincoln County Treasurer ACCESS CERTIFICATION I hereby certify that physical and legal access to Lo hereon, is provided by "Mustang Lane" a 60 foot w wide driving surface and Lot 2 and Lot 3, by a 30 for driving surface constructed to Lincoln County road Approval. Alvah F. Hughes, PLS, 7322LS LAND SURVEYOR'S CERTIFICATION I hereby certify that I am a Registered Land Survey on this Plat has been prepared under my supervision Annotated, Sections 76-3-101 through 76-3-625 and pursuant thereto.	t 1, "Amended Lot 2 - Libby Creek Estates", as saide private access and utilities easement with a coot wide Single Division Road, with a 16 foot will specifications required at the date of Preliminary 16 2611 Date Nor in the State of Montana, that the survey show on and in accordance with Montana Code the Lincoln County regulations adopted Date Date	ALVAH F. HUGHES 7322 LS
Lincoln County Treasurer ACCESS CERTIFICATION I hereby certify that physical and legal access to Lohereon, is provided by "Mustang Lane" a 60 foot wwide driving surface and Lot 2 and Lot 3, by a 30 fedriving surface constructed to Lincoln County road Approval. Alvah F. Hughes, PLS, 7322LS LAND SURVEYOR'S CERTIFICATIO I hereby certify that I am a Registered Land Survey on this Plat has been prepared under my supervisid Annotated, Sections 76-3-101 through 76-3-625 and pursuant thereto.	t 1, "Amended Lot 2 - Libby Creek Estates", as saide private access and utilities easement with a coot wide Single Division Road, with a 16 foot will specifications required at the date of Preliminary 16 2611 Date Nor in the State of Montana, that the survey show on and in accordance with Montana Code the Lincoln County regulations adopted Date Date	shown a 24 foot ride ary Plat
Lincoln County Treasurer ACCESS CERTIFICATION I hereby certify that physical and legal access to Lohereon, is provided by "Mustang Lane" a 60 foot wwide driving surface and Lot 2 and Lot 3, by a 30 fedriving surface constructed to Lincoln County road Approval. Alvah F. Hughes, PLS, 7322LS LAND SURVEYOR'S CERTIFICATIO I hereby certify that I am a Registered Land Survey on this Plat has been prepared under my supervisite Annotated, Sections 76-3-101 through 76-3-625 and pursuant thereto. Alvah F. Hughes, Montana Reg. No. 7322LS EXAMINING LAND SURVEYOR'S CERTIFICATION SURVEYOR'S CERTIF	t 1, "Amended Lot 2 - Libby Creek Estates", as stide private access and utilities easement with a cot wide Single Division Road, with a 16 foot will specifications required at the date of Preliminary 16 26// Date Nor in the State of Montana, that the survey show on and in accordance with Montana Code the Lincoln County regulations adopted Date Date	ALVAH F. HUGHES 7322 LS
Lincoln County Treasurer ACCESS CERTIFICATION I hereby certify that physical and legal access to Lo hereon, is provided by "Mustang Lane" a 60 foot w wide driving surface and Lot 2 and Lot 3, by a 30 fd driving surface constructed to Lincoln County road Approval. Alvah F. Hughes, PLS, 7322LS LAND SURVEYOR'S CERTIFICATIO I hereby certify that I am a Registered Land Survey on this Plat has been prepared under my supervision Annotated, Sections 76-3-101 through 76-3-625 and pursuant thereto. Alvah F. Hughes, Montana Reg. No. 7322LS	Date t 1, "Amended Lot 2 - Libby Creek Estates", as saide private access and utilities easement with a coot wide Single Division Road, with a 16 foot will specifications required at the date of Preliminary 16 2611 Date ON Tor in the State of Montana, that the survey show on and in accordance with Montana Code the Lincoln County regulations adopted Date Date CERTIFICATION	ALVAH F. HUGHES 7322 LS
Lincoln County Treasurer ACCESS CERTIFICATION I hereby certify that physical and legal access to Lohereon, is provided by "Mustang Lane" a 60 foot wwide driving surface and Lot 2 and Lot 3, by a 30 fedriving surface constructed to Lincoln County road Approval. Alvah F. Hughes, PLS, 7322LS LAND SURVEYOR'S CERTIFICATIO I hereby certify that I am a Registered Land Survey on this Plat has been prepared under my supervisite Annotated, Sections 76-3-101 through 76-3-625 and pursuant thereto. Alvah F. Hughes, Montana Reg. No. 7322LS EXAMINING LAND SURVEYOR'S CERTIFICATION Alvah F. Hughes, Montana Reg. No. 7322LS EXAMINING LAND SURVEYOR'S CERTIFICATION Alvah F. Hughes, Montana Reg. No. 7322LS	t 1, "Amended Lot 2 - Libby Creek Estates", as stide private access and utilities easement with a cot wide Single Division Road, with a 16 foot will specifications required at the date of Preliminary 16 26// Date Nor in the State of Montana, that the survey show on and in accordance with Montana Code the Lincoln County regulations adopted Date CERTIFICATION 2011	ALVAH F. HUGHES 7322 LS
Lincoln County Treasurer ACCESS CERTIFICATION I hereby certify that physical and legal access to Lohereon, is provided by "Mustang Lane" a 60 foot wwide driving surface and Lot 2 and Lot 3, by a 30 fedriving surface constructed to Lincoln County road Approval. Alvah F. Hughes, PLS, 7322LS LAND SURVEYOR'S CERTIFICATIO I hereby certify that I am a Registered Land Survey on this Plat has been prepared under my supervisite Annotated, Sections 76-3-101 through 76-3-625 and pursuant thereto. Alvah F. Hughes, Montana Reg. No. 7322LS EXAMINING LAND SURVEYOR'S CERTIFICATION Alvah F. Hughes, Montana Reg. No. 7322LS EXAMINING LAND SURVEYOR'S CERTIFICATION Alvah F. Hughes, Montana Reg. No. 7322LS	Date t 1, "Amended Lot 2 - Libby Creek Estates", as saide private access and utilities easement with a coot wide Single Division Road, with a 16 foot will specifications required at the date of Preliminary 16 2611 Date ON Tor in the State of Montana, that the survey show on and in accordance with Montana Code the Lincoln County regulations adopted Date Date CERTIFICATION	ALVAH F. HUGHES 7322 LS
Lincoln County Treasurer ACCESS CERTIFICATION I hereby certify that physical and legal access to Lohereon, is provided by "Mustang Lane" a 60 foot wwide driving surface and Lot 2 and Lot 3, by a 30 fedriving surface constructed to Lincoln County road Approval. Alvah F. Hughes, PLS, 7322LS LAND SURVEYOR'S CERTIFICATION I hereby certify that I am a Registered Land Survey on this Plat has been prepared under my supervision Annotated, Sections 76-3-101 through 76-3-625 and pursuant thereto. Alvah F. Hughes, Montana Reg. No. 7322LS EXAMINING LAND SURVEYOR'S CERTIFICATION Alvah F. Hughes, Montana Reg. No. 7322LS EXAMINING LAND SURVEYOR'S CERTIFICATION Alvah F. Hughes, Montana Reg. No. 7322LS Examined this day of MANNO SURVEYOR'S CERTIFICATION Alvah F. Hughes, Montana Reg. No. 7322LS Examined this day of MANNO SURVEYOR'S CERTIFICATION Alvah F. Hughes, Montana Reg. No. 7322LS Examined this day of MANNO SURVEYOR'S CERTIFICATION Alvah F. Hughes, Montana Reg. No. 7322LS Examined this day of MANNO SURVEYOR'S CERTIFICATION Alvah F. Hughes, Montana Reg. No. 7322LS Examined this day of MANNO SURVEYOR'S CERTIFICATION Alvah F. Hughes, Montana Reg. No. 7322LS Examined this day of MANNO SURVEYOR'S CERTIFICATION Alvah F. Hughes, Montana Reg. No. 7322LS	Date t 1, "Amended Lot 2 - Libby Creek Estates", as saide private access and utilities easement with a coot wide Single Division Road, with a 16 foot will specifications required at the date of Preliminary 16 2611 Date ON Tor in the State of Montana, that the survey show on and in accordance with Montana Code of the Lincoln County regulations adopted Date CERTIFICATION 20 11	ALVAH F. HUGHES 7322 LS
Lincoln County Treasurer ACCESS CERTIFICATION I hereby certify that physical and legal access to Lohereon, is provided by "Mustang Lane" a 60 foot wwide driving surface and Lot 2 and Lot 3, by a 30 fedriving surface constructed to Lincoln County road Approval. Alvah F. Hughes, PLS, 7322LS LAND SURVEYOR'S CERTIFICATIO I hereby certify that I am a Registered Land Survey on this Plat has been prepared under my supervisite Annotated, Sections 76-3-101 through 76-3-625 and pursuant thereto. Alvah F. Hughes, Montana Reg. No. 7322LS EXAMINING LAND SURVEYOR'S CERTIFICATION Alvah F. Hughes, Montana Reg. No. 7322LS EXAMINING LAND SURVEYOR'S CERTIFICATION Alvah F. Hughes, Montana Reg. No. 7322LS	Date t 1, "Amended Lot 2 - Libby Creek Estates", as saide private access and utilities easement with a coot wide Single Division Road, with a 16 foot will specifications required at the date of Preliminary 16 2611 Date ON Tor in the State of Montana, that the survey show on and in accordance with Montana Code of the Lincoln County regulations adopted Date CERTIFICATION 20 11	ALVAH F. HUGHES 7322 LS
Lincoln County Treasurer ACCESS CERTIFICATION I hereby certify that physical and legal access to Lohereon, is provided by "Mustang Lane" a 60 foot wide driving surface and Lot 2 and Lot 3, by a 30 for driving surface constructed to Lincoln County road Approval. Alvah F. Hughes, PLS, 7322LS LAND SURVEYOR'S CERTIFICATIO I hereby certify that I am a Registered Land Survey on this Plat has been prepared under my supervision Annotated, Sections 76-3-101 through 76-3-625 and pursuant thereto. Alvah F. Hughes, Montana Reg. No. 7322LS EXAMINING LAND SURVEYOR'S CERTIFICATION Alvah F. Hughes, Montana Reg. No. 7322LS EXAMINING LAND SURVEYOR'S CERTIFICATION COUNTY COMMISSION of FINAL PLAT APPROVAL The County Commissioners of Lincoln County, Montana Reg. No. 700 county, Montana Reg. Reg. Reg. Reg. Reg. Reg. Reg. Reg.	The state of Montana, that the survey show on and in accordance with Montana Code the Lincoln County regulations adopted Date Date CERTIFICATION ER'S CERTIFICATION Contana does hereby certify that they have examinated at the survey of the Lincoln County and they have examinated at the survey of the Lincoln County and they have examinated at the survey of the Lincoln County and they have examinated at the survey of the surve	ALVAH F. HUGHES 7322 LS
Lincoln County Treasurer ACCESS CERTIFICATION I hereby certify that physical and legal access to Lohereon, is provided by "Mustang Lane" a 60 foot wide driving surface and Lot 2 and Lot 3, by a 30 fedriving surface constructed to Lincoln County road Approval. Alvah F. Hughes, PLS, 7322LS LAND SURVEYOR'S CERTIFICATIO I hereby certify that I am a Registered Land Survey on this Plat has been prepared under my supervision Annotated, Sections 76-3-101 through 76-3-625 and pursuant thereto. Alvah F. Hughes, Montana Reg. No. 7322LS EXAMINING LAND SURVEYOR'S CERTIFICATION Alvah F. Hughes, Montana Reg. No. 7322LS EXAMINING LAND SURVEYOR'S CERTIFICATION COUNTY COMMISSION of FINAL PLAT APPROVAL The County Commissioners of Lincoln County, Molot Plat of "Amended Lot 2 Libby Creek Estates", firsubdivision laws and regulations of the State of Montana R	Date To a specifications required at the date of Preliminary To in the State of Montana, that the survey show on and in accordance with Montana Code the Lincoln County regulations adopted Date Date CERTIFICATION ER'S CERTIFICATION In County Examining Land Surveyor ER'S CERTIFICATION In County Examining Land Surveyor ER'S CERTIFICATION In County Examining Land Surveyor The cou	ALVAH F. HUGHES 7322 LS
Lincoln County Treasurer ACCESS CERTIFICATION I hereby certify that physical and legal access to Lohereon, is provided by "Mustang Lane" a 60 foot wide driving surface and Lot 2 and Lot 3, by a 30 fedriving surface constructed to Lincoln County road Approval. Alvah F. Hughes, PLS, 7322LS LAND SURVEYOR'S CERTIFICATIO I hereby certify that I am a Registered Land Survey on this Plat has been prepared under my supervision Annotated, Sections 76-3-101 through 76-3-625 and pursuant thereto. Alvah F. Hughes, Montana Reg. No. 7322LS EXAMINING LAND SURVEYOR'S CERTIFICATION Alvah F. Hughes, Montana Reg. No. 7322LS EXAMINING LAND SURVEYOR'S CERTIFICATION COUNTY COMMISSION of FINAL PLAT APPROVAL The County Commissioners of Lincoln County, Molot Plat of "Amended Lot 2 Libby Creek Estates", firsubdivision laws and regulations of the State of Montana R	Date To Age Concil VO Date At 1, "Amended Lot 2 - Libby Creek Estates", as saide private access and utilities easement with a cost wide Single Division Road, with a 16 foot will specifications required at the date of Preliminary ON Tor in the State of Montana, that the survey show on and in accordance with Montana Code the Lincoln County regulations adopted Date CERTIFICATION 20 11 In County Examining Land Surveyor ER'S CERTIFICATION In county Examining Land Surveyor To Surveyor The county Examining Land Surveyor T	wn ALVAH F. HUGHES 7322 LS
Lincoln County Treasurer ACCESS CERTIFICATION I hereby certify that physical and legal access to Lohereon, is provided by "Mustang Lane" a 60 foot wide driving surface and Lot 2 and Lot 3, by a 30 fedriving surface constructed to Lincoln County road Approval. Alvah F. Hughes, PLS, 7322LS LAND SURVEYOR'S CERTIFICATIO I hereby certify that I am a Registered Land Surveyon this Plat has been prepared under my supervision Annotated, Sections 76-3-101 through 76-3-625 and pursuant thereto. Alvah F. Hughes, Montana Reg. No. 7322LS EXAMINING LAND SURVEYOR'S CERTIFICATION Alvah F. Hughes, Montana Reg. No. 7322LS EXAMINING LAND SURVEYOR'S CERTIFICATION COUNTY COMMISSION of FINAL PLAT APPROVAL The County Commissioners of Lincoln County, Molot Plat of "Amended Lot 2 Libby Creek Estates", firsubdivision laws and regulations of the State of Montana Re	Date To a specifications required at the date of Preliminary To in the State of Montana, that the survey show on and in accordance with Montana Code the Lincoln County regulations adopted Date Date CERTIFICATION ER'S CERTIFICATION In County Examining Land Surveyor ER'S CERTIFICATION In County Examining Land Surveyor ER'S CERTIFICATION In County Examining Land Surveyor The cou	ALVAH F. HUGHES 7322 LS
Lincoln County Treasurer ACCESS CERTIFICATION I hereby certify that physical and legal access to Lohereon, is provided by "Mustang Lane" a 60 foot wide driving surface and Lot 2 and Lot 3, by a 30 for driving surface constructed to Lincoln County road Approval. Alvah F. Hughes, PLS, 7322LS LAND SURVEYOR'S CERTIFICATION I hereby certify that I am a Registered Land Survey on this Plat has been prepared under my supervisit Annotated, Sections 76-3-101 through 76-3-625 and pursuant thereto. Alvah F. Hughes, Montana Reg. No. 7322LS EXAMINING LAND SURVEYOR'S CERTIFICATION Examined this day of Market Approval Lincoln County, Molot Plat of "Amended Lot 2 Libby Creek Estates", first subdivision laws and regulations of the State of Mothis 25th day of Chairman, Lincoln County Commissioners Chairman, Lincoln County Commissioners	The state of Montana, that the survey shown and in accordance with Montana Code the Lincoln County regulations adopted Date Date The county Examining Land Surveyor ER'S CERTIFICATION In County Examining Land Surveyor ER'S CERTIFICATION Contana and Lincoln County and therefore grants and in accordance with requirements of the ontana and Lincoln County and therefore grants and in the county and therefore grants and incoln County and therefore grants are considered to the county and the county are considered to the county and the county are considered to the county	wn ALVAH F. HUGHES 7322 LS
Lincoln County Treasurer ACCESS CERTIFICATION I hereby certify that physical and legal access to Lohereon, is provided by "Mustang Lane" a 60 foot wwide driving surface and Lot 2 and Lot 3, by a 30 for driving surface constructed to Lincoln County road Approval. Alvah F. Hughes, PLS, 7322LS LAND SURVEYOR'S CERTIFICATION I hereby certify that I am a Registered Land Survey on this Plat has been prepared under my supervisia Annotated, Sections 76-3-101 through 76-3-625 and pursuant thereto. Alvah F. Hughes, Montana Reg. No. 7322LS EXAMINING LAND SURVEYOR'S CERTIFICATION Examined this day of Market Approval Alvah F. Hughes, Montana Reg. No. 7322LS EXAMINING LAND SURVEYOR'S CERTIFICATION The County Commissioners of Lincoln County, Molot Plat of "Amended Lot 2 Libby Creek Estates", fit subdivision laws and regulations of the State of Mothis 2544 day of Chairman Lincoln County Commissioners LINCOLN COUNTY CLERK AND R	The country Examining Land Surveyor ER'S CERTIFICATION The country Examining Land Surveyor ER'S CERTIFICATION The country Examining Land Surveyor ER'S CERTIFICATION The country Examining Land Surveyor The country Examining Lan	ALVAH F. HUGHES 7322 LS
Lincoln County Treasurer ACCESS CERTIFICATION I hereby certify that physical and legal access to Lohereon, is provided by "Mustang Lane" a 60 foot wwide driving surface and Lot 2 and Lot 3, by a 30 for driving surface constructed to Lincoln County road Approval. Alvah F. Hughes, PLS, 7322LS LAND SURVEYOR'S CERTIFICATION I hereby certify that I am a Registered Land Survey on this Plat has been prepared under my supervision Annotated, Sections 76-3-101 through 76-3-625 and pursuant thereto. Alvah F. Hughes, Montana Reg. No. 7322LS EXAMINING LAND SURVEYOR'S CEXAMINING LAND SURV	To a county Examining Land Surveyor ER'S CERTIFICATION To county and therefore grants and in accordance with requirements of the contana and Lincoln County and therefore grants and a county and therefore grants are compared to the county and therefore grants are county and therefore grants are compared to the county and therefore grants are county are county are county and therefore grants are county are county are county and therefore grants are county a	ALVAH F. HUGHES 7322 LS
Lincoln County Treasurer ACCESS CERTIFICATION I hereby certify that physical and legal access to Lohereon, is provided by "Mustang Lane" a 60 foot wwide driving surface and Lot 2 and Lot 3, by a 30 for driving surface constructed to Lincoln County road Approval. Alvah F. Hughes, PLS, 7322LS LAND SURVEYOR'S CERTIFICATION I hereby certify that I am a Registered Land Survey on this Plat has been prepared under my supervisia Annotated, Sections 76-3-101 through 76-3-625 and pursuant thereto. Alvah F. Hughes, Montana Reg. No. 7322LS EXAMINING LAND SURVEYOR'S CERTIFICATION Examined this day of Market Approval Lincoln County, Molot Plat of "Amended Lot 2 Libby Creek Estates", fit subdivision laws and regulations of the State of Mothis 25th day of Chairman, Lincoln County Commissioners LINCOLN COUNTY CLERK AND R	The country Examining Land Surveyor ER'S CERTIFICATION The country Examining Land Surveyor ER'S CERTIFICATION The country Examining Land Surveyor ER'S CERTIFICATION The country Examining Land Surveyor The country Examining Lan	wn ALVAH F. HUGHES 7322 LS


Final plat appenal f.F. 10797 Doc 233416 Sanitary Restrictions Commed p.F. 10798 Doc 283417


300

<u>SCALE</u> 100

IN FEET

D.F = 10799 Doc 23341






PLAT OF: LIBBY CREEK RIDGE

In the NE 1/4 of Section 11 & Section 12, Twp. 29 N., R. 31 W., P.M.M. For: South Libby, L.L.C. Date: July 2007

TOTAL ACREAGE: 194.94 ACRES±



CERTIFICATE OF DEDICATION

I, South Libby, L.L.C., the undersigned property owner, do hereby certify that I have caused to be surveyed, subdivided and platted in to lots and streets as shown by the Plat hereto annexed, the following described land near Libby in Lincoln County Montana to wit:

DESCRIPTION OF LIBBY CREEK RIDGE

A tract of land near Libby, in Lincoln County Montana, lying in the NE 1/4 of Section 11 and Section 12, both of Twp. 29 N., R. 31 W., P.M.M. containing Lots 1 through 5 for a total acreage of 194.94 acres more or less and more particularly described as follows:

Beginning at a 3 1/4 inch dia. brass BLM monument which marks the common corner to Sections 1, 2, 11, and 12, all of Twp. 29 N., R. 31 W., P.M.M., thence, N89°42'47"E 1730.50± feet to a computed point located on the approximate centerline of Libby Creek; thence upstream, along said approximate centerline the following fifty-two (52) courses; S16°25'52"E 106.37 feet to a computed point; thence, S33°29'41"E 65.35 feet to a computed point; thence, S58°58'04"E 116.07 feet to a computed point; thence, S81°35'47"E 140.66 feet to a computed point; thence, S46°43'34"E 92.26 feet to a computed point; thence, S04°56'09"E 59.79 feet to a computed point; thence, S18°10'24"W 165.44 feet to a computed point; thence, S50°29'37"W 352.79 feet to a computed point; thence, S33°22'18"W 180.78 feet to a computed point; thence, S10°50'09"E 141.71 feet to a computed point; thence, S22°03'10"E 278.96 feet to a computed point; thence, S00°53'41"W 212.56 feet to a computed point; thence, S09°01'34"W 236.84 feet to a computed point; thence, S15°30'58"E 165.07 feet to a computed point; thence, \$27°51'40"E 101.94 feet to a computed point; thence, \$17°49'44"E 174.92 feet to a computed point; thence, S35°19'58"E 96.82 feet to a computed point; thence, S42°20'53"E 89.57 feet to a computed point; thence, S32°50'13"E 144.08 feet to a computed point; thence, S08°42'17"E 136.43 feet to a computed point; thence, S08°37'01"W 131.49 feet to a computed point; thence, S15°32'01"W 149.06 feet to a computed point; thence, S05°55'18"W 245.88 feet to a computed point; thence, S07°21'03"E 120.93 feet to a computed point; thence, S61°22'22"E 159.08 feet to a computed point; thence, S85°04'32"E 101.82 feet to a computed point; thence, \$47°14'12"E 92.61 feet to a computed point; thence, \$18°31'06"E 162.96 feet to a computed point; thence, S58°03'15"E 20.90 feet to a computed point; thence, S47°39'28"E 73.45 feet to a computed point; thence, S41°37'32"E 185.37 feet to a computed point; thence, S47°03'42"E 94.04 feet to a computed point; thence, S74°48'51"E 113.34 feet to a computed point; thence, S47°26'17"E 27.85 feet to a computed point; thence, S56°13'57"E 47.39 feet to a computed point; thence, S38°49'31"E 94.69 feet to a computed point; thence, \$14°47'57"E 115.06 feet to a computed point; thence, \$25°16'41"E 253.08 feet to a computed point; thence, S10°22'41"E 70.22 feet to a computed point; thence, S14°05'10"E 81.98 feet to a computed point; thence, S36°02'25"E 109.24 feet to a computed point; thence, S78°14'41"E 23.28 feet to a computed point; thence, S71°57'00"E 77.61 feet to a computed point; thence, S57°46'34"E 82.83 feet to a computed point; thence, S22°50'50"E 96.79 feet to a computed point; thence, S26°15'35"E 152.93 feet to a computed point; thence, S12°22'52"E 96.86 feet to a computed point; thence, S19°48'08"W 50.51 feet to a computed point; thence, S02°37'46"E 191.23 feet to a computed point; thence, S50°43'48"E 49.45 feet to a computed point; thence, S26°44'17"E 114.28 feet to a computed point; thence, S07°47'39"E 39.91 feet to a computed point located on the south line of said Section 12; thence leaving said approximate Libby Creek centerline, along the south line of said Section 12, S89°46'45"W 829.28± feet to a 3 1/4 inch dia. brass BLM cap which marks the S 1/4 corner of said Section 12; thence continuing along the south line of said Section 12, S89°34'06"W 1524.93 feet to a computed point located on the centerline of said U.S. Highway No. 2; thence along said centerline, N18°26'06"W 1393.14 feet to a computed point; thence N89°37'43"E 52.59 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S located on the east right-of-way line of said U.S. Highway No. 2; thence, N78°06'10"E 1091.74 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, N21°44'26"W 2451.98 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S80°03'01"W 953.70 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S located on said east right-of-way; thence continuing, S80°03'01"W 50.55 feet to a computed point located on the the centerline of said U.S. Highway No. 2; thence along said centerline, N18°26'06"W 1712.28 feet to a computed point thence leaving said centerline, N89°07'00"E 52.44 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S located on the east right of way of said U.S. Highway No. 2; thence continuing, N89°07'00"E 588.53 feet to the point of beginning.

The aforedescribed Libby Creek Ridge contains Lots 1 through 5 for a total acreage of 194.94 acres more or less and is subject to and together with all appurtenant easements of record.

The above described tract of land is to be known and designated as, Libby Creek Ridge, Lincoln County, Montana.

Davis Surveying Inc.
TROY MONTANA, (406)295-5441

DATE: 07/16/07

DRAWN BY: CJR

FILE: T2931S1,11,12.dwg

Page 2 of 2

DESCRIPTION OF PARCEL A (REMAINDER)

A tract of land near Libby, in Lincoln County Montana, lying in the NE 1/4 of Section 11 and Section 12, both of Twp. 29 N., R. 31 W., P.M.M. containing 59.78 acres more or less and more particularly described as follows:

Beginning at a 5/8 inch dia. rebar capped K.E.D. 4975-S which bears S31°16'40"E 1719.18 feet from a 3 1/4 inch dia. brass BLM monument which marks the common corner to Sections 1, 2, 11, and 12, all of Twp. 29 N., R. 31 W., P.M.M., thence from the true point of beginning, S80°03'01"W 953.70 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S located on the east right-of-way of U.S. Highway No. 2; thence continuing, S80°03'01"W 50.55 feet to a computed point located on the centerline of said U.S. Highway No. 2; thence along said centerline, S18°26'06"E 2455.47 feet to a computed point; thence, N89°37°43"E 52.59 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S located on said east right-of-way line; thence, N78°06'10"E 1091.74 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, N21°44'26"W 2451.98 feet to the point of beginning.

The aforedescribed Parcel A contains 59.78 acres more or less and is subject to and together with all appurtenant easements of record.

CERTIFICATE OF SURVEYOR

STATE OF MONTANA County of Lincoln

I Kenneth E. Davis, do hereby certify that a survey was made of Libby Creek Ridge, a minor subdivision, during the month of July 2007, In accordance with the provisions of Sections 76-3-201 through 76-3-625 M.C.A.; that the annexed plat is in accordance with such a survey, that the streets and dimensions of the lots are as shown hereon; and that the said platted area was laid out on the ground

Registered Land Surveyor No. 49975-S

LEGAL AND PLYSICAL ACCESS

I hereby certify that legal and physical access to all lots within this subdivision is provided by:
the drive approximately a feet wide.

Registered Land Surveyor No. 4975-S

THAT UPER CERTIFICATION

I hereby certify that all real property taxes and special assessments assessed and levied on the land to be divided have been paid. Dated this T day of 100 5 2007 A.D.

COUNTY CERTIFICATE OF FINAL PLAT APPROVAL

The County Commission of Lincoln County, Montana does hereby certify that it has examined this subdivision plat and having found the same to conform to law, approves it, and hereby accepts the dedication to public use of and all lands shown

(Signatures of Commissioner)

ATTEST:

(Signature of Clerk and Recorder)

on this plat as being dedicated to such use, this 24 day of 2007, A.D.

Approved this 24 day of ________2007 A.D.

Andrew Belski Registered Land Surveyor No. 14731 PLS

STATE OF MONTANA

STATE OF MONTANA COUNTY OF LINCOLN

Filed on this <u>25</u>day of <u>October</u> 2007 A.D. at <u>8:24</u> O'clock <u>A</u> m.


County Clean Accorder Security Clean Accorder Deputy

PLAT NO. 6828 DOC. #206986

CERTIFICATE OF SURVEY

BEING AN AMENDED PLAT OF

"LOTS 1 AND 2, LIBBY CREEK RIDGE SUBDIVISION", PLAT No. 6828



1 inch = 200 feet

PURPOSE OF SURVEY AND OWNER'S EXEMPTION CERTIFICATION

We, Charles H. Neste and South Libby LLC, record owners, hereby certify that the purpose of survey and division of land is to relocate a common boundary between record parcels and is therefore exempt from subdivision review pursuant to MCA 76-3-207(1)(d): "divisions made for five or fewer lots within a platted subdivision, relocation of common boundaries and the aggregation of lots." We further certify that Lots 1 and 2 are exempt from review by the Department of Environmental Quality pursuant to MCA 76-4-103: a Parcel greater then 20 acres.

Charles H. Neste

Date

Jack Deshazer, for South Libby LLC

Date

Date

Date

The foregoing Exemptions were subscribed and acknowledged before me

a Notary Public for the State of North Carolina

County of Cumberland, by CHARLES H. NESTE

on this 17 day of December 2013. In witness whereof,
I have hereunto set my hand and affixed my notorial seal.

Hereta y My Commission expires: 10-16-2018

1998 - Plat No. 6106, Amended Plat "Cherry Creek Bluff Overview Subdivision", James R. Staples, 9958LS

2006 - Plat No. 6731, "Mount Snowy Vista Subdivision", Kenneth E. Davis, 4975S

2006 - Plat No. 6740, "Libby Creek Estates Subdivision", Kenneth E. Davis, 4975S

2007 - Plat No. 6828, "Libby Creek Ridge Subdivision", Kenneth E. Davis, 4975S

A Nikon total station with data collector and a Trimble R8 GNSS GPS system was used with RTK radial procedures to tie the previously set controlling corners and road alignments by Levi Powell, October 2013

The basis of bearing for this survey is S00°04'37"W derived from Survey Grade GPS system calibrated to local control between the northwest Section Corner of Section 12, a 2 1/2 inch diameter iron pipe with 3 1/4 inch diameter BLM brass cap and a monument at the intersection of Section Line and U.S. Highway 2, Right—of—Way, a 5/8 inch diameter rebar with plastic cap marked KED, 4975S.

CERTIFICATE OF SURVEY No. 426/ RB

Sheet 1 of 2

CERTIFICATE OF SURVEY

BEING AN AMENDED PLAT OF

"LOTS 1 AND 2, LIBBY CREEK RIDGE SUBDIVISION", PLAT No. 6828

"BOUNDARY LINE ADJUSTMENT"

NE 1/4, SECTION 11 AND NW 1/4, SECTION 12, T.29N., R.31W., P.M.,MT.

FOR: CHARLES H. NESTE

DECEMBER 2013

LEGAL DESCRIPTION, TRACT 1

An irregular tract of land, lying southeast from Libby, Montana, in Lincoln County and in the NW 1/4 of Section 12, T.29N., R.31W., P.M.,MT., within Lot 1, "Libby Creek Ridge Subdivision", Plat No. 6828 and more particularly described as follows:

Commencing at the Section corner of Sections 1, 2, 11, and 12, T.29N., R.31W., P.M.,MT., a 2 1/2 inch diameter iron pipe with BLM brass cap;
Thence along the Section Line of between Sections 1 and 12, N89'40'26"E, 94.22 feet to a set 5/8 inch diameter rebar with plastic cap marked HUGHES 7322LS and the TRUE POINT OF BEGINNING:

Thence along said Section Line N89°40'26"E, 167.52 feet to the northerly easement limits of a 60 foot radius cul—de—sac as shown on Plat No. 6828, a 5/8 inch diameter rebar with plastic cap marked KED, 4975S; Thence along said Section Line N89°40'26"E, 82.48 feet to the Corner of Lots 1 and 2, said Plat, a 5/8 inch diameter rebar with plastic cap marked KED, 4975S; Thence between said Lots S20°26'48"E, 47.62 feet to the easterly limits of said cul—de—sac, a 5/8 inch diameter rebar with plastic cap marked KED, 4975S; Thence between said lots S20°26'48"E, 385.38 feet, a set 5/8 inch diameter rebar with plastic cap marked HUGHES 7322LS; Thence along the New Boundary, S89°40'26"W, 250.00 feet, a set 5/8 inch diameter rebar with plastic cap marked HUGHES 7322LS; Thence along the New Boundary N20°26'48"W, 433.00 feet to a set 5/8 inch diameter rebar with plastic cap marked HUGHES 7322LS and the TRUE POINT OF BEGINNING, containing 2.33 acres. Subject to and together with all appurtenant easements of record.

LEGAL DESCRIPTION, LOT 1

An irregular tract of land, lying southeast from Libby, Montana, in Lincoln County and in the NE 1/4 of Section 11 and NW 1/4 of Section 12, T.29N., R.31W., P.M.,MT., within Lot 1, "Libby Creek Ridge Subdivision", Plat No. 6828 and more particularly described as follows:

Commencing at the Section corner of Sections 1, 2, 11, and 12, T.29N., R.31W., P.M.,MT., a 2 1/2 inch diameter iron pipe with BLM brass cap; Thence along the Section Line of between Sections 1 and 12, N89°40'26"E, 94.22 feet to a set 5/8 inch diameter rebar with plastic cap marked HUGHES 7322LS and the TRUE POINT OF BEGINNING:

Thence along said Section Line S89*40'26"W, 94.22 feet to said Section Corner; Thence along the Section Line between Sections 2 and 11, S89*06'14"W, 588.61 feet to the easterly Right—of—Way limits of "U.S. Highway No. 2" being 50 feet from the centerline, a set 5/8 inch diameter rebar with plastic cap marked HUGHES 7322LS; Thence along said Section Line S89*06'14"W, 52.47 feet to said centerline, an unmarked computed point; Thence along said centerline S18*27'05"E, 1721.44 feet to an unmarked computed point; Thence N80°02'10"E, 50.56 feet to said easterly Right—of—Way limits said highway, a 5/8 inch diameter rebar with plastic cap marked KED, 4975S; Thence along the southerly boundary of Lot 1, Plat No. 6828, N80°02'10"E, 953.54 feet to the boundary between Lots 1 and 2 said Plat, a 5/8 inch diameter rebar with plastic cap marked KED, 4975S; Thence along said boundary N20°26'48"W, 1137.13 feet to a set 5/8 inch diameter rebar with plastic cap marked HUGHES 7322LS; Thence along southerly boundary Tract 1, S89°40'26"W, 250.00 feet to a set 5/8 inch diameter rebar with plastic cap marked HUGHES 7322LS; Thence along westerly boundary said Tract, N20°26'48"W, 433.00 feet to a set 5/8 inch diameter rebar with plastic cap marked HUGHES 7322LS; Thence along westerly boundary said Tract, N20°26'48"W, 433.00 feet to a set 5/8 inch diameter rebar with plastic cap marked HUGHES 7322LS; Thence along westerly boundary said Tract, N20°26'48"W, 433.00 feet to a set 5/8 inch diameter rebar with plastic cap marked HUGHES 7322LS and the TRUE POINT OF BEGINNING, containing 34.02 acres. Subject to and together with all appurtenant easements of record.

LEGAL DESCRIPTION, LOT 2

An irregular tract of land, lying southeast from Libby, Montana, in Lincoln County and in the NW1/4 of Section 12, T.29N., R.31W., P.M.,MT., within Lots 1 and 2, "Libby Creek Ridge Subdivision", Plat No. 6828 and more particularly described as follows:

Commencing at the Section corner of Sections 1, 2, 11, and 12, T.29N., R.31W., P.M.,MT., a 2 1/2 inch diameter iron pipe with BLM brass cap; Thence along the Section Line of between Sections 1 and 12, N89°40'26"E, 94.22 feet to a set 5/8 inch diameter rebar with plastic cap marked HUGHES 7322LS and the TRUE POINT OF BEGINNING:

Thence along said Section Line N89'40'26"E, 167.52 feet to the northerly easement limits of a 60 foot radius cul—de—sac as shown on Plat No. 6828, a 5/8 inch diameter rebar with plastic cap marked KED, 4975S; Thence along said Section Line N89'40'26"E, 82.48 feet to the Corner of Lots 1 and 2 said Plat, a 5/8 inch diameter rebar with plastic cap marked KED, 4975S; Thence along said Section Line N89'40'26"E, 962.34 feet to the West Sixteenth Corner between said Sections, a 5/8 inch diameter rebar with plastic cap marked KED; Thence along said Section Line N89'40'26"E, 373.85 feet to a Witness Corner for the centerline of "Libby Creek", a 5/8 inch diameter rebar with plastic cap marked KED; Thence along said centerline an unmarked computed point; Thence along said centerline through the following unmarked computed points: \$16'27'07"E, 106.43 feet; Thence \$33'30'56"E, 65.39 feet; Thence \$58'59'19"E, 116.14 feet; Thence \$81'37'02"E, 140.74 feet; Thence \$46'44'49"E, 92.31 feet; Thence \$04'57'24"E, 59.82 feet; Thence \$18'09'09"W, 165.53 feet; Thence \$50'28'22"W, 352.99 feet; Thence \$33'21'03"W, 180.88 feet; Thence; \$10'51'24"E, 141.79 feet; Thence \$22'04'25"E, 279.12 feet; Thence \$00'52'26"W, 212.68 feet to an unmarked computed point; Thence along the boundary line between Lots 2 and 3 said Plat No. 6828 N88'29'12"W, 184.99 feet to a 5/8 inch diameter rebar with plastic cap marked KED, 4975S; Thence along southerly boundary Tract 1, \$89'40'26"W, 250.00 feet to a set 5/8 inch diameter rebar with plastic cap marked HUGHES 7322LS; Thence along southerly boundary Tract 1, \$89'40'26"W, 433.00 feet to a set 5/8 inch diameter rebar with plastic cap marked HUGHES 7322LS; Thence along westerly boundary said Tract N20'26'48"W, 433.00 feet to a set 5/8 inch diameter rebar with plastic cap marked HUGHES 7322LS; Thence along westerly boundary said Tract N20'26'48"W, 433.00 feet to a set 5/8 inch diameter rebar with plastic cap marked HUGHES 7322LS; Thence along westerly boundary said Tract N20'26'48"W, 433.00 feet to a set 5/8 in

NW1/4 NE1/4 NW1/4 NE1/4 NW1/4 SE1/4 SW1/4 SE1/4

LAND SURVEYOR'S CERTIFICATION

I hereby certify that I am a Registered Land Surveyor in the State of Montana, that the survey shown on this "Certificate of Survey" has been prepared under my supervision and in accordance with the Montana Code Annotated, Sections 76-3-101 through 76-3-625, and the Lincoln County

Regulations adopted pursuant thereto.

Alvah F. Hughes, PLS, 1322LS /2-23-13
Date

EXAMINING LAND SURVEYOR'S CERTIFICATION

December 2013, A.D.

Ronald A. Pearson, PLS 9008LS Lincoln County Examining Land Survey

COUNTY TREASURER'S CERTIFICATION

I hereby certify that all real property taxes and special assessments a second levied on the parcel shown hereon are paid pursuant to Section 76-3-207(3). A.

Mancy Trother Higgins by Peggy MSHILL 12/30/13
Lincoln County Treasurer

CLERK AND RECORDER'S CERTIFICATION

State of Montana, County of Lincoln, filed this day

of Security Select Recorder 2013, A.D. at //:00 o'clock A.M. Deputy

CERTIFICATE OF SURVEY No. 4241 RB

Sheet X of

ALVAH F. HUGHES 7322 LS



Davis Surveying Inc.

FILE: T2931S1,11,12.dwg

TROY MONTANA, (406)295-5441

DATE: 07/16/07

DRAWN BY: CJR

AMENDED PLAT OF:
Lots 4 & 5 of Libby Creek Ridge per Plat No. 6828
BOUNDARY ADJUSTMENT

In the S1/2 of Section 12, Twp. 29 N., R. 31 W., P.M.M. For: South Libby, L.L.C. Date: June 2008

DESCRIPTION OF LOT 4A

A tract of land near Libby, in Lincoln County Montana, lying in the S 1/2 of Section 12 of Twp. 29 N., R. 31 W., P.M.M., containing 36.99 acres more or less and more particularly described as follows:

Beginning at a 5/8 inch dia. rebar capped K.E.D. 4975-S which marks the northeast corner of Lot 4 of Libby Creek Ridge per Plat No. 6828; thence, S21°44'26"E 262.73 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, N89°00'19"W 83.37 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S11°40'22"E 321.57 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S27°11'36"E 680.67 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S10°43'30"W 383.28 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S located on the south line of Section 12, Twp. 29 N., R. 33 W., P.M.M.; thence, S89°34'06"W 799.84 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S which marks the W 1/16th of said Section 12; thence, S89°34'06"W 146.71 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S located on the east right-of-way of U.S. Highway No. 2; thence continuing, S89°34'06"W 52.57 feet to a computed point located on the centerline of said U.S. Highway No. 2; thence, N18°26'06"W 1393.14 feet along said centerline to a computed point; thence, N89°37'43"E 52.59 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S located on the east right-of-way of said U.S. Highway No. 2; thence, N78°06'10"E 1091.74 feet to the point of beginning.

The aforedescribed Lot 4A contains 36.99 acres more or less and is subject to and together with all appurtenant easements of

DESCRIPTION OF LOT 5A (INCLUDES PARCEL A)

A tract of land near Libby, in Lincoln County Montana, lying in the S 1/2 of Section 12 of Twp. 29 N., R. 31 W., P.M.M., containing 35.18 acres more or less and more particularly described as follows:

Beginning at a 5/8 inch dia. rebar capped K.E.D. 4975-S which marks the southwest corner of Lot 5 of Libby Creek Ridge per Plat No. 6828; thence, N89°34'06"E 288.40 feet to a 3 1/4 inch dia. brass BLM monument which marks the S 1/4 of Section 12, Twp. 29 N., R. 31 W., P.M.M.; thence, N89°46'45"E 829.28± feet to a computed point; located on the approximate centerline of Libby Creek; thence downstream, N07°47"39"W 39.91 feet to a computed point; thence, N26°44'17"W 114.28 feet to a computed point; thence, N50°43'48"W 49.45 feet to a computed point; thence, N02°37'46"W 191.23 feet to a computed point; thence, N19°48'08"E 50.51 feet to a computed point; thence, N12°22'52"W 96.86 feet to a computed point; thence, N26°15'35"W 152.93 feet to a computed point; thence, N22°50'50"W 96.79 feet to a computed point; thence, N57°46'34"W 82.83 feet to a computed point; thence, N26°15'35"W 152.93 feet to a computed point; thence, N20°50'50"W 96.79 feet to a computed point; thence, N26°15'35"W 152.93 feet to a computed point; thence, N20°50'50"W 96.79 feet to a computed point; thence, N20°50' N71°57'00"W 77.61 feet to a computed point; thence, N78°14'41"W 23.28 feet to a computed point; thence, N36'02'25"W 109.24 feet to a computed point; thence, N14°05'10"W 81.98 feet to a computed point; thence, N10'22'41"W 70.22 feet to a computed point; thence, N25°16'41"W 253.08 feet to a computed point; thence leaving said approximate centerline, N89°00'19"W 541.00± feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, N89°00'19"W 451.29 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, N89°00'19"W 83.37 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S11°40'22"E 321.57 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S27°11'36"E 680.67 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S10°43'30"W 383.28 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S located on the south line of Section 12, Twp. 29 N., R. 33 W., P.M.M.; thence, N89°34'06"E 237.41 feet to the point of beginning.

The aforedescribed Parcel A containing 35.18 acres more or less, and is subject to and together with all appurtenant easements of record.

DESCRIPTION OF PARCEL A


A tract of land near Libby, in Lincoln County Montana, lying in the S 1/2 of Section 12 of Twp. 29 N., R. 31 W., P.M.M., containing 3.18 acres more or less and more particularly described as follows:

Beginning at a 5/8 inch dia, rebar capped K.E.D. 4975-S which marks the southwest corner of Lot 5 of Libby Creek Ridge per Plat No. 6828; thence, N10°33'05"W 361.63 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, N30°10'49"W 614.73 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, N03°17'07"W 230.69 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, N21°44'26"W 189.99 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S which marks the northwest corner of said Lot 5; thence, N89°00'19"W 83.37 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S11°40'22"E 321.57 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S27°11'36"E 680.67 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S10°43'30"W 383.28 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S located on the south line of Section 12, Twp. 29 N., R. 33 W., P.M.M.; thence, N89°34'06"E 237.41 feet to the point of

CERTIFICATE OF ADJUSTMENT/ PURPOSE

I, South Libby LLC, the undersigned property owner, do hereby certify that the purpose of this survey is to relocate a common boundary between two adjoining lots within a platted subdivision; therefore this survey is exempt from review as a subdivision being completed pursuant to Section 76-3-207(1)(d) M.C.A.,

"for five or fewer lots within a platted subdivision, relocation of common boundaries and aggregation of lots;"



STATE OF MONTANA

County of Lincoln

tary Public, in and for the State of Montana, personally appeared Jack O. DeShazer, on to me to be the persons whose names are subscribed to the within instrument and owledged to me that they executed the same.


CERTIFICATE OF SURVEYOR

STATE OF MONTANA County of Lincoln

I Kenneth E. Davis, do hereby certify that I have performed the survey shown on the attached plat or that such a survey was performed under my direct supervision to my best knowledge and ability; that said survey is true and complete as shown and the manuments found and set occupy the position

5-1-2011

My Commission Expires



I hereby certify that all real property taxes and special assessments assessed and levied on the land to be divided have been naid. Dated this of day of OVENTE


CERTIFICATION OF EXAMINING LAND SURVEYOR:

Examined this 14 day of 504057 2008 A.D.

Ronald A. Pearson

Registered Land Surveyor No. 9008LS

STATE OF MONTANA **COUNTY OF LINCOLN**



1 inch = 200 ft.

LINCOLN COUNTY, MONTANA AN AMENDED PLAT OF: LIBBY HEALTH CENTER TRACTS LOT 4 A UTILITY SITE

NW 1/4 NE 1/4 SECTION 10, TWP.30N.,R.31W.,P.M.M., MONTANA

OWNER: CITY OF LIBBY


DATE: JULY 2001

DESCRIPTION OF LOT 4 A 1

An irregular tract of land located in Libby, in Lincoln County Montana, being in the NW 1/4 of NE 1/4 of Section 10, Twp.30N.,R31W.,P.M.M., containing 1.188 acres more of less and more particularly described as follows:

Beginning at a 5/8 inch dia. rebar capped: K.E.D., which bears \$86°06'21E 558.69 feet from a 3 1/4 inch dia. aluminum cap which marks the N 1/4 corner of Section 10, Twp.30N.,R31W., P.M.M.; thence, from the true Point of Beginning \$89°06'30E 414.00 feet to a 5/8 inch dia. rebar capped: K.E.D. 4975—S; thence, \$00°53'30"W 125.00 feet to a 5/8 inch dia. rebar capped: K.E.D. 4975—S; thence, N89°06'30"W 414.00 feet to a 5/8 inch dia. rebar capped: K.E.D. 4975—S; thence, N00°53'30"E 125.00 feet to the Point of Beginning.

The aforedescribed tract of land, Lot 4 A 1, containing 1.188 acres more or less and is subject to and together with all appurtenant easements of record and as shown hereon.



LEGEND

SET 5/8 INCH DIA. REBAR
WITH A 1 1/4 INCH DIA.
PLASTIC CAP STAMPED KED 4975-S

C 1/4


SET 5/8 INCH DIA. REBAR
WITH A 1 1/4 INCH DIA.
PLASTIC CAP STAMPED KED 4975-S

S10

FOUND 3 1/4 INCH DIAMETER ALUMINUM CAP

FOUND A 2 1/2 INCH DIAMETER BRASS CAP

RECORD AS PER PLAT NO. 5240



CERTIFICATION OF EXAMINING SURVEYOR:

REGISTRATION No. 41305

PURPOSE OF SURVEY/ EXEMPTION

the undersigned property owner(s), do hereby certify that the division of land in question is exempt from review pursuant to ARM 17.36.605, (2)(e) "Parcels where sanitation facilities will not be used, in which no structure requiring water or sewage disposal will be erected. Any change in land use subjects the division to the provisions of Title 76, chapter 4, part 1, MCA, and this chapter.", and pursuant to MCA 76-3-608 6 (a) "When a minor subdivision is proposed in an area where a growth policy has been adopted pursuant to chapter 1 and the proposed subdivision will comply with the growth policy, the subdivision is exempt from the review criteria contained in subsection (3)(a) but is subject to applicable zoning regulations."

EXAMINED AND APPROVED FOR CITY OF LIBBY BY:

PPROVED: Onthous J. Beget
MAYOR CITY OF LIBBY

STATE OF MONTANA

County of Lincoln
I, Kenneth E. Davis, a registered land surveyor do hereby certify that I have performed the survey shown on the attached plat or that such survey was performed under my supervision to my best knowledge and ability; that said survey is true and complete as shown and the monuments found and set occupy the position shown herear.

Dated to Tondo of Septene 1 2001 A.D.

RENNETH EL DAVIS

TREASURERACER SIFICATION

assessments assessed and levied on the land to be divided have been paid. Dated this 3 day of October 2001.

Meri Amulia by Janya R. Mehrhe-Deputy

Treasurer Lincoln County Montana

Reta of Wendow

STATE OF MONTANA
COUNTY OF LINCOLN

Filed on this 2 day of 2001 A.D. at 3:00
O'clock .m.

Okal M. Cumming by Jeanne Seums
County Clerk and Recorder

Deputy

Page 1 of 2

Dac* 156298 PLAT No. 6375

DAVIS SURVEYING INC.

TROY, MONTANA (406) 295-5441

DATE: 7/26/2001

DRAWN BY: pww FILE: T303110

CERTIFICATE OF DEDICATION

WE, STIMSON LUMBER COMPANY, THE UNDERSIGNED PROPERTY OWNERS, DO HEREBY CERTIFY THAT WE HAVE CAUSED TO BE SURVEYED, SUBDIVIDED AND PLATTED INTO LOTS AS SHOWN BY THE PLAT AND CERTIFICATE OF SURVEY HEREUNTO INCLUDED, THE FOLLOWING DESCRIBED TRACT OF LAND, TO-WIT:

LOTS 18, 19 AND 20, BLOCK &, AMENDED PLAT OF EAST LIBBY AND THOSE PORTIONS OF LOTS 4-7, BLOCK O, EAST LIBBY AND THE NORTHEAST 4, SECTION 10, TOWNSHIP 30 NORTH, RANGE 31 WEST, P.M., M., LINCOLN COUNTY, MONTANA DESCRIBED AS FOLLOWS: BEGINNING AT THE NORTHWEST CORNER OF LOT 4, BLOCK O, EAST LIBBY; THENCE ALONG THE EAST LINE OF THE ALLEY NORTH 25-46-50" EAST 8.65 FEET; THENCE SOUTH 87-03-126" EAST 330.22 FEET; THENCE SOUTH 0°57'19" WEST 558.40 FEET; THENCE NORTH 88°34'17" WEST 1103.63 FEET; THENCE NORTH 1002139" EAST 169.89 FEET TOTHE SOUTH LINE OF SPRUCE STREET; THENCE ALONG THE SOUTH LINE OF THE STREET SOUTH 89.06122" EAST 770.85 FEET TO THE EAST LINE OF SPRUCE STREET; THENCE ALONG THE EAST LINE OF SPRUCE STREET AND THE EAST LINE OF THE ALLEY NORTH 0045143" EAST 382. 17 FEET TO THE POINT OF BEGINNING CONTAINING AS A WHOLE 7.650 ACRES OF LAND ALL AS SHOWN HEREON. SUBJECT TO EASEMENTS AS SHOWN HEREON. SUBJECT TO EASEMENTS OF RECORD.

THE ABOVE DESCRIBED TRACT OF LAND IS TO BE KNOWN AND DESIGNATED AS LIBBY HEALTH CENTER TRACTS, LINCOLN COUNTY, MONTANA. WE CERTIFY THAT THIS DIVISION (LOT 4A) IS MADE FOR THE PURPOSE OF RELOCATING A COMMON BOUNDARY LINE BETWEEN LOTS WITHIN A PLATTED SUBDIVISION AND ADJOINING LAND OUTSIDE A PLATTED SUBDIVISION. A RESTRICTION OR REQUIREMENT ON THE ORIGINAL PLATTED LOT OR ORIGINAL UNPLATTED PARCEL CONTINUES TO APPLY TO THOSE AREAS PURSUANT TO SECTION 76-3-207 (1)(E). WE ALSO CERTIFY THAT THE PURPOSE OF THIS SURVEY (LOTS 18A AND 20A) IS TO RELOCATE COMMON BOUNDARIES BETWEEN EXISTING LOTS WITHIN A PLATTED SUBDIVISION, THAT FEWER THAN SIX LOTS ARE AFFECTED, AND THAT NO ADDITIONAL LOTS ARE HEREBY CREATED. THEREFORE, THIS SURVEY IS EXEMPT FROM REVIEW AS A SUBDIVISION PURSUANT TO SECTION 70-3-207(1)(0), MCA. WE ALSO CERTIFY THAT THE PURPOSE OF THIS DIVISION OF LANDIS TO ACTUER ADDITIONAL LAND TO BECOME PART OF A PARCEL THAT HAS NO SANITARY RESTRICTIONS IMPOSED ON IT. AND THAT NO DWEELING OR STRUCTURE REQUIRING WATER OR SEWAGE WILL BE ERECTED ON THE ADDITIONAL ACQUIRED PARCEL. THEREFORE, THIS DIVISION IS EXEMPT FROM REVIEW BY THE DEPARTMENT OF HEALTH AND ENVIRONMENTAL SCIENCES PURSUANT TO ARM 16.16.605(2)(A).

> STIMSON LUMBER COMPANY AN ORESON CORPORATION

ON THIS 15th day of December, 1994 BEFORE ME, THE UNDERSIGNED, A NOTARY PUBLIC FOR THE STATE AFORESAID, PERSONALLY APPEARED RONAL . Mendt KNOWN TO ME TO BE THE VICE PARSIDANT CFO OF STIMSON LUMBER COMPANY, WHOSE NAME IS

IN WITNESS WHEREOF. I have HEREUNTO SET MY HAND AND AFFIXED MY NOTARIAL SEAL THE DAY

OFFICIAL SEAL NANCIE JORGENSON NOTARY PUBLIC - OREGON COMMISSION NO.015094 MY COMMISSION EXPIRES JUNE 12, 1991

AND FIRST ABOVE WRITTEN.

MY COMMISSION EXPIRES

Marquardt Surveying, Inc.

285 1st AVE. E.N. KALISPELL, MONTANA 59901 PHONE (406) 755-6285

FINAL SUBDIVISION PLAT OF ibby Health Center Tracts

BEING AN AMENDED PLAT OF Portions of Lots 4-7, BLOCK 6, EAST LIBBY and LOTS 18,19 and 20, BLOCK 6, AMENDED PLAT OF EAST LIBBY SE 1/4, Sec. 3 and NE 1/4, Sec. 10, T30N R3IW, PM., M., Lincoln County, Montana

CERTIFICATE OF SURVEYOR

REGISTRATION No. 7328 S

FILED ON THE 3/ DAY OF diec. , 1994, A.D., AT 2:45 0'GLOCK P. M.

HEREBY CERTIFY THAT ALL REAL PROPERTY TAXES AND SPECIAL ASSESSMENTS ASSESSED AND LEVIED ON THE LAND TO BE DIVIDED HAVE BEEN PAID.


DATED THIS 21st DAY OF December, 1994


Meria Meller by Janua Melake - Deputy
TREASURER, LINCOLN COUNTY, MONTANA

NUTRUMENT RED. NO.

SHEET I OF 2 P.F. No.

STIMSON-LIBBY HEALTH CENTER





CERTIFICATE OF DEDIGATION.

State of Montana SS.

This is to certify that W. a. Helles and More B. Helles, his wife, have caused to be surveyed, platted and substituted into lots, blocks, attends avenues and alleys, as shown by the accompanying plat and corts/could of survey have unto annured, the following described tract is land to wel: beginning at a point from which the of section corner on the Merin side of Section 10. Township 30 Horth, Tange 31 Hast, M.P.M. bears North 1200 of and funning thance west 1046.0 ft. thence South 1620/1: thence East 8700/8 thence South 2910/8 thence East 1760/8. 1046.0 ps: thence south 162011, thence sont oppose thence your assort them and the though and object to place of beginning. The said tract of land to be known and designated as kibby Heights Addition to South Libby, Montana, and the lands included mall streets, avenues and alleys shown on said plat, are hereby granted and dedicated to the public foreser.

In Witness Where of , said W. Cl. Halles , and Hair B. Hilles , have here unto set their hands

Mane To Hillis. On this 7th day of June 1915, before me D. T. Toyle, a Holary Madic for the State of Montana, personally appeared W. a. Helles and Muse B. Helles, known to me to be the persons whose names are subscribed to the foregoing certificate of dedication, and aeknowledged to me that they executed the same.

In Witness Where of, I have hereunto set my hand and affixed my related seal, the day and year in this certificate had above written D. T. Doyle.

Motor lutic for the State of Mentana Kesiding at Libby, Minlana. My commission experes August 10 " 1915.

SURVEYORS CERTIFICATE.

State of Miontana.

County of Lincoln 55.

1. Paul ht Watt, a circlengineer and surveyor, do hereby certify that on May 25th and 1915, I made a careful and accurate survey of that trace of land embraced in the Libby the spile addition to South Libby, Montana as shown by the annexed plat. that said survey was made in conformily with Sections 3465 to 3418 of the revent Codes of Meriana.

Subscribed and swarn to before me, this 7th day of Jume, 1815.

Hotory Public for the State of Montana.

Residing at Libby, Montana The commission aspires Chequest 10th 1915.

State of Montana 5.5. We, Thut D. Pratt, T. P. Garey and John M. Noberls the Board of Commissioners of the County and State aforesaid, hereby certify that the annexed plat of Letby Heret's addition to South Libby, Montana, was examined and upproved by us on the 9th day of Jurie, 1915.

Uttes? Louis G Klenek

In Wetness Where of we have hereunte set our hands and affired the scale of sand known burdy
st...
Tout D. Hatt. charman.
F. T. Garey, commissioner
county dert.

County dert.

LIBBY, Original

FILED + 19-18

IF A - 19-19

IF A - 19-19

FIRED + 19-19

FIRED

CERTIFICATE . DEDICATION

I, Everette L. Reed. do hereby certify that I have caused to be surveyed subdivided and platted into lots, blocks, streets and allegs as shown by the plat and certificate of survey hereto annexed. the following described tracked land towit: Beginning at a point which bears South 44°29'40" E. 24270 ft from a monument placed at the confluence of Flour Creek with the Kootenus River, Running South 24°58'50" West 1320 ft, the new South 65°01'10" East 1320 ft house North 65°01'10" West 1320 ft. to place of begginning and continuing 40 acres to be known as Libby, Missoula County, Montana, and the land included in all streets and alleys hereon designated is hereby donated to the public use and herefit forever.

In lestimony whereof I have hereunto set my hand and seal in 10th day of Mch. 1892

Everette L. Hood

State of Montana ss.

County of Missoula

Be it known that on this 10th day of Mch. 1892 pursonally came latere me a notary public in and for Missoula County. Montana Everette L. Reed we anally known to me to be the same person who signed and sealed the territory plan and acknowledged the same to be his free act and dued and for the purposes there in expressed.

MB Hondricks
Notary Public in and for
Missoula County Montana

State of Montana }ss.

I, Daniel P. Mumbrue do solemnly swear that I made a careful survey of Libby Montana according to the provisions of the Act of Legislature approved March 14 1889 that the annexed plat is in strict accordance with such survey and that the widths of the streets and alleys are as thereon designated. Surveyed September 22nd to 30th 1891.

Daniel P. Mumbrue

Subscribed and sworn to before me this & day of March 1892

John E. Chifford

Notary Public in and for

Missoula County Montana.

State of Montana ss.

we, JEMarion A. Mittower and A.C. Sheldon Country Commissioners in and for the said Country of Missoula State of Montana de hereby certify that this Map or Plat of Libby was by us approved this 29th day of April AD 1892.

In witness whereof we have hereunto set our hands and the seal of said Missoula County this 29th day of April A.D. 1892.

JEMarion Ch. Bd. Co. Comrs.

J.C. Sheldon Co. Commissioner

J. Millower Co. Commissioner

State of Montana }ss.
County of Missoula }ss.

I certify that I received and filed this Instrument for Record on the 290 day of April 1892 at 11:15 o'clock A.M.

DD,Bogart County Recorder C.L.Evans Dep.

CERTIFICATE OF SURVEY "THE RETRACEMENT AND BOUNDARY LINE ADJUSTMENT & AGGREGATION OF" PURPOSE OF SURVEY AND OWNER'S EXEMPTION CERTIFICATION We, <u>Wayne and Shirley Hirst</u>, record owners, hereby certify that the purpose of survey and division of land is to relocate a common boundary between record parcels and is therefore exempt from LOTS 12 THRU 16, BLOCK 7, "LIBBY AMENDED" PLAT No. 2 subdivision review pursuant to MCA 76-3-207(1)(d)(f): divisions made "for five or fewer lots" within a platted subdivision, relocation of common boundaries and aggregation of parcels or lots when a certificate of survey or subdivision plat shows that the boundaries of the original parcels have been eliminated and the boundaries of a larger aggregate parcel are established. A restriction or requirement on the original platted lot or original unplatted parcel continues to apply SE1/4 NW1/4, SECTION 3, T.30N., R.31W., P.M., MT. FOR: WAYNE & SHIRLEY HIRST AUGUST 2013 to those areas." We further certify that Tracts A and B are exempt from review by the Department of Environmental Quality pursuant to ARM 17.36.605 Exclusions 2(c)(i)(ii): "A parcel that has facilities for water supply, wastewater disposal, storm drainage, or solid waste disposal that were not subjected to review, and have not been reviewed, under Title 76, chapter 4, part 1, LEGAL DESCRIPTION "TRACT A" A tract of land lying within the City of Libby, Montana, Lincoln County, and in the Southeast Quarter Northwest Quarter (SE1/4 NW1/4), Section 3, T.30N., R.31W., MCA, if (i) no new facilities will be constructed on the parcel and (ii) the division of land will not cause approved facilities to violate any conditions of approval, and will not cause exempt facilities P.M.,MT., and more particularly described as "Lots 12. 13. 14. 15. and 16, Block 7, Libby Amended, Plat 2". EXCLUDING the southerly thirty five feet (35') of said Lots, containing 0.258 acres. Subject to and together with all appurtenant easements of record. LEGAL DESCRIPTION "TRACT B" A tract of land lying within the City of Libby, Montana, Lincoln County, and in the Southeast Quarter Northwest Quarter (SE1/4 NW1/4), Section 3, T.30N., R.31W., **ACKNOWLEDGMENT** P.M.,MT., and more particularly described as the southerly thirty five feet (35') of Lots 12. 13. 14. 15. and 16, Block 7, Libby Amended, Plat 2". Containing 0.100 The foregoing Exemptions were subscribed and acknowledged before me by David Wayne & Shirley Hirst PLAT 2 BLOCK 23 BLOCK BLOCK 24 COS 2577 HISTORY OF SURVEYS 1891 - Plat No. 1, "Libby Original", Daniel P. Mumbrue 1897 - Plat No. 2, "Libby Amended", A. L. Jaqueth BLOCK 26 1908 — Plat No. 3, "Leonard Addition to Libby", Arthur B. Young 1909 — Plat No. 4, "Faust Addition to Libby", Henry E. Kuphal 1911 — Plat No. 5, "Lukens Addition to Libby", Paul D. Pratt 1951 — Plat No. 28, "Doaks Addition to Libby", Ira C. Miller, 402S _Ń25'05'03"E 80.34 BLOCK 5 > {N24*58'50"E 80'} 1988 - Plat No. 4511, "Retracement Plat, Block 9, Libby Original", Daniel Brien 1995 - Warranty Deed, Book 213, Page 832 creates south 25 feet of Lots: 12, 13, PLAT 2 BLOCK 25 14, 15, and 16 1997 - COS 2577, "Retracement, Block 3, Libby Original", James R. Staples, 9958LS 2010 - COS 3989, "Retracement, Block 8, Libby Amended", Alvah F. Hughes, 7322LS BLOCK 12 COUNTY TREASURER'S CERTIFICATION I hereby certify that all real property taxes and special assessments assessed and levied on the parcel shown hereon are paid pursuant to Section 76-3-207(3), M.C.A. PLAT 2 BLOCK 11 PLAT 2 Janey Trotter Diagrins by Jone Kinden, Clerk BLOCK 32 BASIS OF BEARING LAND SURVEYOR'S CERTIFICATION I hereby certify that I am a Registered Land Surveyor in the State of Montana, that the survey shown on this "Certificate of Survey" has been prepared under The basis of bearing for this survey is S65'01'10"E, as my supervision and in accordance with the Montana Code Annotated, Sections 76-3-101 through 76-3-625, and the Lincoln County shown on Plat No. 2; a monument at centerline intersection of Idaho Avenue Regulations adopted pursuant thereto. Wah 7- Hughes, 7322LS 12-06-2013 Alvah F. Hughes, PLS, 7322LS Date and 2nd Street, a 5/8 inch diameter uncapped rebar. and a monument at centerline intersection of Montana Avenue and 2nd BLOCK 15 **LEGEND** PLAT 28 Street, a railroad spike. BLOCK 3 A RAILROAD SPIKE **EXAMINING LAND SURVEYOR'S CERTIFICATION** A 5/8 INCH DIAMETER REBAR WITH PLASTIC CAP METHOD OF SURVEY PLAT 2 BLOCK 16 MARKED JHN 4661S A total station and a Trimble R8 GPS system was used with A 3/4 INCH DIAMETER STEEL ROD RTK radial procedures to tie the previously set controlling PLAT 3 A 5/8 INCH DIAMETER UNCAPPED REBAR Ronald A. Pearson, PLS 9008LS RETRACE EASTERLY LINE: corners and road alignments BLOCK 1 PLAT 3, BLOCK 8-11 Lincoln County Examining Land Surveyor by Mike Tester, July 2013 A 5/8 INCH DIAMETER REBAR WITH PLASTIC CAP PLAT 4, BLOCK 2-11 PLAT 5, BLOCK 1 MARKED 9958LS CLERK AND RECORDER'S CERTIFICATION 8 Tajq SET A 5/8 INCH DIAMETER REBAR WITH PLASTIC CAP BLOCK MARKED HUGHES 7322LS AN UNMARKED COMPUTED POINT - 10TH STREET S ---- ROAD CENTERLINE PROPERTY BOUNDARY GRAPHIC SCALE BLOCK LINES · · · · · DIMENSION LINE ---- PLAT EXTERIOR BOUNDARY ----- LOT LINES 200

1 inch = 200 feet

() PLAT 28 RECORD


PLAT 2 RECORD

PLATS 3, 4, AND 5 RECORD

NOTARY PUBLIC State of Mo Residing at Libi

CERTIFICATE OF SURVEY No. 4264 AL

June 20, 2



AMENDED PLAT "BOUNDARY LINE ADJUSTMENT AND LOT AGGREGATION" BLOCK 19, LOTS 5 - 11, LIBBY TOWNSITE AMENDED, PLAT No. 2 NW 1/4, SECTION 3, T.30N., R.31W., P.M., MT. LINCOLN COUNTY, MONTANA FOR: HABITAT FOR HUMANITY DATE: NOVEMBER 2010 PURPOSE OF SURVEY AND OWNER'S EXEMPTION CERTIFICATION TRUE POINT **LEGEND** I, Dan Thede, President for "Kootenai Valley Partners Habitat for Humanity", hereby certify that LOTS 7-A & 11-A the purpose of survey and division of land is to relocate a common boundary between record parcels and is therefore exempt from subdivision review pursuant to MCA 76-3-207(1)(a): divisions < > AMENDED PLAT No. 3648 RECORD A 5/8 INCH DIAMETER REBAR made outside of platted subdivisions for the purpose of relocating common boundary lines WITH PLASTIC CAP MARKED 7328 S between adjoining properties. We further certify that Lots "11A", 7A, and "5A" are exempt from { } AMENDED PLAT No. 3745 RECORD review by the Department of Environmental Quality pursuant to ARM 17.36.605 Exclusions 2(b): A 5/8 INCH DIAMETER UNCAPPED REBAR [] AMENDED PLAT No. 5826 RECORD "A parcel that has no existing facilities for water supply, wastewater disposal, and solid waste TRUE POINT NSIDE OF MONUMENT CASING disposal other than those that were previously approved by the reviewing authority or that were OF BEGINNING / / COS No. 3494 RECORD exempt from such review because (i) no new facilities will be constructed on the parcel and (ii) the ▲ A PK NAIL division of land will not cause approved facilities to violate any conditions of approval, and will BOUNDARY LINES N80°52'42''W 145.55' COLORADO L not cause exempt facilities to violate any condition of exemption." SET A RAILROAD SPIKE ---- OLD BOUNDARY LINE SET A 5/8 INCH DIAMETER REBAR ---- STREET CENTERLINE WITH PLASTIC CAP MARKED 7322LS Dan Thede, President STREET CURB EXTERIOR LINE O AN UNMARKED COMPUTED POINT ACKNOWLEDGMENT DIMENSION LINE The foregoing Exemption was subscribed and acknowledged before me a Notary Public britana LEGAL DESCRIPTION, AMENDED LOT 5A by the above named person(s), on this _____ day of _____ day of _____ 201(). A.D. A tract of land lying within the City of Libby, Montana, Lincoln County, and in the Northwest one-quarter, Section 3, T.30N., R.31W., P.M., MT., within Block 19, Libby In witness whereof, I have hereunto set my hand and affixed my notorial seal, AVENUE Townsite Amended Plat No. 2 and more particularly described as follows: Alley Commencing at the centerline intersection of First Street and Nevada Avenue, a 5/8 inch diameter uncapped rebar; Thence N80°52'42"W, 145.55 feet to set a 5/8 inch POINT FALLS ON diameter rebar with plastic cap marked Hughes, 7322LS being the TRUE POINT OF BEGINNING: MANHOLE COVER METHOD OF SURVEY Thence S24°59'48"W, 124.93 feet to the northerly limits of a 16 foot wide alley, set a 5/8 A total station with data collector with closed traverse procedures was used to tie previously inch diameter rebar with plastic cap marked Hughes, 7322LS; Thence along said limits N64°59'02"W, 54.99 feet, set a 5/8 inch diameter rebar with plastic cap marked Hughes, set controlling monuments by Josh Hilling, October 2010 7322LS; Thence N24°59'33"E, 124.98 feet to the southerly limits of First Street being 80 feet in width, set a 5/8 inch diameter rebar with plastic cap marked Hughes, 7322LS; BASIS OF BEARING Thence along said limits S64°55'39"E, 55.00 feet to the TRUE POINT OF BEGINNING, The basis of bearing for this survey is N25°00'03"E, as shown on Certificate of Survey 3494 between containing 0.158 acres. Subject to and together with all appurtenant easements of record. a PK nail and a 5/8 inch diameter rebar both laying along the centerline of Nevada Avenue between Second Street and First Street. N 65°02'25" W 344.93". SE_{COND} LEGAL DESCRIPTION. AMENDED LOT 7A HISTORY OF SURVEYS 1897 - Plat No. 2, Libby Townsite Amended, Abram L Jaqueth A tract of land lying within the City of Libby, Montana, Lincoln County, and in the Northwest one-quarter, STREET1980 - Plat No. 3648, Amended Libby Townsite, Jack H Ninneman, 4661S Section 3, T.30N., R.31W., P.M., MT., within Block 19, Libby Townsite Amended Plat No. 2 and more particularly 1981 - Plat No. 3745, Amended Libby Townsite, Melvin D Lauteren, 4232S 1997 - Plat No. 5826, Amended Libby Townsite, Dawn Marquardt, 7328S AVENUE 2006 - COS No. 3494, Retracement Block 18, Lots 6-7 Libby Townsite, Alvah F Hughes, 7322LS Commencing at the centerline intersection of First Street and Nevada Avenue, a 5/8 inch diameter uncapped rebar; Thence N80°52'42"W, 145.55 feet; Thence N64°55'39"W 275.00 feet to set a 5/8 inch diameter rebar with plastic cap marked Hughes, 7322LS being the TRUE POINT OF BEGINNING: Thence along southerly limits of First Street being 80 feet in width, S64°55'39"E, 55.00 feet, set a 5/8 inch LAND SURVEYOR'S CERTIFICATION diameter rebar with plastic cap marked Hughes, 7322LS; Thence S24°59'33"W, 124.98 feet to the northerly limits I hereby certify that I am a Registered Land Surveyor in the State of Montana, that the of a 16 foot wide alley, set a 5/8 inch diameter rebar with plastic cap marked Hughes, 7322LS; Thence along said limits N64°59'02"W, 54.99 feet, set a 5/8 inch diameter rebar with plastic cap marked Hughes, 7322LS; survey shown on this "Amended Plat" has been prepared under my supervision COLORADO and in accordance with the Montana Code Annotated, Sections 76-3-101 through Alley Thence N24°59'16"E, 125.03 feet to the TRUE POINT OF BEGINNING, containing 0.158 acres. 76-3,425, and the Lincoln County Regulations adopted pursuant thereto. Subject to and together with all appurtenant easements of record. HUGHES 7322 LS EXAMINING LAND SURVEYOR'S CERTIFICATION LEGAL DESCRIPTION, AMENDED LOT 11A Examined this 3 day of DECEMBER 01 O A.D. (VENUE A tract of land lying within the City of Libby, Montana, Lincoln County, and in the Northwest one-quarter, Section 3, T.30N., R.31W., P.M., MT., within Block 19, Libby Townsite Amended Plat No. 2 and more particularly described as follows: Ronald A. Pearson, PLS, 9008LS Lincoln County Examining Land Surveyor Commencing at the centerline intersection of First Street and Nevada Avenue, a 5/8 inch diameter uncapped rebar; Thence N80°52'42"W, 145.55 feet; Thence N64°55'39"W 275.00 feet to set a 5/8 inch diameter rebar with plastic cap marked Hughes, 7322LS being the TRUE POINT OF BEGINNING: COUNTY TREASURER'S CERTIFICATION Thence S24°59'16"W, 125.03 feet to the northerly limits of a 16 foot wide alley, set a 5/8 inch diameter rebar with plastic cap marked I hereby certify that all real property taxes and special assessments assessed and levied. Hughes, 7322LS; Thence along along said limits, N64°59'02"W, 65.00 feet, to the easterly limits of Colorado Avenue being 60 feet in N64°59'32" W 137.43' on the parcel shown hereon are paid pursuant to Section 76-3-207(3), M.C.A. width, set a 5/8 inch diameter rebar with plastic cap marked Hughes, 7322LS; Thence along said limits, N24°59'16"E, 125.10 feet to the southerly limits of First Street being 80 feet in width, set a 5/8 inch diameter rebar with plastic cap marked Hughes, 7322LS; Thence along said limits, S64°55'39"E, 65.00 feet to the TRUE POINT OF BEGINNING, containing 0.187 acres. Subject to and together with all appurtenant easements of record. CITY OF LIBBY. FINAL PLAT APPROVAL CERTIFICATION The City of Libby, Lincoln County, Montana, does hereby certify that it has examined this Plat of Amended Lots 5 thru 11, Libby Townsite Amended Plat No. 2, finding that it does meet the VICINITY DIAGRAM THIRDN64°59'34'W 314.84' NW1/4 SECTION 3 requirements of the State of Montana Statutes and the regulations of Lincoln County, and the City STREETof Libby, and therefore grants approval , 2018, A.D. Chairperson, Libby City Council GRAPHIC SCALE CLERK AND RECORDER'S CERTIFICATION State of Montana, County of Lincoln, filed this //9 day 1 inch = 60 feetPLAT NO. 707 Doc 23079

LIBBY, LINCOLN COUNTY, MONTANA AMENDED PLAT OF LIBBY ORIGINAL TOWNSITE


PURPOSE OF SURVEY: DELINEATE WOOD OWNERSHIP IN SOUTHEASTERLY CORNER OF BLOCK 22 LIBBY ORIGINAL TOWNSITE (RETRACEMENT)

IN THE NW 1/4, SECTION 3, T30N, R31 W, PMM.

FOR GENE VALIGHN


OWNER: GEORGE AND MADONNA WOOD

OCT., 1980



Carried a Contact of Carried Control October 1000 in proved to 1.8 12 to my of November, 1900 in. ٠٠٠ م ١٠٥٠ : نشه ۷ نام د د د Carrier of Crank Reconstruction Diate of Montham, County of Lincoln, filed this 26 day of November,

AMENDED PLAT NO 3687



affidavit PJ# 3779 4/1/81

Lexact patter

LINCOLN COUNTY, MONTANA

Amended Plat of

LOTS 6,7,8 AND 9 OF BLOCK 23 OF LIBBY ORIGINAL IN THE NW 1/4 SECTION 3 TWP. 30 N., R. 31 W., P.M.M. SEPTEMBER, 1980

DESCRIPTION PARCEL "A"

A rectangular tract of land in Libby in Lincoln County, Montana, being Lots 6,7,8 and the northeasterly 8.00 feet of Lot 9 all of Block 23 of Libby Original (a recorded subdivision in Lincoln County, Montana), lying wholly within the NW2 of Section 3 Twp. 30 N., R. 31 W., P.M.M., containing 0.1953 acre, more or less, and more particularly described as follows:

Beginning at the northeasterly corner of Lot 6 of Block 23 of Libby Original (a recorded subdivision in Lincoln County, Montana) in the NW2 of Section 3 Twp. 30 N., R. 31 W., P.M.M.; thence, along the southeasterly line of Lots 6,7,8 and 9 of Block 23 of said Libby Original, S 24059'00" W 67.00 feet; thence, parallel with the northeasterly line of Lot 9 of said Block 23 and 8.00 feet distant therefrom measured at right angles, N 65001'00" W 127.00 feet to a point on the northwesterly line of said Lot 9; thence, along the northwesterly line of Lots 6,7,8 and 9 of said Block 23, N 249 59 00 E 67.00 feet to the northwesterly corner of said Lot 6; thence, along the northeasterly line of said Lot 6, S 65001'00" E 127.00 feet to the point of beginning.

EXEMPTION CERTIFICATE / PURPOSE FOR SURVEY

We, H. Daniel and Kathryn I. Emerson, owners of real property delineated hereon, do hereby certify that the purpose of this survey is to relocate common boundaries of existing lots in a platted subdivision as delineated hereon, fewer than six lots are affected, and no additional lots are hereby created; therefore, this survey is exempt from review as a subdivision pursuant to Section 76-3-207(e), M.C.A. We hereby certify that the purpose for this division of land is to correct errors in construction where a sidewalk encroaches on neighboring

of land is to correct errors in construction where a sidewalk encroaches on neighboring property, therefore, this division of land is exempt from review by the Department of Health and Environmental Sciences pursuant to ARM 16-214(10)-S 14340(13)(f)(ii).

Date: 9/30/80

H. Daniel Emerson

Kathryn I. Emerson

State of Montana)

County of Lincoln)

The foregoing Exemption Certificate was subscribed and sworn to before me this 30 th day of September, 1980.

Botary Public in and for the State of Montana. Residing at Liber My Commission Expires: 4/3/8

BASIS FOR BEARINGS

Bearings were based upon City of Libby Datum, record bearings on Second and Third Streets being S 6501'00" E and on Nevada and Idaho Avenues being N 24059'00" E.

- Found 5/8" X 24" Steel Hod with Yellow Cap stamped J.R.M.4661 S.
- ⊙ Set 5/8" X 24" Steel Rod with Yellow Cap stamped: J.H.N.4661 S.

Colonial Arms Toumhouse 2245.40 Sq. Pt. (0.0515 Acre) Common Grounds 6263.60 Sq. Pt. (0.1438 Acre) TOTAL PARCEL "A" 8509.00 Sq. Ft. (0.1953 Acre)




APPROVED: In On 1/20/50
Mayer of Libby, Montana
APPROVED: 9/25/80 South
Examining Land Surveyor
Registration No.41/4-S
Chairman Board of Commissioners
ATTESTED: Ellenor of laugh
County Clerk and Recorder
Dated this 30 th day of Sept 1980


State of Montana

		MONTAN		-		LINCOLN
Filed	ол	this_3	day 30 o'clock	of deptes	nde	0,1980
		p1_//:=	30 o'clock	A.M.	p	•
	,	Elean	us S.	Vaint	/ 	1
		County	Clery and	Recorder		
by		Beth	- Beec	,		
			D	eputy		

Amended Plat No. 3648



ļ						PLAT NO
	COUNTY COMMISSIONER	CERTIFICATE OF RECORDER	DATE: 1-27-95	NW1/4	SURVEYOR'S CERTIFICATE	
		Flood for record this 9 4 day of 1995 at	JOB NO. M9425	SECTION 3	I, James R. Staples, do hereby certify that this Certificate of Survey has been prepared in	J.R.S. SURVEYING, INC.
	Chairman, Lincoln County Commissioners 2-9-95 Date	o'clock P.M.	DWN. BY: SEV-J	TOWNSHIP T30N	canformance to the Montana Subdivision & Platting Act (Sections 76–3–101 through 76–3–614 M.C.A.) and the regulations adopted pursuant thereto and	P.O. BOX 1050
	One of the country community of the country community and country community	Lincoln County Recorder		RANGE R31W	that the map shown hereon is a true representation of a survey made by me.	317 MINERAL AVENUE
	But Buckey) 2-9-85	By Grannie Dennie	REVISION ONE	PRINCIPAL MERIDIAN MT	Jame R. Stept 2.9.95	LIBBY, MONTANA 59923
l	Checked by Date	Deputy	SHEET 1 OF 1	LINCOLN COUNTY	James R. Staples, 9958LS Date SURV	(406) 293-5059



LINCOLN COUNTY, MONTANA

Amended Plat of

LOTS 20, 21 AND 22 OF BLOCK 25 OF THE ORIGINAL TOWNSITE OF LIBBY

> IN THE NW/4 OF SECTION 3 OF TWP. 30 N., R. 31 W., P.M.M. SEPTEMBER, 1980



SCALE



NINNEMAN ENGINEERING TROY, MONTANA

County Clerk and Recorder County Clerk and Recorder Dated this 30 day of Supt

Amended Plat No. 3653

AMENDED PLAT OF LOTS 3,4,5,6 ? OF BLOCK 25 OF THE LIBBY ORIGINAL TOWNSITE

IN THE NW /4 OF SECTION 3 TWP. 30 N., R. 31 W., P.M.M.

FOR: WILLIAM S. E CAROL J. CRISMORE

DATE: JULY, 1984

DESCRIPTION PARCEL "A" A tract of land in Libby in Lincoln County, Contana, being Lot 3, Lot 4 and the Northeasterly 1/2 of Lot 5 all of block 25 of the Libby Uriginal Townsite (a recorded subdivision in Lincoln County, montana), lying in the Nul, 4 of Section 3 Tup. 30 N., a. 31 a., r.r.., containing 0.182 acre, more or less, and more particularly as shown hereon.

A tract of land in Libby in Lincoln County, Lontana, being Lot 7, Lot 6 and the Southwesterly 1/2 of Lot 5 all of Block 25 of the Libby Original Townsite (a recorded subdivision in Lincoln County, Montana), lying in the NW1/4 of Section 3 Twp. 30 N., E. 31 A., f., containing 0.182 acre, more or less, and more particularly as shown hereon.

PULLPOSE OF OUR VEY/ SALEMPTION CERTIFICATION we hereby certify that the purpose of this survey is to aggregate existing lots in a platted subdivision, fewer than six lots are affected, and no additional lots are hereby created; therefore, this survey is exempt from review as a subdivision pursuant to Dection 76-3-207(e), A.C.A. we further certify that the purpose of this division of land is to aggregate existing lots, fewer than six (o) lots are affected, and the lots are currently served by rublic water and sewer; therefore, this survey is exempt from review by the Department of health and Environmental Sciences pursuant to Ann 10-2.14(10)-514340 Sub-

Chapter 6 exclusions lo.10.005(2)(e).

uate: 8-8-/98-/

STATE OF MONTANA. COUNTY OF LINCOLM.

On this day of Queun, 1984 A.D., before me, a Notary Public in and for the State of Montana, personally appeared William J. and Carol J. Orismore, known to me to be the persons whose names are subscribed to the within instrument, and acknowledged to me that they executed the same.

PRR FVD

() Record per Libby Original Townsite and P.F. Flat No. 3653 Record per F.F. Plat No.s 3919 and 3929

⊕ Found la inch dia. Hailroad Spike

- Found 21 inch dia. Brass Capped Fonument
- Found 5/8 inch dia. Kebar
- Found 5/8 inch dia. Rebar capped: Jhn 4661 5
- (A) Found 5/3 inch dia. Rebar capped: JHN 46613 inside Monument Casing
- Found 5/8 inch dia. Rebar capped: MDL 42325
- O round "A" chiselled in concrete walk O Set 5/8 inch dia. x 24 inch long Rebar
- with yellow PVC Plastic Cap stamped: FDL 4232 S


AFFROVED:	This day of	, 1984 A.D.
APPROVED:	Examining Land Surveyor Morey Chairman, Lincoln County, Mon	Registration No.
CERTIFICAT	/	

STATE OF MONTANA. COUNTY OF LINCOLN.

_, 1984 A.D. at 3/20 C'clock P.M. day of Chia. bunty Clerk and Recorder

APPROVED: City of Libby, Montana

P.F. PLAT No. 4/60



Amended Plat of

LIBBY ORIGINAL LOTS I-5 OF BLOCK 26 IN THE NW 1/4 OF SECTION 3 TWP. 30N., R. 31 W., M.P.M.

JANUARY, 1980

DESCRIPTION "A"

A rectangular tract of land in Libby in Lincoln County, Montana, being Lots 1 and 2 and the northeast 1/2 of Lot 3 all of Block 26 of the Libby Original (a recorded subdivision in Lincoln County, Montana), lying wholly within the NW4 of Section 3 Twp. 30 N., R.31 W., M.P.M., containing 0.182 acre, more or less, and more particularly described as follows: beginning at the northeast corner of Lot 1 of Block 26 of the Libby Original(a recorded subdivision in Lincoln County, Montana) in the NW4 of Section 3 Twp. 30 N., R. 31 W., M.P.W.; thence, along the northeast line of said Lot 1, N 65001 W 127.00 feet to the northwest corner thereof; thence, along the northwest line of the southeast half of said Block 26, S 21,059 W 62.50 feet to the mid-point of the northwest line of Lot 3 of said Block 26; thence, parallel with the northeast line of said Block 26 and 62,50 feet distant therefrom measured at right angles. S 65001 h 127.00 feet to the mid-point of the southeast line of said Lot 3; thence, along the southeast line of said Block 26, N 24059 & 62.50 feet to the point of beginning.

DESCRIPTION "B"

A rectangular tract of land in Libby in Lincoln County, Montana, being the southwest half of Lot 3 and Lots 4 and 5 all of Block 26 of the Libby Original (a recorded subdivision in Lincoln County, Montana), lying wholly within the NW4 of Section 3 Twp. 30 N., R. 31 W., M.P.M., containing 0.182 acre, more or less, and more particularly described as follows:

Leginning at the southeast corner of Lot 5 of Plock 26 of the Libby Original (a recorded subdivision in Lincoln County, Montane) in the NW2 of Section 3 Twp. 30 N., R. 31 W., M.P.M .: thence, along the southeast line of said Block 26, N 24059 E 62.50 feet to the mid-point of the southeast line of Lot 3 of said Block 26; thence, parallel with the southwest line of said Lot 5 and 62.50 feet distant therefrom measured at right angles, N 65001 W 127.00 feet to the mid-point of the northwest line of said lot 3; thence, along the northwest line of the southeast half of said Block 26, S 2L⁰59' W 62.50 feet to the southwest corner of said Lot 5; thence, along the southwest line of said Lot 5, S 65°01' E 127.00 feet to the point of beginning.

PURPOSE FOR SURVEY

To amend Lots 1 through 5 of Block 26 of the Libby Original, enlarging the Lot sizes by aggregating two and one half Lots in each case as shown hereon to become "A" and "E".

BASIS FOR BEARING

bearings were based on the bearing of the centerline of Idaho Avenue reported to bear N 24°59'E and retraced as shown hereon.

- Set 5/8" X 24" Steel and with Yellow Cap Stamped: J.H.N. 4661 S.
-) Record per Libby Original

"X" IN CONCRETE WALK ADJACENT TO SWIMMING

EXEMPTION CERTIFICATE

I, Margaret Redfield, being the owner of lots shown hereon, do hereby certify that this amendment of 5 lots is exempt from review as a subdivision pursuant to Section 11-3862 (6), R.C.M., 1947. This boundary change for the purpose of aggregating Lots (5 or fewer) in a platted subdivision when the Lots are presently served by public water and sewer is also exempt from sanitary review pursuant to ARM 16-2.14(10)-S14340 SUBDIVISIONS Section (13)(f)(v).

1-25-10 Date: State of Montane) ACKNOWLEDGEMENT County of Lincoln) FENCE ENCROACHMENT TAPERS The foregoing Exemption Certificate was subscribed and FROM 0.4 FOOT AT THE SE sworn to before me this 25 day of ______, 1980. CORNER OF TRACT "B" TO O.I FOOT AT THE SW CORNER Notary Public in and for the State of Montana, STATE OF MONTANA COUNTY OF LINCOLN 014:05 O'clock Pin

ATTESTED:

Dated this 30 day of January 1980

Amended

Deputy

Plat No. <u>35外</u>

MONUMENT IN MONUMENT CASE INTERSECTS & OF SECOND ST. AND LAHO AVE. 1887 13 0.182AC RECFIELD ે6 IDAHO POINT NOTE: ORIGINAL SCALE


NINNEMAN ENGINEERING TROY, MONTANA


Jack W. Dinneman


	03			a g	3/			AMENDED PLAT OF
17	16	15	14	13	12			ORIGINAL TOWNSITE
25'	25	25	25'	25'	25	30	30'	THE NORTHEASTERLY HALF OF
	2	7	N24°59)'E	. /2	3 .,		LOT 3 OF BLOCK 27
25	25	25	12.50	25	25	0° 59 N		MAY, 1977
De Mars 9	Poon A O	4	25. 0.036 Acre (C) Wood (27.00.12) Second (27.00.1	Z Z S65.01'E G Wood (27.00' N	1 poom	JO NATE OF THE PARTY OF THE PAR	STREET	A rectangular tract of land in Libby in Lincoln County, Montana, being the northeasterly half of Lot of Block 27 of the Original Townsite of Libby (a recorded subdivision of Lincoln County, Montana), containg 0.036 acre, more or less, and more particularly described as follows: Beginning at the northeast corner of Lot 3 of Block 27 of the Original Townsite of Libby (a recorde subdivision of Lincoln County, Montana); thence, along the southeasterly line of said Lot 3, S 24°59′ W 12.50 feet thence, leaving said southeasterly line, parallel to the northeasterly line of said Lot 3, S 12°59′ W 12.50 feet thence, along said northwesterly line, N 24°59′ E 12.50 feet to the northeasterly line of said Lot 3; thence, along said northwesterly line, N 24°59′ E 12.50 feet to the northeasterly line of said Lot 3; thence, along said northwesterly line, N 24°59′ E 12.50 feet to the northeasterly line of said Lot 3; thence, along said northwesterly line, N 24°59′ E 12.50 feet to the point of beginning. EXEMPTION CERTIFICATE As a boundary adjustment or consolidation of adjoining parcels, this narcel shall not be considered separate parcel of land pursuant to Section 11-3862 (6) (a), R.C.M. (Revised) and is therefore exempt from review under Occasional Sale provisions, and this parcel of land is also exempt under MAC 16-2.14 (10) - S 14340 SUBDIVISIONS, Section (12) Subsection (d) subsection (d) from sanitary review. Date: Basis of Bearings Bearings were based on the bearing of Nevada Avenue reported to bear N 24°59′ E in City of Libby Dat Puncle S. Wood BASIS OF BEARINGS Bearings were based on the bearing of Nevada Avenue reported to bear N 24°59′ E in City of Libby Dat Puncle S. Wood EXEMPTICATE OF SURVEYOR I, Jack H. Ninneman, a duly qualified and licensed Land Surveyor of the State of Montana, do hereby certify that the survey as shown hereon of the northeasterly half of Lot 3 of Block 27 of the Original Townsite of Libby (a recorded subdivision of Lincoln County, Montana) was made under my supervision in May, 1977
*		N E V		Z.	BOINT (OF BEGIN	NING	20 10 0Feet 20 40 60 80 100 120
707			NUE	-	*	•		NINNEMAN ENGINEERING TROY, MONTANA STATE OF MONTANA COUNTY OF LINCOLN Filed on this 18 day of May 19 77 Examining Land Surveyor Registration No. 41325 APPROVED: Chairman Board of Commissioners ATTESTED: Chairman Source County Clerk and Recorder by Deputy Deputy

PLAT #2862


1







CERTIFICATE OF SURVEY "RETRACEMENT" LOTS 6-11, BLOCK 8, LIBBY ORIGINAL TOWNSITE, PLAT NO. 2 NW1/4, SECTION 3, T.30N., R.31W., P.M., MT. LINCOLN COUNTY, MONTANA DATE: FEBRUARY, 2010 FOR: CARD CLINIC LEGEND FOUND RAILROAD SPIKE PURPOSE OF SURVEY CONCRETE NAIL WITH BRASS DISK The purpose of this survey is the retracement of record parcels of land and reestablish lost or obliterated corners. Therefore, no division of land is hereby created and is exempt from review as a subdivision 5/8 INCH DIAMETER REBAR NO CAP pursuant to Section 76-3-404 MCA. 5/8 INCH DIAMETER REBAR WITH PLASTIC CAP MARKED 7681S 5/8 INCH DIAMETER REBAR WITH METHOD OF SURVEY NO CAP IN MONUMENT CASING A total station and data collector were used with closed traverse procedures to tie previously set 5/8 INCH DIAMETER REBAR WITH PLASTIC CAP MARKED 4661S IN MONUMENT CASING controlling corners, November, 2009 by Doug Schuhknecht. \mathbf{C} 5/8 INCH DIAMETER REBAR WITH METAL CAP MARKED MDOT 4740S SET 5/8 INCH DIAMETER REBAR WITH BASIS OF BEARING 0 PLASTIC CAP MARKED HUGHES 7322LS The basis of bearing for this survey is N24°58'50"E, between found 5/8 inch diameter rebar monuments UNMARKED COMPUTED POINT per Plat No. 2, Libby Original Townsite, Lincoln County Records. MONTANA AVENUE RECORD, PLAT No. 2 LOT BOUNDARY STREET CENTERLINE HISTORY OF SURVEYS 1897 - Plat No. 2, Amended Libby Original Townsite, A.L. Jaqueth DIMENSION LINE 1982 - Plat No. 3919, Amended Blocks 2, 3 Doaks Addition, M.D. Lauteren, 4232S 1988 - Plat No. 4511, Amended Block 9, Libby Original Townsite, D. Brien, 7681S 1993 - Plat No. 4982, Amended Block 2, Doaks Addition, R. Goacher, 7318S LEGAL DESCRIPTION An irregular tract of land lying within the City of Libby, Montana, Lincoln County and in the SE1/4 NW1/4, Section 3, T30N., R31W., P.M.,MT., and being "Lots 6, 7, 8, 9, 10 and 11, Block 8, Libby Original Townsite", all containing 0.391 acres. Subject to and together with all appurtenant easements of record. N 65°01'05" W 127.00' LAND SURVEYOR'S CERTIFICATION I hereby certify that I am a Registered Land Surveyor in the State of Montana, that the survey shown on this Certificate of Survey has been prepared under my supervision and in accordance with the Montana Code Annotated, Sections 76-3-101 through 76-3-625, and the Lincoln County Regulations adopted pursuant thereto. Jughes 132211 02-05-2010 Alvah F. Hughes, PLS, 7322LS N 65°00'58" W (N 65°01'10" W 2730.70' 2730.00') **EXAMINING LAND SURVEYOR'S CERTIFICATION** STREET Examined this D day of FEBRULES Ronald A. Pearson, PLS, 9008LS ~ Lincoln County Examining Land Surveyor BLOCK **CLERK AND RECORDER'S CERTIFICATION** State of Montana, County of Lincoln, filed this 12 day of 12 or A.D. at 3:10 o'clock Lincoln County Clerk & Recorder GRAPHIC SCALE CERTIFICATE OF SURVEY NO. 2989 (IN FEET) 1 inch = 40 ft.



DEDICATION:

I, ALICE J. MUNRO, DO HEREBY CERTIFY THAT I HAVE CAUSED TO BE SURVEYED, SUBDIVIDED AND PLATTED INTO LOTS, BLOCKS, STREETS AND ALLEYS, AS SHOWN BY THE PLAT HERETO ANNEXED. THE FOLLOWING DESCRIBED LAND IN LINCOLN COUNTY, MONTANA, TO WIT

A TRACT OF LAND LOCATED WITHIN GOVERNMENT LOT NO 4, SECTION 2, TOWNSHIP 30 NORTH, RANGE 31 WEST. PRINCIPAL MERIDIAN, MONTANA, MORE PARTICULARLY DESCRIBED AS FOLLOWS

COMMENCING AT THE CORNER COMMON TO SECTIONS 2 AND 3. T. 30 N. R. 31 W. P.M.M. AND SECTIONS 34 AND 35. T. 31 N. R. 31 W. P.M.M. AS SET BY THE BLM IN 1962. THENCE N. 89' 41' E. 300.0 FT. ALONG THE SECTION LINE COMMON TO SAID SECTIONS 2 AND 35. TO A BENT BATHEY 'T' IRON MONUMENT MARKING THE CORNER OF THE PARENT TRACT AS SET BY IRA C. MILLER. LINCOLN COUNTY SURVEYOR. IN MARCH OF 1948 AND THE POINT BEGINNING THAT CERTAIN BOUNDARY AGREEMENT RECORDED IN BOOK 154. PAGE 222: THENCE S. 45' 19' E. 11.3 FT ALONG SAID BOUNDARY AGREEMENT. THENCE S. 00' 19' E. 322.0 FT. ALONG SAID BOUNDARY AGREEMENT. THENCE S. 89' 41' W. 308.0 FT. ALONG SAID BOUNDARY AGREEMENT TO A BATHEY 'T' IRON MONUMENT MARKING A POINT ON THE SECTION LINE COMMON TO SAID SECTIONS 2 AND 3 AS SET BY IRA C. MILLER IN MARCH OF 1948 AND THE THE TERMINUS OF THAT SAID BOUNDARY AGREEMENT: THENCE N. 00' 19' W. 330.0 FT. ALONG SAID SECTION LINE TO THE POINT OF COMMENCMENT, CONTAINING 2.33 ACRES. MORE OR LESS, BEING SURVEYED AND MONUMENTED ACCORDING TO THIS ATTACHED PLAT, SUBJECT TO EASEMENTS AND RESTRICTIONS OF RECORD

THE ABOVE DESCRIBED TRACT IS TO BE KNOWN AND DESIGNATED AS LIBBY SKY RANCH. AND THE EASEMENTS SHOWN ARE NOT GRANTED TO PUBLIC USE.


ACKNOWLEDGEMENT

STATE OF MONTANA COUNTY OF LINCOLN

ON THIS 26" DAY OF JOYNESSE, 1990, BEFORE ME. THE UNDERSIGNED, A NOTARY PUBLIC FOR THE STATE OF MONTANA, PERSONALLY APPEARED ALICE J. MUNRO, KNOWN TO ME TO BE THE PERSON THAT EXECUTED THE WITHIN INSTRUMENT AND ACKNOWLEDGED TO ME THAT SHE EXECUTED THE SAME.

IN WITNESS WHEREOF, I HAVE HEREUNTO SET MY HAND AND AFFIXED MY OFFICIAL SEAL THE DAY AND YEAR FIRST ABOVE WRITTEN

NOTARY PUBLIC FOR THE STATE OF MONTANA RESIDING AT LIBBY, MONTANA MY COMMISSION EXPIRES ON



STATE OF MONTANA COUNTY OF LINCOLN

I, GORDON E. SORENSON, A REGISTERED LAND SURVEYOR AND PROFESSIONAL ENGINEER DO HEREBY CERTIFY THAT I HAVE PERFORMED THE SURVEY SHOWN ON THE ATTACHED PLAT OF LIBBY SKY RANCH; THAT SUCH SURVEY WAS MADE DURING DECEMBER 1989 AND JANUARY 1990; THAT SAID SURVEY IS TRUE AND COMPLETE AS SHOWN AND THAT THE MONUMENTS FOUND AND SET ARE OF THE CHARACTER AND OCCUPY THE POSITIONS SHOWN THEREON.

DATED THIS 18TH DAY OF JANUARY, 1990

GORDON E. SORENSON, LAND SURVEYOR MONTANA REGISTRATION NO. 2345ES 2610 GUNSIGHT COURT MISSOULA, MONTANA 59801



CERTIFICATE OF COUNTY TREASURER:

I HEREBY CERTIFY, PURSUANT TO SECTION 76-3-611(1)(b), MCA, THAT NO REAL PROPERTY TAXES ASSESSED AND LEVIED ON THE LAND DESCRIBED HEREIN AND ENCOMPASSED BY THE PROPOSED LIBBY SKY RANCH SUBDIVISION ARE DELINQUENT

DATED THIS ______ DAY OF __

TREASURER, LINCOLN COUNTY, MONTANA

CERTIFICATE OF APPROVAL:

THE COUNTY COMMISSION OF LINCOLN COUNTY, MONTANA DOES HEREBY CERTIFY THAT IT HAS EXAMINED THIS SUBDIVISION PLAT AND HAVING FOUND THE SAME TO CONFORM TO LAW, APPROVES IT. AND HEREBY ACCEPTS THE GRANTING TO PUBLIC USE ANY AND ALL EASEMENTS GRANTED TO SUCH USE.

DATED THIS 10th DAY OF October 1990

COUNTY COMMISSIONERS IN AND FOR LINCOLN COUNTY, MONTANA

CERTIFICATE OF COUNTY CLERK AND RECORDER:

STATE OF MONTANA COUNTY OF LINCOLN

FILED THIS /th DAY OF OCTOBED 1999, AT 8:35 O'CLOCK A M

CLERK AND RECORDER, LINCOLN COUNTY, MONTANA DEPUTY


SHEET 2 of 2

Plat # 4694



LIBBY SKY RANCH

A SUBDIVISION IN THE COUNTY OF LINCOLN, MONTANA LOCATED IN GOV'T. LOT 4, SECTION 2, T 30 N, R 31 W, PRINCIPAL MERIDIAN MONTANA



LEGEND

A = 1" REBAR, RLONG SIDE A BRITHEY "T" MONUMENT, found

⊙ • 1" REBAR, found

□ = BATHEY "T" MONUMENT. found

= 1/2" REBAR, with yellow cap, set ...

● - BLM BRASS CAP, set in 1962, found

R-1= RECORD FROM IRA MILLER SURVEY, MARCH, 1948

R-2= RECORD FROM BOUNDRRY AGREEMENT EXHIBIT, BK 154, PG 222

SURVEY PERFORMED FOR ALICE J. MUHRO

ı	IOUSE ADDRESSES		AREAS
LOT *	STREET	HO.	SOUARE FEET
·1	AIRSTAIP ROAD	1325	20,070
2	AIRSTRIP ROAD	1513	21,062
3	AIRSTRIP ROAD	1609	20,176
4	AIRSTRIP ROAD .	1705	20,272
5	AIRSTRIP ROAD	1711	20,028
	TOTAL LO	T AREA	101,608
	TOTAL PL	AT AREA	101,608

1/4	SEC	Ī	A
	2	30N	314

Dlat #4694

CERTIFICATE OF SURVEY


"BOUNDARY LINE ADJUSTMENT"

COS No. 381, TRACT C, COS No. 2150, PARCEL 1A, COS No. 4807RB SW1/4 NE1/4, SECTION 4, T.31N., R.31W., P.M., MT., LINCOLN COUNTY, MT. FOR: TORGISON PROPERTIES, LLC DATE: APRIL, 2022 J.B. WAGES TESTAMENTARY RESIDUARY TRUST

GRAPHIC SCALE


FEET






LEGEND

- FOUND 5/8 INCH DIAMETER REBAR WITH PLASTIC CAP MARKED KED, 4975S
- FOUND 5/8 INCH DIAMETER REBAR WITH PLASTIC CAP MARKED MDL, 4232S
- FOUND 5/8 INCH DIAMETER REBAR WITH PLASTIC CAP MARKED JHN, 4661S
- ⊗ FOUND 5/8 INCH DIAMETER UNCAPPED REBAR
- RAILROAD SPIKE
- SET 5/8 INCH DIAMETER REBAR WITH PLASTIC CAP MARKED SANDERSON 70400LS
- COMPUTED POINT
- NEW BOUNDARY LINE ADJOINING BOUNDARIES
- --- SECTION SUBDIVISION LINE
- --- HIGHWAY CENTERLINE
- --- EASEMENT LIMITS - OLD BOUNDARY LINE
 - () PLAT No. 4397RB, RECORD
 - [] PLAT No. 7152, RECORD





1976 - COS No. 381, Occasional Sale, J.W. Ninneman, 534ES 1993 - COS No. 2150, Boundary Adjustment, Kenneth E. Davis, 4975S 2021 - COS No. 4807RB, Boundary Adjustment, Kenneth E. Davis, 4975S

The basis of bearing for this survey is S00°05'31"E, derived from Survey Grade GPS system calibrated to local control between the Southwest Section corner, Section 30 and a 3/4 inch diameter uncapped rebar lying on the south right-of way limit of Montana Highway No. 37. Angular variation between this survey and Plat No

A Trimble R10 GNSS GPS system was used with RTK radial procedures to tie the previously set controlling corners and road alignments by Eric Stafford and Brendan Hunter, September, 2021.

> CHELSEA SANDERSON NOTARY PUBLIC for the State of Montana Residing at Libby, Montana My Commission Expires August 05, 2024

SHARLENE DELANEY MMISSION NO. 2732 NOTARY PUBLIC STATE OF IDAHO

PURPOSE OF SURVEY AND OWNER'S EXEMPTION

We, Torgison Properties, LLC and W.B. Wages Testamentary Residuary Trust, record owners, hereby certify that the purpose of this survey and division of land is the relocation of common boundaries pursuant to MCA 76-3-207(1)(a) divisions made outside of platted subdivisions for the purpose of relocating common boundary lines between adjoining properties. Furthermore, Parcels A, B, C and 1A1 are excluded from sanitation review by the Department of Environmental Quality pursuant to ARM 17.36.605(2)(c) a parcel that will be affected by a proposed boundary line adjustment, if the parcel has existing facilities for water supply, wastewater disposal, storm drainage, or solid waste disposal that were not subject to review, and have not been reviewed, under Title 76, chapter 4, part 1, MCA, and if: (i) no facilities, other than those in existence prior to the boundary line adjustment, or those that were previously approved as replacements for the existing facilities, will be constructed on the parcel; (ii) existing facilities on the parcel complied with state and local laws and regulations, including permit requirements, which were applicable at the time of installation; and (iii) the local health officer determines that existing facilities are adequate for the existing use. As a condition of the exemption, the local health officer may require evidence that: (A) existing septic tanks have been pumped within the previous three years; (B) the parcel includes acreage or features sufficient to accommodate a replacement drainfield; (C) existing wells are adequate

for the proposed uses; and (D) adequate storm drainage and solid waste disposal are provided.
Torgison Properties, LLC, Diena L. (orgison, Member Date
Torgison Properties, LLC, Diena L. Torgison, Member Torgison Properties, LLC, Daffiel W. Torgison, Member Date Date
M
W.B. Wates (Testamentary Residuary Trust) W.B. Wates (Testamentary Residuary Trust)
W.B. Wobes (Jestamentary Residuary Trust Mary Jim Wages, Representative
ACKNOWLEDGMENT
The foregoing Exemptions were subscribed and acknowledged before me a Notary Public
for the State of Montana County of Lincoln
by Torgison Properties, LLC, Diana L. Torgison, Member
Daniel W. Torgison, Member
on this 25 day of April 2022.
on this 25 day of April 2022. In witness whereof, I have hereunto set my hand and affixed my notorial seal.
Chelsea Sanderson
residing in: Libby My Commission expires: 8-5-24
ACKNOWLEDGMENT
The foregoing Exemptions were subscribed and acknowledged before me a Notary Public
for the State of I daho county of Boundary,
by J.B. Wages Testamentary Residuary Trust

residing	in: Bonne's Ferre	D My	Commission	expires:_	10-13-	2-
LAND	SURVEYOR'S	CERTIFIC	CATION			

Mary Jim Wages, Representative

Sharlene Delanes

I hereby certify that I am a Registered Land Surveyor in the State of Montana. that the survey shown on this "Certificate of Survey" has been prepared under my supervision and in accordance with the Montana Code Annotated, Sections 76-3-101 through 76-3-625, and the Lincoln County Regulations adopted

ONAL LAND & EXAMINING LAND SURVEYOR'S CERTIFICATION

Lindoln County Examining Land Surveyor COUNTY TREASURER'S CERTIFICATION I hereby certify that all real property taxes and special assessments assessed and

revised on the parcel shown hereon are paid pursuant to Section 76-3-207(3), M.C.A. Lincoln County Treasurer

CLERK AND RECORDER'S CERTIFICATION State of Montana, County of Lincoln, filed this 26 day

CERTIFICATE OF SURVEY No. 4869 RB

-

CERTIFICATE OF SURVEY

"BOUNDARY LINE ADJUSTMENT"

COS No. 381, TRACT C, COS No. 2150, PARCEL 1A, COS No. 4807RB SW1/4 NE1/4, SECTION 4, T.31N., R.31W., P.M., MT., LINCOLN COUNTY, MT. FOR: TORGISON PROPERTIES, LLC DATE: APRIL, 2022 J.B. WAGES TESTAMENTARY RESIDUARY TRUST

LEGAL DESCRIPTION: PARCEL 1A1

A tract of land in Libby, Montana, Lincoln County, and lying within the SW1/4 NE1/4, Section 4, T.30N., R.31W., P.M., MT., and more particularly described as follows:

Commencing at the southeast corner of the 0.445 acre tract, COS No. 381, a railroad spike and the TRUE POINT OF BEGINNING: Thence along the southeast boundary of said 0.445 acre tract N39°58'18"E, 7.25 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS; Thence along the south boundary of Tract C, COS No. 2150, S89'41'40"E, 113.78 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS; Thence along the sooutheast boundary of said Tract C, N47'50'47"E, 90.69 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS lying on the southerly right-of-way limit of U.S. Highway No. 2; Thence along said highway right-of-way limit through a curve to the right: Delta 02'32'14", Radius 2825.00 feet, arc length 125.10 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS; Thence leaving said highway right-of-way limit along the east boundary of Parcel 1A, COS No. 4807RB, S00'20'57"E, 61.92 feet to a 5/8 inch diameter rebar with plastic cap marked MDL, 4232S; Thence continuing along said east boundary S00'04'45"E, 56.26 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS; Thence along the north boundary of Parcel 1C, COS No. 4807RB, N89'46'43"W, 332.66 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS; Thence along the west boundary of Parcel 1A, COS No. 4807RB, NO3'49'06"E, 53.22 feet to a 5/8 inch diameter rebar with plastic cap marked KED, 4975S; Thence continuing along said west boundary NO4'07'49"E, 47.48 feet to a 5/8 inch diameter uncapped rebar; Thence along the south boundary of the 1.150 acre tract, COS No. 381, N72'28'04"W, 16.70 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS; Thence leaving said south boundary N14*16'29"E, 39.60 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS; Thence N79'12'44"E, 9.38 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS lying on the east boundary of the 1.150 acre tract, COS No. 381; Thence leaving said east boundary N79'12'44"E, 22.26 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON. 70400LS lying on the southwest boundary of the 0.445 acre tract, COS No. 381; Thence along said southwest boundary S59'39'19"E, 26.73 feet to a railroad spike and the TRUE POINT OF BEGINNING, containing 1.171 acres. Subject to and together with all appurtenant easements of record.

LEGAL DESCRIPTION: PARCEL A

A tract of land in Libby, Montana, Lincoln County, and lying within the SW1/4 NE1/4, Section 4, T.30N., R.31W., P.M., MT., and more

Commencing at the southwest corner of the 1.150 acre tract, COS No. 381, a 5/8 inch diameter uncapped rebar and the TRUE POINT OF BEGINNING; Thence along the west boundary of said 1.150 acre tract N00'38'57"W, 140.93 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS; Thence continuing along said west boundary N33'47'53"E, 177.36 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS lying on the southerly right-of-way limit of U.S. Highway No. 2; Thence along said highway right-of-way limit through a curve to the right: Delta 02'29'09", Radius 2825.00 feet, arc length 122.57 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS; Thence leaving said highway right-of-way limit along the east boundary of the 1.150 acre tract, COS No. 381, SO3'51'31"W, 213.94 feet to an unmarked computed point; Thence continuing along said east boundary S03'51'31"W, 16.36 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS; Thence leaving said east boundary S79'12'44"W, 9.38 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS; Thence S14'16'29"E, 39.60 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS; Thence along the south boundary of the 1.150 acre tract, COS No. 381, N72°28'04"W, 171.17 feet to a 5/8 inch diameter uncapped rebar and the TRUE POINT OF BEGINNING, containing 1.140 acres. Subject to and together with all appurtenant easements of record.

LEGAL DESCRIPTION: PARCEL B

A tract of land in Libby, Montana, Lincoln County, and lying within the SW1/4 NE1/4, Section 4, T.30N., R.31W., P.M., MT., and more

particularly described as follows:

Commencing at the southeast corner of the 1.150 acre tract, COS No. 381, a found railroad spike; Thence along the east boundary of said 1.150 acre tract N03'51'31"E, 45.27 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS and the TRUE POINT OF BEGINNING; Thence continuing along said east boundary the following two courses: N03'51'31"E, 16.36 feet to an unmarked computed point; Thence N03'51'13"E, 213.94 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS lying on the southerly right-of-way limit of U.S. Highway No. 2; Thence along said highway right-of-way limit through a curve to the right: Delta 03'34'33", Radius 2825.00 feet, arc length 176.32 feet to an unmarked computed point; Thence continuing along said highway right-of-way limit through a curve to the right: Delta 00.08.22., Radius 2825.00 feet, arc length 6.88 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS; Thence leaving said highway right-of-way limit S42'16'28"W, 102.10 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS; Thence S54'39'44"W, 10.95 feet to an unmarked computed point lying on the east boundary of the 0.445 acre tract, COS No. 381; Thence leaving said east boundary S54'39'44"W, 46.45 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS; Thence S79'12'44"W, 23.04 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS; Thence S79°12'44"W, 22.26 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS and the TRUE POINT OF BEGINNING, containing 0.464 acres. Subject to and together with all appurtenant easements of record.

LEGAL DESCRIPTION: PARCEL C

A tract of land in Libby, Montana, Lincoln County, and lying within the SW1/4 NE1/4, Section 4, T.30N., R.31W., P.M., MT., and more

particularly described as follows:

Commencing at the southeast corner of the 0.445 acre tract, COS No. 381, a railroad spike and the TRUE POINT OF BEGINNING: Thence along the southwest boundary of said 0.445 acre tract N59*39*19"W, 26.73 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS; Thence leaving said southwest boundary N79'12'44"W, 23.04 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS; Thence N54'39'44"E, 46.45 feet to a an unmarked computed point lying on the southeast boundary of the 0.445 acre tract, COS No. 381; Thence leaving said southeast boundary N54'39'44"E, 10.95 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS; Thence N42'16'28"E, 102.10 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS lying on the southerly right-of-way limit of U.S. Highway No. 2; Thence along said highway right-of-way limit through a curve to the right: Delta 01°53'21", Radius 2825.00 feet, arc length 93.14 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS; Thence leaving said highway right-of-way limit along the southeast boundary of Tract C. COS No. 2150, S47'50'47"W, 90.69 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS; Thence along the south boundary of said Tract C, N89'41'40"W, 113.78 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS; Thence along the southeast boundary of the 0.445 acre tract, COS No. 381, S39'58'18"W, 7.25 feet to a railroad spike and the TRUE POINT OF BEGINNING, containing 0.269 acres. Subject to and together with all appurtenant easements of

LEGAL DESCRIPTION: PARCEL D

A tract of land in Libby, Montana, Lincoln County, and lying within the SW1/4 NE1/4, Section 4, T.30N., R.31W., P.M., MT., and more particularly described as follows: Commencing at the southeast corner of the 1.150 acre tract, COS No. 381, a 5/8 inch diameter uncapped rebar and the TRUE POINT OF BEGINNING: Thence along the south boundary of said 1.150 acre tract N72°28'04"W, 16.703 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS; Thence leaving said south boundary N14'16'29"E, 39.60 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS; Thence N79'12'4"E, 9.38 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS lying on the east boundary of the 1.150 acre tract, COS No. 381, SO3'51'31"W, 45.27 feet to a 5/8 inch diameter uncapped rebar and the TRUE POINT OF BEGINNING, containing 0.012 acres. Subject to and together with all appurtenant easements of record.

LEGAL DESCRIPTION: PARCEL E

A tract of land in Libby, Montana, Lincoln County, and lying within the SW1/4 NE1/4, Section 4. T.30N., R.31W., P.M., MT., and more particularly described as follows: Commencing at the southeast corner of the 0.445 acre tract, COS No. 381, a railroad spike and the TRUE POINT OF BEGINNING: Thence along the southwest boundary of said 0.445 acre tract N59'39'19"W, 26.73 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS; Thence leaving said southwest boundary N79'12'44"W, 23.04 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS; Thence N54'39'44"E, 46.45 feet to a an unmarked computed point lying on the southeast boundary of the 0.445 acre tract, COS No. 381; Thence leaving said southeast boundary S39'58'18"W, 51.05 feet to a railroad spike and the TRUE POINT OF BEGINNING, containing 0.013 acres. Subject to and together with all appurtenant easements of record


LEGAL DESCRIPTION: PARCEL F

A tract of land in Libby, Montana, Lincoln County, and lying within the SW1/4 NE1/4, Section 4. T.30N., R.31W., P.M., MT., and more particularly described as follows: Commencing at the southeast corner of the 1.150 acre tract, COS No. 381, a 5/8 inch diameter uncapped rebar; Thence along the east boundary of said 1.150 acre tract NO3'51'31"E, 45.27 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS and the TRUE POINT OF BEGINNING; Thence continuing along said east boundary NO3'51'31"E, 16.36 feet to an unmarked computed point; Thence along the southwest boundary of said 1.150 acre tract S59'39'19"E, 24.06 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS; Thence leaving said southwest boundary S79'12'44"W, 22.26 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS and the TRUE POINT OF BEGINNING, containing 0.004 acres. Subject to and together with all appurtenant easements of record.

LEGAL DESCRIPTION: PARCEL G

A tract of land in Libby, Montana, Lincoln County, and lying within the SW1/4 NE1/4, Section 4, T.30N., R.31W., P.M., MT., and more particularly described as follows: Commencing at the northeast corner of the 0.445 acre tract, COS No. 381, an unmarked computed point lying on the south right-of-way limit of U.S. Highway 2; Thence through a curve to the right: Delta 00'08'22". Radius 2825.00 feet, arc length 6.88 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS and the TRUE POINT OF BEGINNING; Thence leaving said highway right-of-way limit S42'16'28"W, 102.10 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS; Thence S54'39'44"W, 10.95 feet to an unmarked computed point lying the the southeast boundary of the 0.445 acre tract, COS No. 381; Thence along said southeast boundary N39'58'18"E, 112.58 feet to an unmarked computed point lying on the south right—of—way limit of U.S. Highway 2; Thence through a curve to the right: Delta 00°08'22", Radius 2825.00 feet, arc length 6.88 feet to a 5/8 inch diameter rebar with plastic cap marked SANDERSON, 70400LS and the TRUE POINT OF BEGINNING, containing 0.012 acres. Subject to and together with all appurtenant easements





Sanitary Lestriction Semond P.F. # 1033 Dec 155838
platting Pestificate P.F. # 1034 Dec 155839

A CORRECTION PLAT OF "LICK LAKE II SUBDIVISION" AMENDED LOT 4, LICK LAKE SUBDIVISION, PLAT NO 6367 W1/2 NW1/4, SECTION 26, T.36N., R.26W., P.M.MT. LINCOLN COUNTY, MONTANA DATE: NOVEMBER, 2018 FOR: INGRAHAM NFSL BASIS OF BEARING 1327.96' {N89'40'45"W 1327.92'} N89'40'48"W **PURPOSE OF CORRECTION** The purpose of this plat is to correct a drafting error, which incorrectly S27 S26 (188.87')1(132.73') 631.55 reported the acreage of Lots 1 and 2 in the "Purpose of Survey and Owner's Certification" as shown on Plat 7207, Lincoln County records. LOT 4, PLAT 6367 The acreage reported hereon now reflects the graphics and legal NORTH descriptions as intended. "LOT 1" (S18.59'23"W 7.76 Acres LOT 2 RECORD PROPERTY BOUNDARY AND PLAT 5038 THERRIAULT PASS ROAD, EASTERLY RIGHT-OF-WAY LIMITS Arlie T & Lorna M Burk N00.07,26,W LENGTH BEARING LINE BEARING **LENGTH** N53'57'01"E (L1) N50'00'00"E N03'10'40"E 21.87 85.72 (N83.13,30, W) TRUE POINT N10'30'00"E (L2) N42'00'00"E (L8) 14.44 34.11 OF BEGINNING (232.78')N25'30'00"E (L3)N31'00'00"E (L9) 13.48 36.18 N37'00'00"E (L4)N16'30'00"E (L10)22.51 37.60' 1320.44 (L11) N46'30'00"E N02'30'00"E 33.68 52.73 (L12) N55'00'00"E N04°01'42"W 136.78 17.76 (L13) N61°00'00"E 134.51 (C3) R=830.00 74.00 R=830.00' [74.04] $\Delta = 3'19'15"$ (C1) $\Delta = 11.19'04$ " R=580.00' L=48.11'L=163.95' Δ=29'37'05" L=299.82' (C2)R=580.00' driveway $\Delta = 2.00'39'$ DETAIL "A" IRR. DITCH: L=20.36'SEE GLID EASEMENT BOOK 13 PAGE 609 LICK LAKE IRR. DITCH: SEE GLID EASEMENT BOOK 13 PAGE 609 [S53'53'22"W 51.72'] N53°57'01"E S53'57'01"W 51.81 86.72 "LOT 2" 62.96 Acres [N71'18'37"W 82.76'] N71'14'58"W 82.90' CAEEK ROAD LOT 4, PLAT 6367 70.72 Acres Ingraham 2640.62'] LOT 2, PLAT & Rhonda D S53°57'01"W 21.28 (No Scale) HISTORY OF SURVEYS 1893—Original Township Subdivision, Peter McCardell and Abram Jaqueth 1954-Plat No. 311, Right-of-Way Plat, "Therriault Pass Road", U.S. Forest Service, record location from Section Corner, 276.3 feet does not match existing road location, 726.30 feet to Centerline, alignment matches, assume numbers transition error made in Section to Centerline distance. 1994-Plat No. 5038, Creates "Glen Lake Meadows Subdivision", {N00.08,03,m Dawn Marquardt, 7328S 1998-COS No. 2738, Creates Adjoining Tracts and aliquot breakdown NW1/4 Section 26, Samuel Cordi, 13102LS 2001-Plat No. 6367, Creates "Lick Lake Subdivision", Alvah F. Hughes, 7322LS 2006—Plat No. 6693, Creates Adjoining Lots, Samuel Cordi, 13102LS 2006—Plat No. 6750, Creates Adjoining Lot, Samuel Cordi, 13102LS 2007—Plat No. 6763, Creates Adjoining Lots, Andrew Belski 14731LS 2008—Plat No. 6908, Creates Adjoining Lot, Samuel Cordi, 13102LS LOT 3, PLAT 6763 Jeremy Paul Newmaster Development within the FEMA "A" Zone will require a Floodplain Permit from Lincoln County before any work is performed. METHOD OF SURVEY A Nikon total station with data collector and a Trimble R8 GNSS GPS system was used with RTK radial procedures to tie the previously set controlling N89'39'24"W 1323.51' {N89'40'05"W 1323.46'} corners and road alignments by Levi Powell, August 2015 S27 S26-PARCEL A, C.O.S. 3226 Dixie L Hood BASIS OF BEARING The basis of bearing for this survey is S89'40'48"E derived from Survey Grade GPS system calibrated to local control between the northwest Section Corner, LEGEND Section 26, a 2 1/2 inch diameter iron pipe with BLM brass cap and the SECTION CORNER, A 2 1/2 INCH DIAMETER IRON PIPE WITH BLM BRASS CAP W 1/16th corner, between Sections 23 and 26, a 5/8 inch diameter uncapped rebar. QUARTER SECTION CORNER, A 2 1/2 INCH DIAMETER IRON PIPE WITH BLM BRASS CAP A 5/8 INCH DIAMETER IRON REBAR WITH PLASTIC CAP MARKED CORDI 13102LS A 5/8 INCH DIAMETER IRON REBAR WITH PLASTIC CAP MARKED 7328S LAND SURVEYOR'S CERTIFICATION I hereby certify that I am a Registered Land Surveyor in the State of Montana, A 5/8 INCH DIAMETER UNCAPPED REBAR that the survey shown on this correction Plat of "Lick Lake II Subdivision" has been prepared under my supervision and in accordance with the Montana A 5/8 INCH DIAMETER IRON REBAR WITH PLASTIC CAP MARKED HUGHES 7322LS Code Annotated, Sections 76-3-101 through 76-3-625, and the Lincoln County Regulations adopted pursuant thereto. SET A 5/8 INCH DIAMETER IRON REBAR WITH PLASTIC CAP MARKED HUGHES 7322LS ALVAH F. UNMARKED COMPUTED POINT 7322 LS — ADJACENT BOUNDARY ———— ROAD CENTERLINE PROPERTY BOUNDARY -PEGISTERED ······ CURVE RADIAL ----- RIGHT-OF-WAY LIMITS ---- WATERS EDGE - - FLOOD ZONE BOUNDARY PER FIRM PANEL 3001570275B EXAMINING LAND SURVEYOR'S CERTIFICATION SECTION SUBDIVISION LINE PLAT 5038 RECORD { } COS 2738 RECORD () PLAT 2367 RECORD NATIONAL FOREST SYSTEM LANDS Ronald A. Pearson, PLS 9008LS Lincoln County Examining Land Surveyor GRAPHIC SCALE PLAT No. 7213 SURVEYORS, INC SHEET 1 OF 2 1 INCH = 200 FEET

A CORRECTION PLAT OF "LICK LAKE II SUBDIVISION"

AMENDED LOT 4, LICK LAKE SUBDIVISION, PLAT NO 6367

W1/2 NW1/4, SECTION 26, T.36N., R.26W., P.M.MT. LINCOLN COUNTY, MONTANA

FOR: INGRAHAM

DATE: NOVEMBER, 2018

PURPOSE OF SURVEY AND OWNER'S CERTIFICATION

from review by Montana Department of Environmental Quality pursuant to MCA

We, DONALD ELMER INGRAHAM & NANCY D. TRINKLEIN-INGRAHAM, The Grantors of the Donald and

Nancy Ingraham Revocable Trust dated November 30, 2009, hereby certify that the

purpose of this survey is to create a 2 Lot Minor Subdivision, within "Lot 4, Plat No.

6367, Lick Lake Subdivision"; into 2 Lots, "Lot 1" being 7.76 acres and "Lot 2" being

62.96 acres pursuant to M.C.A. 76-4-103. We furthermore certify that Lot 2 is exempt

Date

PURPOSE OF CORRECTION

76-4-102(16), as a Lot or Parcel over 20 acres in size.

The purpose of this plat is to correct a drafting error, which incorrectly reported the acreage of Lots 1 and 2 in the "Purpose of Survey and Owner's Certification" as shown on Plat 7207, Lincoln County records. The acreage reported hereon now reflects the graphics and legal descriptions as intended.

LEGAL DESCRIPTION: "LOT 1"

An irregular tract of land southeasterly from Eureka, Montana, Lincoln County, within W1/2 NW1/4 Section 26, T.36N., R.26W., P.M.,MT. and in Lot 4, Plat No. 6367, "Lick Lake Subdivision" and more particularly described as follows: Commencing at Northwest Section Corner, a 2 1/2 inch diameter iron pipe with BLM brass; Thence along Section Line between Sections 26 and 27 S00°13'46"E, 608.44 feet to a 5/8 inch diameter iron rebar with plastic cap marked 7328S and the TRUE POINT OF BEGINNING:

Thence along the northerly Right-Of-Way limits of "Glenn Lake Road", being 30 feet from said road centerline N53*57'01"E, 86.72 feet to a set 5/8 inch diameter iron rebar with plastic cap marked HUGHES 7322LS; Thence along said limits N79°59'27"E, 293.46 feet to a set 5/8 inch diameter iron rebar with plastic cap marked HUGHES 7322LS; Thence along a curve right: radius 830.00 feet, delta angle 11'19'04, arc length 163.95 feet to a 5/8 inch diameter iron rebar with plastic cap marked HUGHES 7322LS; Thence along the easterly Right-Of-Way limits of "Therriault Pass Road", being 50 feet from said road centerline through the following: 5/8 inch diameter iron rebars with plastic caps marked HUGHES 7322LS; N50°00'00"E, 85.72 feet; Thence N42'00'00"E. 34.11 feet; Thence N31'00'00"E. 36.18 feet; Thence N16'30'00"E, 37.60 feet; Thence N02'30'00"E, 33.68 feet; Thence N04'01'42"W, 136.78 feet; Thence N03'10'40"E, 21.87 feet; Thence N10'30'00"E, 14.44 feet; Thence N25'30'00"E, 13.48 feet; Thence N37'00'00"E, 22.51 feet; Thence N46'30'00"E, 52.73 feet; N55'00'00"E, 17.76 feet; Thence N61'00'00"E, 134.51 feet to Section Line between Sections 23 and 26, a 5/8 inch diameter iron rebar with plastic cap marked HUGHES 7322LS; Thence N89'40'48"W, 196.86 feet to the Westerly Right-of-Way limits, said road, a set 5/8 inch diameter iron rebar with plastic cap marked HUGHES 7322LS; Thence along said Section Line N89'40'48"W, 631.55 feet to the Northwest Section Corner, said Section. a 2 1/2 inch diameter iron pipe with BLM brass; Thence along Section Line between Sections 26 and 27 S00°13'46"E, 608.44 feet to the TRUE POINT OF BEGINNING, containing 7.76 acres. Subject to and together with all appurtenant easements of record.

N/A Donald Elmer Ingraham

N/A

Nancy D. Trinklein-Ingraham

ACKNOWLEDGMENT Exemptions were subscribed and acknowledged before me

a Notary Public for by **DONALD ELMER INGRAHAM** County of_ on this___day of_ . In witness whereof, I have hereunto set my hand and affixed my notorial

My Commission expires:

LEGAL DESCRIPTION: "LOT 2"

An irregular tract of land southeasterly from Eureka, Montana, Lincoln County, within W1/2 NW1/4 Section 26, T.36N., R.26W., P.M.,MT. and in Lot 4, Plat No. 6367, "Lick Lake Subdivision" and more particularly described as follows: Commencing at Northwest Section Corner, a 2 1/2 inch diameter iron pipe with BLM brass; Thence along Section Line between Sections 26 and 27 S00'13'46"E, 608.44 feet to a 5/8 inch diameter iron rebar with plastic cap marked 7328S and the TRUE POINT OF BEGINNING:

Thence along, said Section Line S00'13'46"E, 74.00 feet to the southerly Right-Of-Way limits of "Glenn Lake Road", being 30 feet from said road centerline, a 5/8 inch diameter iron rebar with plastic cap marked 7328S; Thence along, said Section Line S00°13'46"E, 248.84 feet to northerly easement limits of "Irrigation Ditch", being 37.5 feet in width, an unmarked computed point; Thence along, said Section Line S00'13'46"E, 1709.11 feet to westerly Quarter Corner, said Section 26, a 2 1/2 inch diameter iron pipe with BLM brass cap; Thence along Midsection Line S89°39'24"E, 1323.51 feet to the Center-West Sixteenth corner, said Section, a 5/8 inch diameter iron rebar with plastic cap marked CORDI 13102LS; Thence along south-north Section Subdivision line N00°07'56"W, 454.60 feet to northwest corner, Tract 2, Certificate of Survey 2738, a 5/8 inch diameter uncapped rebar; Thence along said line N00°07'56"W, 865.84 feet to Northeast Sixteenth Corner, a 5/8 inch diameter iron rebar with plastic cap marked CORDI 13102LS; Thence along said line N00°07'56"W, 489.21 feet to northerly Right-Of-Way limits, said road, a 5/8 inch diameter iron rebar with plastic cap marked HUGHES 7322LS; Thence along said limits through the following 5/8 inch diameter iron rebars with plastic caps marked HUGHES 7322LS: N51'35'46"W, 298.40 feet; Thence along curve left: radius 580.00 feet, delta angle 29°37'05", arc length 299.82 feet; Thence along curve left: radius 580.00 feet, delta angle 2°00'39", arc length 20.36 feet; Thence N83'13'30 W, 232.78 feet; Thence along curve left: radius 830.00 feet, delta angle 3'19'15", arc length 48.11 feet intersecting easterly Right-of-Way limits of "Therriault Pass Road"; Thence along, said "Glenn Lake Road" limits through a curve left: radius 830.00 feet, delta angle 11'19'04", arc length 163.95 feet to westerly Right-of-Way limits of "Therriault Pass Road", a set 5/8 inch diameter iron rebar with plastic cap marked HUGHES 7322LS: Thence along said "Glenn Lake Road" northerly limits S79°59'27"W, 293.46, a set 5/8 inch diameter iron rebar with plastic cap marked HUGHES 7322LS; Thence along said limits S53°57'01"W, 86.72 feet to the TRUE POINT OF BEGINNING, containing 62.96 acres. Subject to and together with all appurtenant easements of record.

ACKNOWLEDGMENT


residing in:_

Exemptions were subscribed and acknowledged before me

a Notary Public for State of County of_ by NANCY D. TRINKLEIN-INGRAHAM on this___day of__ In witness whereof, I have hereunto set my hand and affixed my notorial seal.

residing in: My Commission expires:

VICINITY DIAGRAM



COUNTY TREASURER'S CERTIFICATION

I hereby certify that all real property taxes and special assessments assessed and levied on the parcel shown hereon are paid pursuant to Section 76-3-611(1)(b), M.C.A.

Lincoln County Treasurer

LINCOLN COUNTY COMMISSIONER'S

therefore grants approval

CERTIFICATION OF FINAL PLAT APPROVAL The County Commissioners of Lincoln County, Montana does hereby certify that they have examined this Plat of "Lick Lake II Subdivision", finding that it does meet the requirements of the subdivision laws and regulations of the State of Montana, and

this____day of_ Chairperson, Lincoln County Commissioners

CLERK AND RECORDER'S CERTIFICATION

State of Montana, County of Lincoln, filed



PLAT No. 7213

SHEET 2 OF 2

A PLAT OF

"LICK LAKE II SUBDIVISION"

AMENDED LOT 4, LICK LAKE SUBDIVISION, PLAT NO 6367

W1/2 NW1/4, SECTION 26, T.36N., R.26W., P.M.MT. LINCOLN COUNTY, MONTANA

FOR: INGRAHAM

DATE: JUNE, 2018

LEGAL DESCRIPTION: "LOT 1"

An irregular tract of land southeasterly from Eureka, Montana, Lincoln County, within W1/2 NW1/4 Section 26, T.36N., R.26W., P.M.,MT. and in Lot 4, Plat No. 6367, "Lick Lake Subdivision" and more particularly described as follows:

Commencing at Northwest Section Corner, a 2 1/2 inch diameter iron pipe with BLM brass; Thence along Section Line between Sections 26 and 27 S00'13'46"E, 608.44 feet to a 5/8 inch diameter iron rebar with plastic cap marked 7328S and the TRUE POINT OF BEGINNING:

Thence along the northerly Right-Of-Way limits of "Glenn Lake Road", being 30 feet from said road centerline N53'57'01"E, 86.72 feet to a set 5/8 inch diameter iron rebar with plastic cap marked HUGHES 7322LS; Thence along said limits N79'59'27"E, 293.46 feet to a set 5/8 inch diameter iron rebar with plastic cap marked HUGHES 7322LS; Thence along a curve right: radius 830.00 feet, delta angle 11'19'04, arc length 163.95 feet to a 5/8 inch diameter iron rebar with plastic cap marked HUGHES 7322LS; Thence along the easterly Right-Of-Way limits of "Therriault Pass Road", being 50 feet from said road centerline through the following: 5/8 inch diameter iron rebars with plastic caps marked HUGHES 7322LS; N50'00'00"E, 85.72 feet; Thence N42'00'00"E, 34.11 feet; Thence N31'00'00"E, 36.18 feet; Thence N16'30'00"E, 37.60 feet; Thence N02'30'00"E, 33.68 feet; Thence N04'01'42"W, 136.78 feet; Thence N03'10'40"E, 21.87 feet; Thence N10'30'00"E, 14.44 feet; Thence N25'30'00"E, 13.48 feet; Thence N37'00'00"E, 22.51 feet; Thence N46'30'00"E, 52.73 feet; N55'00'00"E, 17.76 feet; Thence N61'00'00"E, 134.51 feet to Section Line between Sections 23 and 26, a 5/8 inch diameter iron rebar with plastic cap marked HUGHES 7322LS; Thence N89'40'48"W, 196.86 feet to the Westerly Right-of-Way limits, said road, a set 5/8 inch diameter iron rebar with plastic cap marked HUGHES 7322LS; Thence along said Section Line N89'40'48"W, 631.55 feet to the Northwest Section Corner, said Section, a 2 1/2 inch diameter iron pipe with BLM brass; Thence along Section Line between Sections 26 and 27 S00'13'46"E, 608.44 feet to the TRUE POINT OF BEGINNING, containing 7.76 acres. Subject to and together with all appurtenant easements of record.

LEGAL DESCRIPTION: "LOT 2"

An irregular tract of land southeasterly from Eureka, Montana, Lincoln County, within W1/2 NW1/4 Section 26, T.36N., R.26W., P.M.,MT. and in Lot 4, Plat No. 6367, "Lick Lake Subdivision" and more particularly described as follows: Commencing at Northwest Section Corner, a 2 1/2 inch diameter iron pipe with BLM brass; Thence along Section Line between Sections 26 and 27 S00°13'46"E, 608.44 feet to a 5/8 inch diameter iron rebar with plastic cap marked 7328S and the TRUE POINT OF BEGINNING:

Thence along, said Section Line S00°13'46"E, 74.00 feet to the southerly Right-Of-Way limits of "Glenn Lake Road", being 30 feet from said road centerline, a 5/8 inch diameter iron rebar with plastic cap marked 7328S; Thence along, said Section Line S00'13'46"E, 248.84 feet to northerly easement limits of "Irrigation Ditch", being 37.5 feet in width, an unmarked computed point; Thence along, said Section Line S00'13'46"E, 1709.11 feet to westerly Quarter Corner, said Section 26, a 2 1/2 inch diameter iron pipe with BLM brass cap; Thence along Midsection Line S89'39'24"E, 1323.51 feet to the Center-West Sixteenth corner, said Section, a 5/8 inch diameter iron rebar with plastic cap marked CORDI 13102LS; Thence along south-north Section Subdivision line N00'07'56"W, 454.60 feet to northwest corner, Tract 2, Certificate of Survey 2738, a 5/8 inch diameter uncapped rebar; Thence along said line N00°07'56"W, 865.84 feet to Northeast Sixteenth Corner, a 5/8 inch diameter iron rebar with plastic cap marked CORDI 13102LS; Thence along said line N00'07'56"W, 489.21 feet to northerly Right-Of-Way limits, said road, a 5/8 inch diameter iron rebar with plastic cap marked HUGHES 7322LS; Thence along said limits through the following 5/8 inch diameter iron rebars with plastic caps marked HUGHES 7322LS: N51'35'46"W, 298.40 feet; Thence along curve left: radius 580.00 feet, delta angle 29'37'05", arc length 299.82 feet; Thence along curve left: radius 580.00 feet, delta angle 2'00'39", arc length 20.36 feet; Thence N83'13'30 W, 232.78 feet; Thence along curve left: radius 830.00 feet, delta angle 3'19'15", arc length 48.11 feet intersecting easterly Right-of-Way limits of "Therriault Pass Road"; Thence along, said "Glenn Lake Road" limits through a curve left: radius 830.00 feet, delta angle 11.19'04", arc length 163.95 feet to westerly Right-of-Way limits of "Therriault Pass Road", a set 5/8 inch diameter iron rebar with plastic cap marked HUGHES 7322LS; Thence along said "Glenn Lake Road" northerly limits S79 59'27"W, 293.46, a set 5/8 inch diameter iron rebar with plastic cap marked HUGHES 7322LS; Thence along said limits S53'57'01"W, 86.72 feet to the TRUE POINT OF BEGINNING, containing 62.96 acres. Subject to and together with all appurtenant easements of record.

VICINITY DIAGRAM LOT 1 S26 (No Scole)

PURPOSE OF SURVEY AND OWNER'S CERTIFICATION We, DONALD ELMER INGRAHAM & NANCY D. TRINKLEIN-INGRAHAM, The Grantors of the Donald and Nancy Ingraham Revocable Trust dated November 30, 2009, hereby certify that the purpose of this survey is to create a 2 Lot Minor Subdivision, within "Lot 4, Plat No. 6367, Lick Lake Subdivision"; into 2 Lots, "Lot 1" being 7.77 acres and "Lot 2" being 62.94 acres pursuant to M.C.A. 76-4-103. We furthermore certify that Lot 2 is exempt from review by Montana Department of Environmental Quality pursuant to MCA 76-4-102(16), as a Lot or Parcel over 20 acres in size. ACKNOWLEDGMENT The foregoing Exemptions were subscribed and acknowledged before me a Notary Public for the State of ______ontana by DONALD ELMER INGRAHAM 201 3. In witness whereof, hereunto set my hand and affixed my notorial seal. My Commission expires: Dec. 1, 2021 JENNY M WOOD NOTARY PUBLIC for the State of Montana NOTARIAL Residing at Libby, Montana My Commission Expires December 01, 2021 ACKNOWLEDGMENT The foregoing Exemptions were subscribed and acknowledged before me a Notary Public for the State of Montana by NANCY D. TRINKLEIN-INGRAHAM 201 2. In witness whereof, I have hereunto set my hand and affixed my notorial seal. My Commission expires: JENNY M WOOD NOTARY PUBLIC for the State of Montana NOTARIAL Residing at Libby, Montana My Commission Expires December 01, 2021 COUNTY TREASURER'S CERTIFICATION I hereby certify that all real property taxes and special assessments assessed and levied on the parcel shown hereon are paid pursuant to Section 76-3-611(1)(b), M.C.A. Lincoln County Treasurer

to Section 76-3-611(1)(b), M.C.A.

Lincoln County Treasurer

Date

SEAL

LINCOLN COUNTY COMMISSIONER'S

CERTIFICATION OF FINAL PLAT APPROVAL


The County Commissioners of Lincoln County, Montana does hereby certify that they have examined this Plat of "Lick Lake II Subdivision", finding that it does meet the requirements of the subdivision laws and regulations of the State of Montana, and therefore grants approval


this day of ________, 2018.

Chairperson, Lincoln County Commissioners

State of Montana, County of Lincoln, filed this 5th day
of 2018, A.D. at 3:31 PM o'clock
Robin Benson by Cluck Recorder

Deputy





A PLAT OF: LIME BUTTE VIEWS

(LOT 9 OF PORCUPINE SUBDIVISION PLAT NO. 6657) In Section 29, Twp. 30 N., R. 33 W., P.M.M. Date: December 2006 For: Ronald Massey TOTAL: 41.27 ACRES±

CERTIFICATE OF DEDICATION

I, Ronald Massey, owner of real property, do hereby certify that I have caused to be surveyed, subdivided and platted in to lots and streets as shown by the Plat hereto annexed, the following described land near Troy in Lincoln County Montana to wit:

DESCRIPTION OF LIME BUTTE VIEWS

A tract of land near Troy in Lincoln County Montana, lying in the N 1/2 of Section 29 of Twp. 30 N., R. 33 W., P.M.M., being Lot 9 of the Porcupine Subdivision per Plat No. 6657, containing Lots 1, 2, 3, 4, and 5, with their respective acreage's for a total acreage of 41.27 acres more or less and more particularly described as follows:

Beginning at a 3 1/4 inch dia. alum. monument stamped K.E.D. 4975-S which marks the north quarter (1/4) corner of Section 29, Twp. 30 N., R. 33 W., P.M.M.; thence, S89°55'53"E 58.65 feet along the north line of said Section 29, to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence continuing, S89°55'53"E 393.14 feet to a 5/8 inch dia. rebar capped J.H.N. 4661-S located on the west right-of-way line of Montana State Highway No. 56 having a radial bearing of S84°51'34"E; thence on the arc of a curve to the left, a distance of 374.94 feet, turning through a delta angle of 07°19'10", and having a radius of 2935.00 feet, to a computed point; thence continuing on the arc of a curve to the left, a distance of 60.22 feet, turning through a delta angle of 01°10'32", and having a radius of 2935.00 feet, to a computed point; thence continuing on the arc of a curve to the left, a distance of 285.81 feet, turning through a delta angle of 05°34'46", and having a radius of 2935.00 feet, to a 5/8 inch dia. rebar capped K.E.D. 4975-S having a radial bearing of N81°03'41"E; thence continuing on the arc of a curve to the left, a distance of 183.75 feet, turning through a delta angle of 03°35'14", and having a radius of 2935.00 feet, to a 5/8 inch dia. rebar capped K.E.D. 4975-S having a radial bearing of N77°28'27"E; thence leaving said west right-of-way, N89°52'13"W 24.04 feet to a computed point; thence continuing, N89°52'13"W 62.24 feet to a computed point; thence continuing, N89°52'13"W 1058.06 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence continuing, N89°52'13"W 717.57 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence continuing, N89°52'13"W 76.13± feet to a computed point located on the approximate centerline of Lake Creek; thence downstream along said approximate centerline, N28°41'09"E 56.77 feet to a computed point; thence, N32°40'27"W 349.36 feet to a computed point; thence, N00°01'58"W 142.92 feet to a computed point; thence, N00°01'58"W 109.90 feet to a computed point; thence, N05°43'03"W 291.29 feet to a computed point located on the north line of said Section 29; thence leaving said approximate centerline, N89°41'07"E 49.62± feet along the north line of said Section 29, to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence continuing, N89°41'07"E 879.92 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence continuing, N89°41'07"E 73.82 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence continuing, N89°41'07"E 257.27 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, N89°41'07"E 358.09 feet to the point of beginning.

The aforedescribed Lime Butte Views contains Lots 1, 2, 3, 4, and 5, for a total acreage of 41.27 acres more or less and is subject to and together with all appurtenant easements of record.

Ronald Massey STATE OF MONTANA County of Lincoln Notary Public in and for the State of Montana, Ronald Massey, personally appeared known to me to be the persons whose names are subscribed to the within instrument and acknowledged to me that they executed the same. /2-20-2009 My Commission Expires

The above described tract of land is to be known and designated as, Lime Butte Views,

Davis Surveying Inc. TROY MONTANA, (406)295-5441 DATE: 11/21/06 Project: Land Projects 2005 FILE: MASSYPHOTO.dwg

DRAWN BY: CJR

Lincoln County, Montana.

annexed plat is in accordance with such a survey, that the streets and dimensions of the lots are as shown hereon; and that the said platted area was laid out on the TREASURER CERTIFICATION I hereby certify that all real property taxes and special assessments assessed and levied on the land to be divided have been paid. Dated this 17 day of 2007 A.D. COUNTY CERTIFICATE OF FINAL PLAT APPROVAL The County Commission of Lincoln County, Montana does hereby certify that it has examined this subdivision plat and having found the same to conform to law, approves it, and hereby accepts the dedication to public use of and all lands shown on this plat as being dedicated to such use, this ____day of ____2007, A.D. La Chin Low (Signature of Clerk and Recorder) CERTIFICATION OF EXAMINING LAND SURVEYOR: Registered Land Surveyor No. 14731PLS STATE OF MONTANA COUNTY OF LINCOLN 6796 SHEET 2 OF 2 PLAT NO.

I Kenneth E. Davis, do hereby certify that a survey was made of Lime Butte

with the provisions of Sections 76-3-201 through 76-3-625 M.C.A.; that the

Views, a minor subdivision, during the month of December 2006, In accordance

LEGAL AND PHYSICAL ACCESS

CERTIFICATE OF SURVEYOR

STATE OF MONTANA County of Lincoln

Doc# 203681

CINCOLN COUNTY,

MONTANA

A PLAT OF LIME CREEK

(MINOR) SUBDIVISION

REFER TO SECTION BREAKDOWN PER C. of S. No. 1970

AND

Corner Recordation Forms No. ____ And No. ____

NOTE:

SECTION 9, TWP. 33 N., R. 34 W., P.M.M. For: Margie Ebner Date: July 1993

LEGEND

• Set 5/8 inch die reber Capped: KED 4975S

O Found Spench die Pober Cappede URS

1 Found 34 inch B.L.M. Brass Cap Monument () Per C. of S. No. 1970


LEGAL DESCRIPTION


Esing All of the S 1/2 NB 1/4 of Taction 9, Twp. 33 N, R. 34 W, P.M.M., excepting 1.350 acres of land contained within the Lime Creek roadway per Book 44, Page 265, Lincoln County Records,

TOTAL	= 20.	087 A	CRES
-ROAD	= 18.	737A	RES

	L5	N 74'41'04	' E	39.63	
	L6	N 74*41'04		66.46	
	L7	\$ 07.55/47	ř	4.02	
		,			1 3
S I	LENGTH	TANGENT	CHORD	BEARING	DELTA
19	151.10	76.84	149.84	N 61'50'21' E	25'41'25
M	137.65	70.00	136.50	N 61'50'21' E	25'41'25
9	124.20	6316	123.16	N 61'50'21' E	25'41'25
)4	156.30	83.33	151.54	S 50*05'14" W	49'11'41
14	182.06	97.07	176.52	\$ 50°05'14" W	49*11'41

CURVE RADIUS LENGTH TANGENT CHORD BEARING C1 336.98 151.10 76.84 149.84 N 61°50′21′ E C2 306.90 137.65 % 70.00 136.50 N 61°50′21′ E C3 276.99 124.20 63.16 123.16 N 61°50′21′ E C4 182.04 156.30 83.33 151.54 \$ 50°05′14′ W C5 212.04 182.06 97.07 176.52 \$ 50°05′14′ W C6 242.04 207.82 110.80 201.49 \$ 50°05′14′ W	DELTA
C2 306.96 137.65 70.00 136.50 N 61°50′21° E C3 276.98 124.20 63.16 123.16 N 61°50′21° E C4 192.04 156.30 83.33 151.54 \$ 50°05′14° W C5 212.04 182.06 97.07 176.52 \$ 50°05′14° W C6 242.04 207.82 110.80 201.49 \$ 50°05′14° W	25'41'25
C3 276.99 124.20 63.16 123.16 N 61'50'21' E C4 182.04 156.30 83.33 151.54 \$ 50*05'14' W C5 212.04 182.06 97.07 176.52 \$ 50*05'14' W C6 242.04 207.82 110.80 201.49 \$ 50*05'14' W	25'41'25
C4 192.04 156.30 83.33 151.54 \$ 50°05′14′ W C5 212.04 182.06 97.07 176.52 \$ 50°05′14′ W C6 242.04 207.82 110.80 201.49 \$ 50°05′14′ W	25'41'25
C5 212.04 182.06 97.07 176.52 \$ 50°05′14″ W C6 242.04 207.82 110.80 201.49 \$ 50°05′14″ W	49'11'41
C6 242.04 207.82 110.80 201.49 \$ 50°05'14' W	49*11'41
	49*11'41
C7 433.05 252.59 130.00 249.02 \$ 08'46'48' W	33,52,10
C8 403.05 235.09 120.99 231.77 \$ 08*46'48' W	33'25'10





CERTIFICATE OF SURVEYOR

State of Montana County of Lincoln

a minor subdivision, under my supervision, during the month of Septembes, 1993, in accordance with the provisions of Section 11-3859 through 11-3876 of the Revised Codes of Montana, 1947; that the annexed plat is in accordance with such survey that the dimensions of the lots and blocks are as thereon designated; and that the said platted area was laid out on the ground according to law.

Dated this Zo	day of	December	, 199:
Jen El		7975	5 1960
Signature of Survey	or - Reg	. No. 4975S -	Troy, Montana

CERTIFICATE OF FINAL PLAT APPROVAL

The County Commission of Lincoln County, Montana, does hereby certify that it has examined this subdivision plat and having द्रीविधानत क्षेत्र हरणा to conform to law, approving it, and hereby accepts the dedication to public use of any and all lands shown on the plat as being dedicated to such use this _____ day of

	The second secon		
Commi	ssioner	Commissioner	Commissioner
ATTEST:			_
	Clerk an	d Recorder	_

EXAMINED	AND	APPROVED	FOR	LINCOLN	COUNTY	BY:	

<u>APPROVED</u> :	6 hor	ell.	Lincoln	DATE County,	: Montana Commissioner:
		Chairman,	Lincoln (County,	Montana Commissioner

STATE OF MONTANA COUNTY OF LINCOLN	
Filed on this 29 day of Alex. oxal In ummina by County Clerk and recorder	1993 A.D. at/:50'clock P. M. Leannie Cleaner Deputy

PLAT NO. 5017

1 inch = 100 A

CERTIFICATE OF DEDICATION

I/we the undersigned property owners(s), do hereby certify that I/we have caused to be surveyed, subdivided and platted in to lots and streets as shown by the Plat hereto annexed, the following described land located near Troy in Lincoln County, Montana to wit:

DESCRIPTION OF LIME CREEK VIEWS

A tract of land located near Troy, Lincoln County Montana, lying in the N1/2 NE1/4 NW1/4 of Section 9, Twp. 33 N., R. 34 W., P.M.M., containing Lot 1 for a total acreage of 3.06 acres more or less and is more particularly described as follows:

Beginning at a found 31/4 inch dia. BLM Brass Cap which marks the N1/4 corner of Section 9, Twp. 33 N., R. 34 W., P.M.M.; thence, along the north line of said Section 9 N89°59'09"W 59.61 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S located on the east right of way line of a 60.00 foot wide Lime Creek Road measuring 30.00 feet from the centerline thereof and having a radial bearing of N79°05'51"W; thence, along said right of way line on the arc of a curve to the right a distance of 112.53, turning through a delta angle of 13°25'58", and having a radius of 480.00 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S24°20'07"W 422.81 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, on the arc of a curve to the right a distance of 124.63 feet, turning through a delta angle of 25°30'16", and having a radius of 280.00 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S49°50'23"W 109.19 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, leaving said right of way line S89°56'11'E 422.97 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S located on the north-south centerline of said Section 9; thence, along said section line N00°14'48"E 661.74 feet to the point of beginning

The aforedescribed Lot 1 contains a total acreage of 3.06 acres more or less, and is subject to and together with all other appurtenant easements of record.

The above described tract of land is to be known and designated as, Lime Creek Views, Lincoln County, Montana.

Dated this Start Ir

STATE OF MONTANA

County of Lincoln

On this day of Coffee Table 2, 2008 A.D. before me, a Notary Public in and for the State of Montana, personally appeared

known to me to be the persons whose names are subscribed to the within instrument and acknowledged to me that they executed the same.

Notary Public My Commission Ex

DESCRIPTION OF REMAINDER

A tract of land located near Troy, Lincoln County Montana, lying in the N1/2 NE1/4 NW1/4 of Section 9, Twp. 33 N., R. 34 W., P.M.M. containing a total acreage of 15.96 acres more or less and is more particularly descibed as follows:

Beginning at a found 5/8 inch dia. bare rebar which marks the W1/16 of Section 9, Twp. 33 N., R. 34 W., P.M.M.; thence, along the north line of said Section 9 S89°59'09"E 1203.08 feet to a set 5/8 inch dia. rebar capped K.E.D. located on the west right of way line of a 60.00 foot wide Lime Creek Road measuring 30.00 feet from the centerline thereof and having a radial bearing of N77°31'07"W; thence, along said right of way line on the arc of a curve to the right a distance of 86.89 feet, turning through a delta angle of 11°51'14", and having a radius of 420.00 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, on the arc of a curve to the right a distance of 97.93 feet, turning through a delta angle of 25°30'16", and having a radius of 220.00 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S49°50'23"W 180.13 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, leaving said right of way line N89°56'11"W 807.51 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, leaving said right of way line N89°56'11"W 807.51 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, N00°11'54"E 660.60 feet to the point of beginning.

The aforedescribed Tract contains a total acreage of 15.96 acres more or less, and is subject to and together with all other appurtenant easements of record.

Davis Surveying Inc. TROY MONTANA, (406)295-5441

DATE: 07/28/06

DRAWN BY: MDM

FILE: t33r34s9.DWG

APLAT OF:

LIME CREEK VIEWS
PER BOOK 231 PAGE 937

In the N1/2 NE1/4 NW1/4 of Section 9, Twp. 33 N., R. 34 W., P.M.M. For: Carroll Snarr Jr. Date: August 2006


Total Acreage: 19.02±

Legend

- FOUND AS NOTED
- SET 5/8 INCH DIA. REBAR WITH A PLASTIC CAP STAMPED K.E.D. 4975-S
- FOUND 5/8 INCH DIA. REBAR CAPPED K.E.D. 4975-S
- FOUND 5/8 INCH DIA. BARE REBAR

RECORD PER C.O.S. NO. 2476

) RECORD PER PLAT NO. 5017



EXEMPTION

The Remainder is exempt from sanitation review by the Department of Environmental Quality pursuant to M.C.A. 76-4-125(2)(e)(ii) as a remainder of an original tract created by segregating a parcel from the tract for purposes of transfer because the remainder is 1 acre or larger and has an individual sewage system that was constructed prior to April 29, 1993, and if required when installed, was approved pursuant to local regulations or M.C.A. Title 76, Chapter 4.

Graphic Scale

(in feet)

1 inch = 200 ft.

CERTIFICATE OF SURVEYOR

STATE OF MONTANA County of Lincoln

I, Kenneth E. Davis do hereby certify that a survey was made of Lime Creek Views, a minor subdivision, during the month of August 2006, In accordance with the provisions of Section 76.3-20, through 76-3-625 M.C.A.; that the annexed plat is in accordance with such a survey, that the streets and dimensions of the lots are as shown hereon; and that the said platted are was laid-out on the ground according to law.

Dated this S day of St. S., 200 A.D.

Kenneth E. Pavis Registered Land Surveyor No.

LEGAL AND PHYSICAL ACCESS

I hereby certify that legal and physical access to all lots within this subdivision is provided by

A 275 Registered Land Surveyor No.

COUNTY CERTIFICATE OF FINAL PLAT APPROVAL

The County Commission of Lincoln County, Montana does hereby certify that it has examined this subdivision plat and having found the same to conform to law, approves it, and hereby accepts the dedication to public use of and all lands shown on this plat as being dedicated to such use, this **O** day of **O** 2008, A.D.

(Signature of Commissioners)

ATTEST:
(Signature of Clerk and Recorder)

TREASURER CERTIFICATION

I hereby certify that all real property taxes and special assessments assessed and levied on the land to be divided have been paid. Dated this day of color and 200 A.D.

Treaturer Lincoln County Montana

CERTIFICATION OF EXAMINING LAND SURVEYOR

Approved this 23 day of Muse4 , 2008 A.D.

Ronald A. Pearson Registered Land Surveyor No. 9008 LS
STATE OF MONTANA

Filed on this to day of Notlanha, 2008 A.D. at 9:00


Janes D. Laue by E. County Clerk and Recorder

Deputy Dennes


Doc 223117

PLAT NO. 1028

Final plat approved p.F. 10354 Doc 223114 Sanitary Restriction Remard p.F. 10355 Doc 223113 Platting Certificate p.F. 10356 Doc 223116 Mener Weed plan p.F. 10357 Doc 223117 Continente Doc 22318 5 329/293




P.F. PLAT No. 4629



CERTIFICATE of DEDICATION

State of Montana) s.s.	
County of Lincoln	te. and a legal subdivision of the State of Montana has
caused to be platted, surveyed and subdivided into tracts, st of survey hereunto attached, the following tract of land, to 4th street of the town of West Troy intersects the right as	te, and a legal subdivision of the State of Montana has treets and alleys, as shown by the annexed plat and certificate to wit; Beginning at a point where the south boundary of way of the GN.R.R., thence 567°59'W (along south side of
a distance of 125ft, thence perpendicular to said 4th a distance of 125ft, thence perpendicular to said 4th 521°45'E-28.9ft, thence 966°03'W-125ft, thence N	street a distance of 200ft, thence parallel to said 4th streets a distance of 667ft, thence 566°03'W-525ft, thence 21°45'W-28.3ft, thence 866°03'W-262.3ft, thence 87ft, thenc
Community LI- 11, except that part in the DE corner of the	right-away, thence NRI 45 W-83011.2 to point of beginning above tract, owned by the Sandpoint Pole and Lumber Co.(r.r.sp. is Lincoln County Tracts at Troy, Montana, and the land includate are hereby granted and donated to the use of the public fore has caused the certificate of dedication to be signed by its duly
In witness whereof, said County he elected and qualified Commissioners.	has caused the certificate of dedication to be signed by its duly
O	
	less I man
	1 Ok Maille
Attest:-	Jes. J. Milleger
Attest:- Weller & Wag Clerk	
State of Montana s.s. County of Lincoln	
to today a controlled of the controlled of	2. before me, Clerk of District Court for the State of Montan Millegan, the Board of County Commissioners that executed I to me that said Board executed the same. Treunto set my hand and affixed my official seal.
	Trad of Diark
	stred at Clark of the District 200
ENGINEER'S CF	ERTIFICATE
State of Montanal ss. 3 County of Lincoln	
I, S.C. RateKin, a Civil Engineer 30th days of July 1932, I made a careful and acculince to County Tracts as shown by the annexed plat, to 3478 of the revised codes of Montage and activities.	r and Surveyor, to hereby certify that between the 7th and urate survey of that tract of land embraced in the that such survey was made in conformity with sections 346s amendatory thereto.
The second secon	
Subscribed and sworn to before me this 7th day of Se	ept. A.D. 1932.
770 LINE 0 0 LINE	Flort of the District Cours
TOWN COUNC	
CERTIFICATE of API	PROVAL
State of Montana) ss County of Lincoln	
This is to certify that at a mee called and assembled, the foregoing plat was present said Council, at said meeting, that all the requirements	eting of the Town Council of the town of Troy Montana, duly nited to and examined by said. Council, and it appeared to nits of the law in regards there to had been complied with. Council was approved and accepted by said Council, this
3-4 day of August A.D. 1932.	Council was approved and accepted by said Council, this
Attest:-	Mayor

S. G.Ratekin, Co.Surveyor.



LINCOLN COUNTY, MONTANA

AMENDED PLAT

OF LOTS I \$2 OF BLOCK I AND LOTS 1,2,3,\$4 OF BLOCK 5
OF THE THIRD ADDITION TO TROY, AND TRACTS E" \$"F"
OF THE LINCOLN COUNTY TRACTS, IN THE 5 1/2 OF SECTION 12,
TWR. 31 N., R. 34 W., R.M.M.

DESCRIPTION PARCEL "A"

An irregular tract of land in Troy, in Lincoln County, Montana, being a part of Lots 3 and 4 of Block 5 of the Mird Addition to Troy (a subdivision of Troy on record in the Lincoln County Courthouse), and a part of Tract "F" of the Lincoln County Tracts (a subdivision of Troy on record in the Lincoln County Courthouse), lying wholly within the St of Section 12, Twp. 31N., R. 34W., P.M.M., containing 0.099 acre, more or less, and more particularly described as follows:

Beginning at a 5/8" capped steel pin stamped J.H.N. 4661S (hereinafter referred to as 'a 5/8" pin') at the Southcasterly intersection of the right-of-way of Sixth Street and Missoula Avenue in Troy, in Lincoln County, Montana; thence,
along the Southerly right-of-way line of said Sixth Street N 68 19'28"E 50.00 feet to a 5/8" pin; thence, S 21°45'00"E
100.00 feet to a 5/8" pin; thence, S 68 19'28"W 30.00 feet to a 5/8" pin on the Easterly right-of-way line of said
Missoula Avenue, where the total right-of-way width is 100 feet; thence, along said right-of-way line N 21 45'00"W
13.73 feet to a 5/8" pin; thence, S 66°01'00"W 20.02 feet to a 5/8" pin, where the total right-of-way width of
said Missoula Avenue is 80 feet; thence, continuing along said Easterly right-of-way line N 21°45'00"W 65.08
feet to the point of beginning.

DESCRIPTION PARCEL "B"

An irregular tract of land in Troy, in Lincoln County, Montana, being a part of Lots 1 and 2 of Block I and Lots 1 and 2 of Block 5 of the Third Addition to Troy (a subdivision of Troy on record in the Lincoln County Courthouse), and a part of Tracts "E" and "F" of the Lincoln County Tracts (also a subdivision of Troy on record in the Lincoln County Courthouse), lying wholly within the St of Section 12, Twp.31N.,R.34W., P.M.M., containing 0.685 acre, more or less, and more particularly described as follows:

Beginning at a 5/8" capped steel pin stamped J.H.N. 4661S (hereinafter referred to as 'a 5/8" pin') on the Southerly right-of-way line of Sixth Street, which point lies N 68 19'28"E 185.00 feet from the Southeasterly intersection of said Sixth Street right-of-way and the Easterly right of way of Missoula Avenue in Troy, in Lincoln County, Montana; thence, along said Southerly right-of-way line of Sixth Street, N 68 19'28" E 165.00 feet to a 5/8" pin; thence, S 21 45'00"E 168.27 feet to a 5/8" pin on the Worthwesterly boundary of the Snowball Fraction Placer Claim; thence, along said Placer Claim boundary S 59 41'25"W 166.86 feet to a 5/8" pin; thence, N 21 45'00"W 193.32 feet to the point of beginning.

DESCRIPTION PARCEL "C"

An irregular tract of land in Troy, in Lincoln County, Montana, being a part of Lots 1 and 2 of Block 1 of the Third Addition to Troy (a subdivision of Troy on record in the Lincoln County Courthouse), and a part of Tract "E" of the Lincoln County Tracts (also a subdivision of Troy on record in the Lincoln County Courthouse), lying wholly within the St of Section 12, Twp. 31N.,R.34W.,P.M.M., containing 0.405 acre, more or less, and more particularly described as follows:

Beginning at a 5/8" capped steel pin stamped J.H.N. 4661S (hereinafter referred to as 'a 5/8" pin') on the Southerly right-of-way line of Sixth Street, which point lies S 83 04'56"E 62.68 feet from a monument set at the intersection of the center lines of Sixth Street and Spokane Avenue in Troy, in Lincoln County, Montana; thence N 68 19'28"E 100.00 feet to a 5/8" pin; thence, S 21 45'00"E 47,90 feet to an existing steel pin; thence, N68°19'28"E 15.00 feet to an existing steel pin; thence, S 21 45'00"E 102.91 feet to an existing steel pin on the Northwesterly boundary of the Snowball Fraction Placer Claim; thence, along said boundary S 59 41'25"W 116.30 feet to a 5/8" pin; thence, N 21 45'00"W 168.27 feet to the point of beginning.

DESCRIFTION REMAINDER

An irregular tract of land in Troy, in Lincoln County, Montana, being a part of Lots 1,2,3 and 4 of Block 5 of the Third Addition to Troy (a subdivision of Troy on record in the Lincoln County Courthouse), and a part of Tract "F" of the Lincoln County Tracts (also a subdivision of Troy on record in the Lincoln County Courthouse), lying wholly within the St of Section 12, Twp. 31N.,R.34W.,P.M.M. containing 0.711 agre, more or less, and more particularly described as follows:

Beginning at a 5/8" capped steel pin stamped J.H.N. 4661S (hereinafter referred to as 'a 5/8" pin') on the Southerly right-of-way line of Sixth Street, which point lies N 68 19'28"E 50.00 feet from the Southeasterly intersection of the rights-of-way of Sixth Street and Missoula Avenue in Troy, in Lincoln County, Montana; thence, along said Southerly right-of-way line of Sixth Street, N 68 19'28"E 135.00 feet to a 5/8" pin; thence, S 21 45'00"E 193.32 feet to a 5/8" pin on the Northwesterly boundary of the Frake ball Fraction Placer Claim; thence, along said boundary S 59 41'25"W 166.86 feet to a 5/8" pin on the Fraterly right-of-way line of Missoula Avenue and U.S. Highway No. 2; thence, along said right-of-way line of Missoula Avenue, N 21 45'00"W 118.37 feet to a 5/8" pin; thence, N 68 19'28"E 30.00 feet to A 5/8" pin; thence, N 21 45'00"W 100.00 feet to the point of Feginning.

EXEMPTION CERTIFICATE/PURPOSE FOR SURVEY

We hereby certify that the purpose of this survey is to relocate common boundaries of existing lots in a platted subdivision, fewer than six lots are affected, and no additional lots are hereby created; we further certify that the purpose for this division of land is to transfer: Parcel "A" is shown on this certificate to Wanda Planchard, our daughter; Parcel "B" as shown on this certificate to Dedi L. Coy, our daughter, and Barry C. Coy, her husband; Parcel "C" as shown on this certificate to Leone A. Harner, cor daughter, and Warren Harner, her husband; that this is the first gift or sale to those persons; furnished we certify that we are entitled to use this exemption in that we are in compliance with all conditions in posed on the use of this exemption; therefore, this division of land is exempt from review as a subdivision purposed to the posed on 76-3-207 (b) and (c), M.C. A. Malley J. M.C. A.

Jackson L. Brown

Lorraine Brown

Date

The foregoing certificate was subscribed and sworn to before me this 9th day of Mal. 1982

Literaty Public

My Consission Expires

APPROVED: Stephe D Stad Examining Land Surveyor Date 2-28-82 Registration No. 56/9-5 APPROVED: TS 20 Company

Chairman Board of Commissioners

ATTESTED: Jenet B. F. See get disenter

County Clerk and Retorder

our son 30th day of leptember 1982


Filed on this 30 th day of september, 1982

of 4:48 o'clock f.M.

County Clerk and Recolder

by Leth Bell

Continue of Survey No. 3766



NINNEMAN ENGINEERING . . . TROY, MONTANA

PARCEL

GIFT TO

ACREAGE

LINCOLN COUNTY, MONTANA

Amended Plat of

LINCOLN COUNTY TRACTS

A PART OF TRACT E OF LINCOLN COUNTY TRACTS IN THE SE'4 OF SECTION 12, TWP. 31 N., R. 34 W., P.M.M.

FEBRUARY, 1980

DESCRIPTION

An irregular tract of land in Troy in Lincoln County, Montana, being a part of Tract E of Lincoln County Tracts(a subdivision in Lincoln County Montana) lying wholly within the Ski of Section 12 Twp. 31 N., R. 34 W., P.M.M., containing 0.2707 acre, more or less, and more particularly described as follows:

Beginning at the northeast corner of Tract E of Lincoln County Tracts(a subdivision in Lincoln County, Montana) lying within the SR of Section 12 Twp. 31 N., R. 34 W., P.M.M.; thence, from said point of beginning, along the easterly line of said Tract E, S 21045:00 E 85.00 feet to the southeast corner thereof; thence, along the southerly line of said Tract E, S 59045:00 W 126.39 feet; thence, parallel with the east line of said Tract E, N 21045:00 W 103.68 feet to a point on the northerly line of said Tract E; thence, along the northerly line of said Tract E, N 68015'00"E 125.00 feet to the point of beginning.

EXEMPTION CERTIFICATE / PURPOSE FOR SURVEY

We, Jackson L. and Lorraine Brown and the undersigned representatives of School District No. 1, do hereby pertify that the purpose of this survey is to relocate common boundaries of existing lots in a platted subdivision, fewer than six lots are affected, and no additional lots are hereby created; therefore, this survey is exempt from review as a subdivision pursuant to Section 76-3-207(e),M.C.A. We also hereby certify that the purpose for this division of land is to acquire additional land to become part of a parcel that has no seniter

Sixth	OS 2 OS 125 OS STREET	TRACT D DISTRICT	restrictions imposed on it, and that no structure on the additional acquired parcel; therefore the Department of Health and Environmental Structure (f)(i). Date: 11-21-80 Date: 11-21-80 School Districtions imposed on it, and that no structure is acquired parcel; therefore the Department of Health and Environmental Structure is acquired parcel; therefore the Department of Health and Environmental Structure is acquired parcel; therefore the Department of Health and Environmental Structure is acquired parcel; therefore the Department of Health and Environmental Structure is acquired parcel; therefore the Department of Health and Environmental Structure is acquired parcel; therefore the Department of Health and Environmental Structure is acquired parcel; therefore the Department of Health and Environmental Structure is acquired parcel; therefore is acquired parcel; the parcel par	that to become part of a parcel that has no sanital ctures requiring water or sewage will be erected, this division of land is exempt from review by ciences pursuant to ARM 16-2.14(10)-514340(13) Towns Lorraine Brown Lorraine Brown LETCHMENT
5 2 8	125.00' 125.00' 10, 11	Point of Beginning FND. BENT PIN N68 15 00 E 125.00	Bearings were based on the bearing of the reported to bear S 21045°00" E	Notary Bublic in and for the State of Montan Residing at: 1204 My Commission Expires: 29-20 OR BEARINGS East line of Tract E of Lincoln County Tracts
4.70 30.02	BROWN	BROWN 8	·	o Found Steel Pin
TRACT	TRACT REMAINDER	© E S S S S S S S S S S S S S S S S S S	© Set 5/8" X 24" Steel Rod with Yellow Cap	stamped: J.H.N. 4661 S.
0.983 Ac.	O.442 Ac.	126.39 559° 45' 00" W KENSLER TOTAL: 2.249 ACRES	APPROVED: How 5980 Filed Examining Land Surveyor Pegistration No. 4974.5	on this 28-74 day of November, 19 90 of 1145 o'clock f. M.
	50 25 O FEEY	SCALE 50 100 150 200	APPROVED: Chairman Baard of Commissioners (MRYOL) ATTESTED: Caunty Clerk and Recorder party Dated this 28 day of November, 19 80	Sherry L. Howks Deputy PLAT No. 36

NINNEMAN ENGINEERING TROY, MONTANA



SEC. 32

SCALE |" = 100

Lot Acreage Roadway Acreage

Grand Total 16.9 Acres

CERTIFICATE OF DEDICATION

We the undersigned property owners, do hereby certify that we have caused to be surveyed, subdivided and platted into lots and roads as shown by this plat and described in this CERTIFICATE C. DEDICATION, all of the following described tract of land in Lincoln County, Montana to wit;

The northeast quarter of the southwest quarter (NETSWI), the southeast quarter of the northwest quarter (SRINWI) and a strip of land eighty-two and five-tenths (82.5) feet in width in the northwest quarter of the southeast quarter (NWISEI) and bordering the westerly boundary line of said wst gnuarter of the southeast quarter(NWISE) and bordering the westerly boundary line of said PISE, all in section thirty-two(32) of T 31 N - R 31 W., P. M. M., Lincoln County, Montana a domore particularly described as follows to wit; commencing at the southeast corner of the ritheast quarter of the southwest quarter(NMISE) of said section 32; thence S 50° 57' E., a dialong the southerly boundary line of the NWISE, 33.8 feet to the true point of beginning the trect of land being described; thence N 51° 53' W., 159.9 feet to a point; thence N 35° 56' W., 246.0 feet to a point; thence N 35° 56' W., 49.8 feet to a point; thence N 16° 04' W., 724.6 feet to a point; thence N 35° 59' E., 189.2 feet to a point on the southerly boundary line of WESTGATE AVE., which is the southerly extension the westerly boundary line of COMMERCE STREET of WESTGATE TRACTS, an unrecorded plat; thence the westerly boundary line of COMMERCE STREET of WESTGATE TRACTS, an unrecorded plat; thence 55° 41' E., and along the southerly boundary line of Westgate Ave., 60.0 feet to a point; thence fig2° 55' E., 605.9 feet to a point 82.5 feet East of the westerly boundary line of the NWISE; of section 32 when measured at right angles; thence S 0° 11' W., and parellel to the westerly bundary line of the NWISE; tence N 89° 57' W., and along the southerly boundary line of the NWISE; tence N 89° 57' W., and along the southerly boundary line of the NWISE; tence N 89° 57' W., and along the southerly boundary line of the NWISE; tience N 89° 57' W., and along the southerly boundary line of the NWISE; line o

SATE OF MONTANA COUNTY OF LINCOLN

dged to me that they executed the same.

Notary Public for the State of Montes
Residing at
My Commission Expires / (1927)

CERTIFICATE OF COUNTY COMMISSIONERS

ATE OF MONTANA OUNTY OF LINCOLN

16. Roy Lindsey. Chairman of the Board of County Commissioners of Lincoln County, Montana and ELEANOE L. VAUGHN, County Clerk said County, do hereby certify that the plat of LINCOLN HILLS, as prepared in duplicate, has been submitted to the Board of county Commissioners of Lincoln County, Montana for examination and has been found to conform to law and was approved in duplicate their regular meeting held on the 23 day of Luguet 1972, and that the requirement of a Perk be waived due to the area being less than twenty(20) acres.

A letter from the County Attorney, William A Douglas stating ownership

CERTIFICATE OF COUNTY SURVEYOR

STATE OF MONTANA COUNTY OF LINCOLN

I. Kennelly Haskell, County Surveyor of Lincoln County, Montana, do hereby certify that I have examined the accompanying plat in duplicate of LINCO of Lincoln County, Montana and the survey it represents and that I find the same conforms to law and I hereby approve of same to

Date this 23 day of Hugust 19.7%

CERTIFICATE OF SURVEY

STATE OF MONTANA COUNTY OF FLATHEAD

I, DOUGLAS M. BISHOP, a registered Montana Licensed Land Surveyor, do hereby certify that during the month of August 1967, I made a careful and accurate survey of the above described tract of land and that the distances and courses as shown are true and correct to the best of my knowledge and belief and that the corners of all lots were plainly marked on the ground with steel pins and that the intersections of all roadways have steel pins marked X and are approximately 6" below the surface of the roadway sub-grade and that the survey was made according to standard surveying practises of Montana.

STATE OF MONTANA COUNTY OF FLATHEAD

194, before me a Notary Public for the State of Montana, personally appeared, DOUGLAS M. BISHOP, known to me to be the person whose name is sufficient to the Certificate of Survey and he acknowledged to me that he excuted the same.

> otary Public for the State Residing at Kalispell, Monten

My Commission Expires

PLAT LINCOLN HILLS

SEC. 32 T 31 N — R 31 P. M. M.

CERTIFICATE OF DEDICATION

W. the undersigned property owners, do hereby certify that we have caused to be surveyed, subdivided and platted into lots and roads as shown by this plat and described in this CERTIFICATE O DEDIGATION, all of the following described tract of land in Lincoln County, Montana to wit:

The northeast quarter of the southwest quarter (NM SW), the southeast quarter of the northwest q arter (SELEVE) and a strip of land eighty-two and five-tenths (82.5) feet in width in the northwist equarter of the southeast quarter (MtSEt) and bordering the westerly boundary line of said FigSR, all in section thirty-two(32) of T 31 N - R 31 W., P. M. M., Lincoln County, Montana g d more particularly described as follows to wit; commencing at the southeast corner of the r rtheast quarter of the southwest quarter (MESSW2) of said section 32; thence S 89° 57' E., ad along the southerly boundary line of the NW1SH, 33.8 feet to the true point of beginning of the trect of land being described; thence N 51° 53' W., 159.9 feet to a point; thence N 35° 56' W., 246.0 feet to a point; thence N 35° 56' W., 49.8 feet to a point; thence N 16° 04' W., 724.6 feet to a point; thence N 33° 59' E., 189.2 f et to a point on the southerly boundary line of WESTGATE AVE., which is the southerly extension o the westerly boundary line of COMMERCE STREET of WESTGATE TRACTS, an unrecorded plat; thence 55° 41° E., and along the southerly boundary line of Westgate Ave., 60.0 feet to a point; thence S 33° 59° W., 72.0 feet to a point; thence S 44° 32° E., 556.9 feet to a point; thence S 55° E., 605.9 feet to a point 82.5 feet East of the westerly boundary line of the NW SE o'section 32 when measured at right angles; thence S 0° 11' W., and parallel to the westerly boundary line of the INSTE. 935.0 feet to a point on the southerly boundary line of the NW2SE4; tience N 89° 57° W., and along the southerly boundary line of the NW1SE1, 48.7 feet to the point o' beginning and containing approximately 16.95 acres of land, more or less, and that said subvision is to be known as LINCOLN HILLS and that the roadways as shown on the annexed plat are private. h witness whereof we have caused our hand and

COUNTY OF LINCOLN

sal to be set this 19th day of Thele

of Montana, personally appeared STOART W. SWENSON and JACQUELINE J. SWENSON and known to me to be e persons who subscribed their names to the foregoing CERTIFICATE OF DEDICATION and acknowlidged to me that they executed the same.

CERTIFICATE OF COUNTY COMMISSIONERS

PATE OF MONTANA DUNTY OF LINCOLN

Regulards Chairman of the Board of County Commissioners of Lincoln County, Montana and ELEANOF L. VAUGHN, County Clerk of said County, do hereby certify that the plat of LINCOLN HILLS, as prepared in duplicate, has been submitted to the Board of County Commissioners of Lincoln County, Montana for examination and has been found to conform to law and was approved in duplicate their requirement of a Perky be waived due to the area being less than twenty(20) acres.

A letter from the County Attorney, William A. Dauglas stating ownership and a Certificate of Title from a licensed Abstracter was filed with the County Clerk and Recorder upon this 23 day of August 10 12

ELEANOR L. VAUGHN - Stork and Recorder

CERTIFICATE OF COUNTY SURVEYOR

STATE OF MONTANA

I. Kenneth Harkell. County Surveyor of Lincoln County, Montana, do hereby certify that I have examined the accompanying plat in duplicate of LINCOLN HILLS of Lincoln County, Montana and the survey it represents and that I find the same conforms to law and I hereby approve of same.

Date this 23rd day of August 1972.

CERTIFICATE OF SURVEY

I, DOUGLAS N. BISHOP, a registered Montana Licensed Land Surveyor, do hereby certify that during the month of August 1967. I made a careful and accurate survey of the above described tract of land and that the distances and courses as shown are true and correct to the best of my knowledge and belief and

that the corners of all lots were plainly marked on the ground with steel pins and that the intersections of all roadways have steel pins marked X and are approximately 6" below the surface of the roadway sub-grade and that the survey was made according to standard surveying practises of Montana.

STATE OF HONTANA COUPTY OF FLATHBAD

19 . before me a Motary Public for the State of Montana, personally appeared, DOUGLAS M. BISHOP, known to me to be the person whose name is subscribed to the Certificate of Survey and he acknowledged to me that he excuted the same.


> Notary Public for the State of Montana Residing at Kalispell, Montena My Commission Expires

Lot Acreage

Parks

Roadway Acreage

Grand Total 16.9 Acres



CERTIFICATE OF SURVEY "RETRACEMENT" $NE_{4}^{1}SW_{4}^{1}$, $NW_{4}^{1}SE_{4}^{1}$, SECTION 32, T.31N., R.31W., P.M.,MT. LOTS 1 & 2, LINCOLN HILLS SUBDIVISION LINCOLN COUNTY, MONTANA **FOR: IRENE SIREY** DATE: NOVEMBER 2007 LEGAL DESCRIPTION ~ LOT 1, LINCOLN HILLS SUBDIVISION S 00°04'21" W 50.03' An irregular tract of land near Libby, Montana, Lincoln County and lying in the NE1/4 SW1/4, NW1/4 SE1/4, Section 32, T.31N., R.31W., P.M., MT., and more particularly described as: Commencing at the southwesterly corner, Tract 9, Riverside Drive Subdivision, a 5/8 inch 0 diameter uncapped rebar; Thence N00°37'41"W, 17.15 feet to a set 5/8 inch diameter rebar with a plastic cap marked Hughes, 7322LS; Thence N00°04'21"E, 416.88 feet to a set 5/8 inch diameter rebar with a plastic cap marked Hughes, 7322LS and the TRUE POINT OF BEGINNING: Thence S00°04'21"W, 416.88 feet to a set 5/8 inch diameter rebar with a plastic cap marked Hughes, 7322LS; Thence N51°37'39"W, 163.42 feet to a set 5/8 inch diameter rebar with a plastic cap marked Hughes, 7322LS; Thence N30°59'13"W, 31.21 feet to a set 5/8 inch diameter rebar with a TRACT 6 plastic cap marked Hughes, 7322LS; Thence N26°37'27"E, 322.92 feet to a set 5/8 inch diameter PLAT NO. 27 rebar with a plastic cap marked Hughes, 7322LS and the TRUE POINT OF BEGINNING, containing 0.711 acres. Subject to and together with all appurtenant easements of record. LOT 5 LEGAL DESCRIPTION ~ LOT 2, LINCOLN HILLS SUBDIVISION 3 An irregular tract of land near Libby, Montana, Lincoln County and lying in the NE1/4 SW1/4, 4 NW1/4 SE1/4, Section 32, T.31N., R.31W., P.M., MT., and more particularly described as: Commencing at the southwesterly corner Tract 9, Riverside Drive Subdivision, a 5/8 inch LOT 4 diameter uncapped rebar; Thence N00°37'41"W, 17.15 feet to a set 5/8 inch diameter rebar with a plastic cap marked Hughes, 7322LS; Thence N00°04'21"E, 416.88 feet to a set 5/8 inch diameter rebar with a plastic cap marked Hughes, 7322LS and the TRUE POINT OF BEGINNING: Thence S26°37'27"W, 322.92 feet to a set 5/8 inch diameter rebar with a plastic cap marked Hughes, 7322LS; Thence N30°59'13"W, 120.03 feet to a set 5/8 inch diameter rebar with a plastic cap marked Hughes, 7322LS; Thence N27°16'59"E, 451.10 feet to a 5/8 inch diameter uncapped rebar; Thence S00°04'21"W, 215.13 feet to a set 5/8 inch diameter rebar with a plastic cap marked Hughes, 7322LS and the TRUE POINT OF BEGINNING, containing 0.885 acres. Subject to and together with all appurtenant easements of record. TRUE POINT OF BEGINNIN SEE FENCELINE FENCELINE DETAIL (NO SCALE) TRACT 9 LOT 2 PLAT NO. 27 0.885 ACRES EXISTING LOTS 1 & 2, LINCOLN HILLS SUBDIVISION LOT 1 LINE 0.711 ACRES <u>LOT 1</u> N 30°59'13" W 31.21' (N 30°58'00" W 31.20') **LEGEND** LIBBY, MONTANA SET 5/8 INCH DIAMETER REBAR WITH A PLASTIC N 00°37'41"W 5/8 INCH DIAMETER REBAR WITH A PLASTIC CAP 5/8 INCH DIAMETER UNCAPPED REBAR UNMARKED COMPUTED POINT 0 GRAPHIC SCALE RECORD - PLAT No. 2580 RECORD - C.O.S. No. 3099 RECORD - C.O.S. NO. 3333 BOUNDARY LINES THIS SURVEY (IN FEET) 1 inch = 80 ft. EXISTING FENCELINE

PURPOSE OF SURVEY

The pupose of this survey is the retracement of record parcels of land; establishment of obliterated corners, and mark property boundaries. Therefore, no division of land is hereby created and is exempt from review as a subdivision persuant to Section 76-3-404 MCA.

METHOD OF SURVEY

A GPS survey grade RTK system was used to tie previously set controlling corners by Mike Tester, July 2007.

BASIS OF BEARING

The basis of bearing for this survey is N00°12'59"E, as shown on Certificate of Survey No. 3333, between a 5/8 inch diameter uncapped rebar and a 5/8 inch diameter rebar with plastic cap marked MDL, 4232S.

HISTORY OF SURVEY

1972 - Plat No. 2580, "Lincoln Hills Subdivision", D.M. Bishop, 1834S 2001 - COS No. 3099, Agricultural Parcel, A.F. Hughes, 7322LS

LAND SURVEYOR'S CERTIFICATION

I hereby certify that I am a Registered Land Surveyor in the State of Montana, that the survey shown on this Certificate of Survey has been prepared under my supervision and in accordance with the Montana Code Annotated, Sections 76-3-101 through 76-3-625, and the Lincoln County Regulations adopted pursuant thereto.

Alvah F. Hughes, PLS, 7322LS

EXAMINING LAND SURVEYOR'S CERTIFICATION

mined this 30 day of NOVEMBER

Ronald A. Pearson, PLS, 9008LS ~ Examining Land Surveyor

CLERK AND RECORDER'S CERTIFICATION

State of Montana, County of Lincoln, filed this _____ day

of <u>Jeanney</u> 2007, A.D. at 3:30 o'clock p.m.

James by Jeanne Deputy

Lincoln County Clerk & Recorder

Deputy

VICINITY MAP

SECTION 21

AREA MAP NO SCALE

NE1/4

NW1/4

CERTIFICATE OF SURVEY NO. 3756

LINCOLN COUNTY, MONTANA PLAT OF LINCOLN WEST SUBDIVISION FIRST ADDITION PLAT NO 2291 PLAT No. 2144 IN GOV'T. LOT I IN THE NE 1/4 OF SECTION 5 TWP. 30 N., R.31 W., P.M.M. SEPTEMBER, 1981 ROAD "COUNTY £65956} [N89°57'52'E} [S89°/3'W] [660] 6596/ N 89°15'45"E 13549 202 22 Point of VICINITY MAP SCALE Beginning. LOT / LOT 3 LOT 2 LOT 4 0.4826 0.5/15 0.5/15 ENGINEERING 0.4893 KOOTENAI ACRE = ACRE + ACRE + ACRE ! CIVIL ENGINEERING & LAND SURVEYING LIBBY, MONTANA 406-293-7721 LOT 5 LEGEND 0.5/37 ACRE ± SET 5/8 x 24 REBAR WITH PLASTIC CAP STAMPED : MDL 4232-S NOº43'57"W RECORD 5/8 REBAR MOL 4232 S PER PLAT NO 3548 FOUND MONUMENT AS NOTED 589°16'03" W [] RECORD PER PLAT NO 1381 FURLONG INDIANHEAD MELVIN D * * RECORD PER PLAT NO. 2144 134 60 450.00 TOTAL N89º16'03'E { } RECORD PER PLAT NO. 3548 589°16'03"W N89º16'03"E 120.09 LOT 6 4 = 53°07 52 SUBDIVISION WEST LINCOLN LOT 9 LOT 10 Lot 7 AREA: NET LOTS 25086 ACRES CERTIFICATE OF BEDICATION We, William Anderson, Maren Anderson, and Fred Wolff, the undersigned property owners do hereby certify that we have caused to be surveyed, subdivided, and platted into lots as shown by the clat hereto offile of Now., county of Lindolm, I, Melvin D. Lauteren, Libby, Montana, do hereby certify that a survey was made of "Lindolm west substitution, right ADDITION," a minor subdivision, under my supervision during the month of aug.—
Sept., 1981, in accordance with the provisions of Section 76-3-201 through 763-403 of the Montana Codes Annotated, 1978; that the annexed plat is in accordance with such survey that the dimensions of the lots and blocks are as thereon designated, and that the said platted area was laid out on the ground annexed the following described land near Libby in Lincoln County, Montana, to wit. A parcel of land located in Government Lot 1 in the NE 1/4 of Section 5, Twp. 30 N., R. 31 W., P.B. near Libby in Lincoln County, Montana, containing 2.5086 Acres, more or less, and more particularly described as follows: according to law. Beginning at a 5/8 inch rebar with plastic cap stamped: MDL 4232-3 located on the South line of a 60.00 foot wide County Road right of way which is the Northwest corner of that undeveloped parcel shown on Plat No. 3548, Lincoln County Records, said 10/14/81 point also being the Northeast corner of Lot One of Rouse Tracts, a Lincoln County Subdivision as shown on Plat No. 1381, Lincoln County Records; thence, along the Northerly boundary of that parcel shown on Plat No. 3548, N89015'45"E 659.61 feet to a 5/8 inch CHATTATICATE OF MANIANING LAND SONVEYOR rebar with plastic cap stamped: MDL 4232-3 marking the Northeast corner of said Plat No. 3548 at the intersection of the West-I, STEPHEN I STARB, acting as an Examining Land Surveyor for Lincoln erly right of way line of "Indianhead Road," a 60,00 foot wide County Road right of way; thence, along said westerly right of way line of "Indianhead Road," S04023'20" 151.41 feet to a 5/8 inch rebar with plastic cap stamped: Fall 4232-S marking the County, Montana, do hereby certify that I have examined the final plat of LINCULN WEST SUBSIVISION, FIRST ADSITION (a minor subdivision) and find that intersection of "Indianhead Furlong," a 60.00 foot wide dedicated County Road right of way, said point beginning the arc of a 15.00 foot radius curve from which the radius point bears N85036'40"W; thence, leaving said "Indianhead Road" right of way line the survey data shown thereon meets the conditions set forth by or pursuant to Section 76-3-201 through 76-3-403 Montana Codes Annotated, 1978. and along the North right of way line of said "Indianhead Furlong" and along the arc of said curve to the right turning through Dated this 5 day of Ocroser, 1981 Stant D Stant 5619 5 Examining Land Surveyor Reg. No. a central angle of 84052143" a distance of 22.22 feet to a 5/8 inch rebar with plastic cap stamped: Mul 4232-5; thence, continuing along said right of way line, S89016'03"w 378.98 feet to a 5/8 inch rebar with plastic cap stamped: MDL 4232-3 which begins the arc of a 15.00 foot radius curve from which the radius point bears NOO43'57"W; thence, along the arc of said curve to the CERTIFICATE OF FINAL PLAT AFFROVAL right turning through a central angle of 53007'52" a distance of 13.91 feet to a 5/8 inch rebar with plastic cap stamped: MDL The County Commission of Lincoln County, Montana, does hereby certify it 4232-S which begins the arc of a 60.00 foot radius cul-de-sac from which the radius point bears S52023155"w; thence, along the has examined this subdivision plat and having found the same to conform to law, arc of said cul-de-sac to the left turning through a central angle of 143007'52" a distance of 149.89 feet to a 5/c inch rebar approves it this ___ day of __, 198³ A.D. with plastic cap stamped: MDL 4232-S marking the Northeast corner of Lot 6 of "Lincoln west Subdivision," a recorded subdivision as shown on aforementioned Plat No. 3548; thence, leaving said road right of way line and the arc of said cul-de-sac and along the North line of said Lot 6, S89016'03" 134.60 feet to a 5/8 inch rebar with plastic cap stamped: ADL 4232-S located on the East line of aforementioned Lot One of Rouse Tracts and the West line of said Plat No. 3548, said point marking the Northwest ATTEST: corner of said Lot 6; thence, along said East line of Rouse Tracts, NOOO1'00" 194.43 feet to the Point of Beginning. The above described tract of land is to be known and designated as "LINCOLN WEST SUBDIVISION, FIRST ADDITION."

Cliaid (Midliser) Conference Owner Signature Owner Signature Lincoln County Clerk & Recorder Owner Signature CERTIFICATE OF COUNTY CLERK & RECORDER Welland (Miderson) Owner Signature State of Montana, County of Lincoln, filed this 3/st day of October STATE OF MONTANA, COUNTY OF LINCOLN, on this 4 day of Otober, 1981 A.D. before me a Notary Public in and for the State of Montana personally appeared WILLIAM ANDERSON, KAREN ANDERSON, and FRED WOLFF, known to me to be the persons whose names are 1983 A.D. at 422 U'clock +.M. subscribed to the within instrument and acknowledged to me that they executed the same. Lincoln County Clerk & Recorder SHEET 1 OF 1 Notary Public Clare Recorder deputy My commission expires facilized fre in leave of fact land \$178616

AMENDED PLAT

"LOTS 3 & 4, LINCOLN WEST SUBDIVISION, FIRST ADDITION"

"BOUNDARY LINE ADJUSTMENT"

GOV'T. LOT 1, NE 1/4, SECTION 5, T.30N., R.31W., P.M., MT.

FOR: ART DUDLEY

DATE: NOVEMBER 2007

LEGAL DESCRIPTION LOT "3A"

A tract of land, lying northwesterly of Libby, Montana, Lincoln County, lying in Government Lot 1, NE1/4, Section 5, T.30N., R.31W., P.M.,MT., and being "Lots 3 and 4, Lincoln West Subdivision, First Addition", and more particularly described as follows: Commencing at the northwest corner of Lot 3, said subdivision, a 5/8 inch diameter rebar with a plastic cap marked MDL, 4232S, said point being the TRUE POINT OF BEGINNING:

Thence along the southerly limits of "Montgomery Drive", 60 foot wide right-of-way, N89°15'28"E, 135.53 feet to a 5/8 inch diameter rebar with a plastic cap marked MDL, 4232S; Thence S00°08'27"E, 164.84 feet intersecting the northerly right-of-way limits of "Indian Head Furlong Street", 60 foot wide right-of-way, a 5/8 inch diameter rebar with a plastic cap marked MDL, 4232S; Thence along said limits, S89*24'13"W, 135.49 feet intersecting a transition curve to a Cul-de-sac, a 5/8 inch diameter rebar with a plastic cap marked MILLER, 6107S, and the point curve of a non-tangent curve to the right, of which the radius point lies N00°42'48"W, a radial distance of 15.03 feet; Thence northwesterly along the arc, through a central angle of 53°07'52", 13.94 feet to the beginning point of said Cul-de-sac, a set 5/8 inch diameter rebar with a plastic cap marked HUGHES, 7322LS, and a point of reverse curve to the left having a radius of 60.10 feet and a central angle of 87°47'16"; Thence westerly along the arc, 92.08 feet, a set 5/8 inch diameter rebar with a plastic cap marked HUGHES, 7322LS; Thence between Lots 4 and 5, said subdivision, N36'58'10"W, 179.84 feet to the southerly limits of said "Montgomery Drive" a 5/8 inch diameter rebar with a plastic cap marked MDL 4232S; Thence along said limits, N89'15'45"E, 202.24 feet to the TRUE POINT OF BEGINNING. Containing 1.001 acres. Subject to and together with all appurtenant easements of record

COUNTY TREASURER'S CERTIFICATION

I hereby certify that all real property taxes and special assessments assessed and levied on the

Lincoln County Treasurer

Date

CERTIFICATE OF SURVEY, No. 1530 MONTGOMERY DRIVE TRUE POINT OF BEGINNING N89*15'28"E 135.53 N89°15'45"E 202.24 (N89°15'45"E 202.22) S89*19'10"W 51.78 (N89°15'45"E 135.43) **LEGEND** (S89°15'45"W 52.01) **BASIS OF BEARING** A 5/8 INCH DIAMETER REBAR WITH A PLASTIC CAP MARKED MDL 4232S LOT "3A" A 5/8 INCH DIAMETER REBAR WITH A (INCLUDES LOT 4) PLASTIC CAP MARKED MILLER 6107S 1.001 ACRES A 5/8 INCH DIAMETER REBAR, NO PLASTIC CAP S00"08'27"E (S00"01'04"E တ ရို A 3/4 INCH DIAMETER REBAR, NO PLASTIC CAP LOT she LOT 3 LOT 4 SET A 5/8 INCH DIAMETER REBAR WITH A PLASTIC CAP MARKED HUGHES 7322LS 0.512 ACRES 0.489 ACRES Arthur & Lynn C Dudley Arthur & Lynn C Dudley UNMARKED COMPUTED POINT 164. 164. RECORD - PLAT No. 4081 LOT 5 0.513 ACRES BOUNDARY LINES Kent D & Tasha J Johnson N13'17'32"W — — OLD BOUNDARY LINE — ADJOINING BOUNDARY LINES RADIAL LINE R=60.10 (60) ∆=(87°47'16") ____ RADIAL: N00'42'48"W L=92.08 (91.93) S89°24'13"W 135.49 VICINITY DIAGRAM (S89'16'03"W 135.49) R=60.10 (60) NE 1/4, SECTION 5 $\Delta = (55^{\circ}20'36'')$ INDIAN HEAD - FURLONG STREET R=15.03 (15.00) L=58.05 (57.96) $\Delta = (53^{\circ}07^{\circ}52^{\circ})$ L=13.94 (13.91) N89'17'17"E 134.65 (N89°16'03"E 134.60) GOV'T. LOT 2 GOV'T. LOT 1 LINCOLN WEST SUBDIVISION, PLAT No. 3548 GRAPHIC SCALE SURVEYOR (IN FEET) 1 inch = 40 ft.1/4

PURPOSE OF SURVEY AND OWNER'S EXEMPTION CERTIFICATION

We, Arthur Dudley III and Lynn C Dudley, record owners, hereby certify that the purpose of survey and division of land is to relocate a common boundary between record parcels and is therefore exempt from subdivision review pursuant to MCA 76-3-207(1)(d): "divisions made for five or fewer lots within a platted subdivision, relocation of common boundaries and the aggregation of lots." We further certify that Lot "3A" is exempt from review by the Department of Environmental Quality pursuant to ARM 17.36.605 Exclusions 2(b): "A parcel that has no existing facilities for water supply, wastewater disposal, and solid waste disposal other than those that were previously approved by the reviewing authority or that were exempt from such review because (i) no new facilities will be constructed on the parcel and (ii) the division of land will not cause approved facilities to violate any conditions of approval, and will not cause exempt facilities to violate any condition."

Arthur Dudley III

Date

Lynn C. Dudley

Date

ACKNOWLEDGMENT

The foregoing Exemptions were subscribed and acknowledged before me

a Notary Public the State of Ontana

day of Dec 2007 In witness whereof, I have hereunto set my hand

Notary Public for the State of Jontona residing (F. Libband My Commission expires: Deel, 2009

HISTORY OF SURVEY

1978 - Plat No. 3548, "Lincoln West Subdivision", Melvin D. Lauteren, 4232S

1981 — Plat No. 4081, "Lincoln West Subdivision, First Addition", Melvin D. Lauteren, 4232S

1986 - COS No. 1530, Adjoining Parcels, Melvin D. Lauteren, 4232S

METHOD OF SURVEY

A total station and data collector was used with closed traverse procedures to tie the previously set controlling corners by Levi Powell, October, 2007

BASIS OF BEARING

The basis of bearing for this survey is N89°15′45″E, as shown on Plat No. 4081, between the northwesterly and northeasterly corners Lot 4, Plat No. 4081, being 5/8 inch diameter rebars with plastic caps marked MDL, 4232S.

LAND SURVEYOR'S CERTIFICATION

I hereby certify that I am a Registered Land Surveyor in the State of Montana, that the survey shown on this "Amended Plat" has been prepared under my supervision and in accordance with the Montana Code Annotated, Sections 76-3-101 through 76-3-625, and the Lincoln County

Regulations adopted pursuant thereto.

Nah 7 / //// 7322LS

Alvah F. Hughes, PLS, 7322LS

Dec. 13 200

EXAMINING LAND SURVEYOR'S CERTIFICATION

Ronald A. Pearson, PLS 9008LS, Examining Land Surveyor

CLERK AND RECORDER'S CERTIFICATION

State of Montana, County of Lincoln, filed this day
of December 200 7. A.D. at 9'.24 o'clock

PLAT No. 6846

dc.#208263

1, between the diameter

ALVAH F.

HUGHES

7322 LS

PEGISTERED

M NAW

NOTARI

SEAI

si\ksi\PROJ\Dudley BLA 2007\dwg\Dudley.dwg, 12/13/2007 4:28:14 PN

LINCOLN WEST SUBDIVISION

LINCOLN COUNTY, MONTANA

A SUBDIVISION LYING IN LOT I OF SECTION B, TBON, RBIW, P.M.M.

JULY, 1978

CERTIFICATE OF CLERK RECORDER	CERTIFICATE OF DEDICATION	
State of Montana, County of Lincoln. Filed this let day of Federary, 1938 A.D. at County Clerk Recorder by Deputy Deputy	We, William Anderson, Karen Anderson, and Fred Wolff, the undersigned property owners do hereby certify that we have caused to be surveyed, subdivided, and platted into lots and streets as shown by the plat hereto annexed the following described land near Libby in Lincoln County, Montana, to wit.	
CERTIFICATE OF SURVEYOR	DESCRIPTION	
State of Montana County of Lincoln	A parcel of land in the Southeast corner of Government Lot One Section 5, T3ON, R31W, P.M.H. containing a net area of 3.381 acres more or less, including the lots and roadway shown on the plat herewith.	
I, Melvin D. Lauteren, Libby, Montana, do hereby certify that a survey was made of "LINCOLN WEST SUBDIVISION", a minor subdivision, under my supervision during the month of JULY 1978, in accordance with the provisions of Section 11-3859 through 11-3876 of the Revised Codes of Montana, 1947; that the annexed plat is in accordance with such survey, that the streets and the dimensions of the lots and blocks are as thereon designated, and that the said platted area was laid out on the ground according to law.	Beginning at a found rebar reported to be the Southeast corner of Government Lot One and which bears 50°01'00"E 1079.06 feet from the Mertheast Corner of Section 5, T30K, R31W, P.M.W.; thence, 589°16'03"W 659.60 feet along the common boundary with "Woodway Park Subdivision" to a 5/8 inch rebar tagged MDL 4232-S; thence, leaving said boundary NO°01'00"W 397.82 feet along the common boundary with a parcel of land as shown on Plat No. 1381 to a 5/8 inch rebar tagged MDL 4232-S, said rebar being located on the Southerly right of way line of a 60.00 foot wide County Road; thence, along said right of way line 589°57'52"E 659.56 feet to a 5/8 inch rebar tagged	
Dated this 24 day of JULY, 1978.	MDL 4232-S, said rebar being located on the Westerly right of way line of a 60.00 foot wide County Road; thence, along said right of way line 50°01'00" 388.98 feet to the Point of Beginning.	
Signature of Surveyor Reg. No. 4232-S - Libby, Montana AUTERE 42325	The above described tract of land is to be known and designated as "Lincoln West Subdivision" and the lands included in the streets shown on said plat are hereby granted and donated to the use of the public forever.	
	Dated this 31 day of January 1, 1980 A.D. Wolf Laren M. Anderson Owner Signature Owner Signature Owner Signature	
FLAT. 2144 FLAT. 2291	State of Montana County of Lincoln	
if court is a second if	On this 3/5 day of	
	Notery Public My commission expires	
4 3 2 1	CERTIFICATE OF EXAMINING LAND SURVEYOR	
	I, JACK W. NINNEMAN, acting an an examining Land Surveyor for Lincoln County, Montana, do hereby certify that I have examined the final plat of LINCOLN WEST SUSPINISION (a minor subdivision) and find that the survey data shown thereon meets the conditions set forth by or pursuant to Section 11-3862 of the Revised Codes of Montana, 1947.	
9	Dated this 4th day of August, 1978 A.D.	
	Fack W. Nimeman 534 ES Examining Land Surveyor Reg. No.	
	CERTIFICATE OF FINAL PLAT APPROVAL	
	The Governing Body of Lincoln County, Montana, does hereby certify that it has examined this subdivision plat and having found the same to conform to law, approves it, and hereby accepts the dedication to public use of any and all lands shown on this plat as being dedicated to such use, this 3/ day of, 1975 A.D.	
8 7 6 5 4 3 2 1 DAVE.	Comissioner Comissioner Comissioner Comissioner	
WOODWAY PARK ZND ADDN. 18T. ADDN. 18T. ADDN.	ATTEST: Eleanor of Unight	
OVERALL PLAN 211		

SH. I OF 2


PLAT NO. 3548

KOOTENAI ENGINEERING

CIVIL ENGINEERING + LAND SURVEYING

406-293-7721

LIBBY, MONTANA



A FINAL SUBDIVISION PLAT OF Linda Vista Ridge SE 1/4, Sec. 14, T36N R28W PM., M., Lincoln County, Montana 1582 Fd. BLM BC 8 NO. 1/4 CORNER CERTIFICATE OF DEDICATION I. LINDA J. PLUID THE UNDERSIGNED PROPERTY OWNER, DO HERESY CERTIFY THAT I HAVE CAUSED PARCEL TO BE SURVEYED, SUBDIVIOED AND PLATTED INTO LOTS AS SHOWN BY THE PLAT AND CERTIFICATE OF SURVEY HEREUNTO INCLUDED. THE FOLLOWING TRACT OF LAND, TO-VITS THAT PORTION OF THE SOUTHEAST 1. SECTION 14, TOWNSHIP 36 NORTH, RANGE 28 WEST, P.M., M., LINCOLN COUNTY, MONTANA DESCRIBED AS FOLLOWS: LINDA VISTA DRIVE BEGINNING AT THE SOUTHERST CORNER OF SECTION 14; THENCE ALONG THE SOUTH LINE OF THE SOUTHEAST & NORTH 89°16'23" WEST 635.61 FEET; THENCE NORTH 00°33'14" EAST 506.83 FEET; THENCE NORTH 01°05!11" EAST 50.00 FEET; THENCE NORTH 89°16'53" WEST 781.33 FEET; THENCE NORTH 01°44'18" EAST 143.35 FEET TO THE BEGINNING OF A 164.64 60' PRIVATE ROAD AND UTILITY EASEMENT Fd. Z" PIPE-1318.86 5.89'16' 53"E. 1150.33 FOOT RADIUS CURVE TO THE RIGHT; THENCE NORTHEASTERLY ALONG THE CURVE THROUGH A CENTRAL ANGLE OF 46"04'03" 132.38 FEET; THENCE NORTH 47"48"20" EAST 92.51 FEET; 620.65 529.68 THENCE NORTH 270581234 EAST 90.83 FEET TO THE BEGINNING OF A 515.32 FOOT RADIUS THENCE NORTHEASTERLY ALONG THE CURVE THROUGH A CENTRAL 590.65 CURVE TO THE LEFT! NW CORNER 30.48 ANGLE OF 17003102" 183.41 FEET; THENCE NORTH 10055121" EAST 188.89 FEET TO THE NORTH LOT 4 SE 1/4 SE 1/4 LINE OF THE SOUTHEAST & SOUTHEAST &; THENCE ALONG THE NORTH AND EAST LINES OF THE SOUTHEAST & SOUTHEAST & SOUTH 89°16'153" EAST 1150.33 FEET AND SOUTH 00°13'59" WEST 5.547 ACRES 188,89'-N.10"5921"E. 4.048 ACRES 1320.64 FEET TO THE POINT OF BEGINNING CONTAINING 30.564 ACRES OF LAND ALL AS SHOWN HEREON. SUBJECT TO AND TOGETHER WITH PRIVATE ROAD AND UTILITY EASEMENTS AS SHOWN. THE ABOVE DESCRIBED TRACT OF LAND IS TO BE KNOWN AND DESIGNATED AS LINDA VISTA RIDGE, 594.87 LINCOLN COUNTY, MONTANA. N. 47 48 20 E. 16' 53 W 624.87 STATE OF MONTANA COUNTY OF LINCOLN N-899653W. LOT 2 46°04'03" ON THIS 5th DAY OF March , 199 7 , BEFORE ME, THE UNDERSIGNED, A NOTARY PUBLIC FOR THE STATE AFORESAID, PERSONALLY APPEARED LINDA J. PLUID, KNOWN TO ME TO BE L= 132.38'-5.012 ACRES R=164.64 THE PERSON WHOSE NAME IS SUBSCRIBED TO THE FOREGOING INSTRUMENT AND ACKNOWLEDGED TO ME LOT 5 THAT SHE EXECUTED THE SAME. L=108.26 R=134,64 5.931 ACRES IN WITNESS WHEREOF, I HAVE HEREUNTO SET MY HAND AND AFFIXED MY NOTARIAL SEAL THE LINDA VISTA DRIVE 600.05 DAY AND YEAR FIRST ABOVE WRITTEN. 60' PRIVATE ROAD AND 142.82 89°16'53"W. 630.05 UTILITY EASEMENT 143,35 701.32 A 143 07'48-30.01 50,00 MY COMMISSION EXPIRES /423-R: 50.00' N. 8996 53"W 781.33'-CERTIFICATE OF COUNTY COMMISSIONERS WE, THE UNDERSIGNED, LAWRENCE A. DOLEZAL , CHAIRPERSON OF THE BOARD OF COUNTY COMMISSION-LOT I ERS OF LINCOLN COUNTY, MONTANA AND COUNTY CLERK AND RECORDER OF 10,026 ACRES SAIS COUNTY DO HEREBY CERTIFY THAT THIS ACCOMPANYING PLAT OF LINDA VISTA RIDGE, LINCOLN COUNTY, MONTANA HAS BEEN SUBMITTED TO THE BOARD OF COUNTY COMMISSIONERS OF LINCOLN COUNTY MONTANA FOR EXAMINATION AND HAS BEEN FOUND BY THEM TO CONFORM TO LAW AND WAS APPROVED BY PARKLAND DEDICATION IS EXEMPT PER SECTION 76-3-621(3)(A), MCA. CHAIRPERSON, BOARD OF CO. COMMISSIONERS Fd. BLM B.C. SECTION CORNER COUNTY CLERK AND RECORDER POB 2006.00 LINCOLN COUNTY, MONTANA LINCOLN COUNTY, MONTANA 635.61 23 N. 89°16'23"W. BASIS OF BEARINGS 2641.61 Fd BLM B.C. 1/4 CORNER CERTIFICATE OF SURVEYOR HERESY CERTIFY THAT PHYSICAL ACCESS TO ALL LOTS WITHIN THIS SUBDIVISION IS PROVIDED BY Private Road . THE DRIVING SURFACE IS APPROXIMATELY 20 FEET WHOLE REGISTRATION No. 7328 S STATE OF MONTANA COUNTY OF LINCOLA LEGEND O SET 5/8" × 24" REBAR WITH PLASTIC CAP STAMPED '73285' FOUND POINT AS NOTED I HEREBY CERTIFY THAT ALL REAL PROPERTY
TAXES AND SPECIAL ASSESSMENTS ASSESSED
AND LEVIED ON THE EARD TO BE DIVERS
HAVE BEEN PAID? Marquardt Surveying, Inc. 285 1st AVE. EN. SCALE ~ | "= 200" KALISPELL MONTANA 59901 P.F. No. 5844 PHONE (406) 755-6285

Sanitary Kestrution Kenned P.F 5843

Amended Plat of Lot 17, OSPREY VIEW ESTATES & Amended Plat of Lot 4, LINDA VISTA RIDGE E 1/2 Section 14 T36N R28W, P.M., M. Lincoln County, Montana

OWNERs:

D & E Investments

DATE:

Jan. 12, 2002

Certificate of Dedication

I, DOUGLAS L. GREENSHIELDS, MANAGING PARTNER of D & E INVESTMENTS, the undersigned property owner, do hereby certify that I have caused to be surveyed, subdivided and platted into lots as shown by the plat and Certificate of Survey hereunto included, the following described tract of land, to-wit:

Lot 17, Osprey View Estates and Lot 4, Linda Vista Ridge, containing 19.59 acres of land all as shown hereon. Subject to easements of record.

The above described tract of land is to be known and designated as The Amended Plat of Lot 17,0sprey View Estates & Lot relocate common boundaries between existing lots within two platted subdivisions, that fewer than five lots are affect a subdivision pursuant to Section 76-3-207(1)(d), MCA. I also hereby certify that the purpose of this division of land is that no dwelling or structure requiring water or sewage will be erected on the additional acquired parcel (Parcel A). It	ted, and that no additional lots are hereby created. Therefore, this survey is exempt from review as to acquire additional land to become part of a parcel that has no sanitary restrictions imposed on it
to ARM 17,36,605(2)(a). D & E INVESTMENTS	The state of the s
Dougla L. S. O'll	
DOUGLAS L. GREENSHIELDS, MANAGING PARTNER	Contract to the second of the
STATE OF Monlana)	Light West
County of $\frac{(atheas)}{(atheas)}$ This instrument was acknowledged before me on $Masch 5$, 2002	July wo.
This instrument was acknowledged before me on <u>March</u> , 2002, by DOUGLAS L. GREENSHIELDS, MANAGING PARTNER of D & E INVESTMENTS.	
Drand J. West	
Notary Public for the State of Montana Residing atSome(s	
My Commission Expires 5-20-64	
Approved:	
Examining Land Survivors The VALSTER	
Examining Land Surveyor Registration No. 4130 4130 S	,
The state of the s	-ES /6.
	IN ESTATE AND
	OSPREY VIEW ESTATES
	056
$L = 195,44$ $R = 285,14$ $\Delta = 39^{\circ}16'18'' $	LOT 13
	575°19' A5"W LOT 12
LOT 1 STOGE	218.25 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
STATE AL SON	L = 174.88 R = 255.14
LOT 1 LEGEND LEGEND LEGEND	
	LOT 14
SET 5/8" X 24" REBAR WITH PLASTIC CAP STAMPED 7328 S STAMPED 7328 S	
O FOUND 5/8" REBAR WITH PLASTIC CAP STAMPED 7328 S	LOT 14
Sept	
	LOT 15 god 4
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	LOT 15 ROUTE LES
LOT 18 \$\sqrt{\sqrt{0.11.72}} \sqrt{0.65} acres net	
	GERTIFICATE OF SURVEYOR 30500
NOTE:	DAWN MARQUARDT Registration No. 7328 s
Set 8"X24" Rebar With Plastic Cap 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	OT 16 I hereby certify that all real property taxes and special assessments assessed and levied on the land to be divided have been paid.
30.02' 448.81'	Mari A. miller Bu Janin R. Mehrhel
NOTE: Set §"X24" Rebar With Plastic Cap 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	Treasurer, Lincoln County, Mortana Deputy
W/19 PARCEL A	STATE OF MONTANA County of Lincoln
	9 Filed on the / day of // A/CO 200 W/A b at
	o'clock A-m. Social 13. Currency County Clerk and Recorder
	10'0 - 7 - 7 6
L = 183.41 R = 616.32	Deputy Instrument Record No. 158297
$\Delta = 17^{\circ}03^{\circ}02^{\circ}$ $A = 192.34$ $A = 646.32$ $A = 646.32$)
68.65 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	LOT 2
33.75' 589°14'02"E 650.05'	
LOT 5	PLAT "
33.75' S89°14'02"E 650,05' LOT 5 30,00' AVG E.N. (c) (d) (d) 765 8285	
ell, Mt. 59901 5. 20 (308) 755-3055	Sanitary Listretins Lemned p.F. # 7114 DOC# 158298
January Company of the Company of th	Sanday Listrections Lemned p.F. + 7/14 POC+ 158298

OWNERS:

DATE:


THE RAYMOND H. WOODARD

& BOBBIE J. WOODARD REVOVABLE LIVING TRUST.

PURPOSE: SUBDIVIDE

Sept 7, 2005

Final Subdivision Plat of: **LINDA'S RETREAT** E 1/2, Section 15, T37N R28W, P.M., M. Lincoln County, Montana



SHEET 1 OF 2

Day M3396 Flots Crow: BP & Crow Date: Sept 7, 2006 Revision Date: n/a Project Name: WOODARD Project Number: 01-087

plating Certificate flat appearal p. F. & 8592. DOC 198397 | 198389 Road appearaps 8594 DOS 18390 P. F. & 8593 | 198388 Rantay Restriction Remark p. F. 8594 DOC 198389 Conversate DOC 193402. 5.303/64

OWNERS:

The RAYMOND H. WOODARD

& BOBBIE J. WOODARD REVOVABLE LIVING TRUST.

PURPOSE:

Sept 7, 2005

SUBDIVIDE

Final Subdivision Plat of: LINDA'S RETREAT E 1/2, Section 15, T37N R28W, P.M., M. Lincoln County, Montana

Certificate of Dedication

We, Raymond H. Woodard and Bobbie J. Woodard as Trustees and their Successor Trustees of the Raymond H. Woodard and Bobbie J. Woodard Revocable Living Trust, the undersigned property owners, do hereby certify that we have caused to be surveyed, subdivided and platted into lots as shown by the plat and Certificate of Survey hereunto included, the following described tract of land, to-wit:

That portion of the East 1/2, Section 15, Township 37 North, Range 28 West, P.M., M., Lincoln County, Montana described as follows: Beginning at the Northeast corner of the Southwest 1/4 of the Northeast 1/4;

Thence along the East line of the Southwest 1/4 of the Northeast 1/4 South 00°01'34" West 1326.22 feet to the Northeast 1/4 corner of the Northwest 1/4 of the Southeast 1/4;

Thence along the East line of the Northwest 1/4 of the Southeast 1/4 South 00°01'13" East 1051,79 feet to the Southerly line of Whitetail Drive:

Thence along the Southerly line of said road North 79°22'19" East 13.60 feet; Thence North 64°04'45" East 143.05 feet to the beginning of a 655.00 foot radius curve to the left; Thence North 68°41'50" 5 and 50°21'50 foot said angle of 09°05'25" 103.92 feet; Thence North 68°41'50" 5 and 50°21'50 foot said angle of 09°05'25" 103.92 feet;
Thence South 00°41′50″ East 393.46 feet to the South line of the North 1/2 of the Southeast 1/4; Thence along the South line of the North 1/2 of the Southeast 1/4 South 89°27′20″ 883.50 feet; Thence North 00°22′12″ West 421.73 feet; Thence North 00°04′07″ East 978.14 feet; Thence North 00°04′15″ North 507.85 feet;
Thence North 00°19'15" West 597.85 feet; Thence North 00°36'29" East 63.92 feet; Thence North 00°44'35" West 597.20 feet to the North line of the Southwest 1/4 of the Northeast 1/4; Thence North 00°44'35" West 597.20 feet to the North line of the Southwest 1/4 of the North 89°42'19" East 659.37 feet to the Point of Beginning containing 41.48 acres of land all as shown hereon. Subject to easements of record. Subject to road right-of way as shown hereon.
The above described tract of land is to be known and designated as LINDA'S RETREAT, Lincoln County, Montana. We hereby certify that physical and legal access to all lots within this subdivision is provided by Whitetail Drive(public road) & West Kootenai Road per Section 76–3–608(3)(d), MCA.
(Parkland Dedication Exempt per Section 76-3-621)
RAYMOND H. WOODARD and BOBBIE J. WOODARD REVOVABLE LIVING TRUST
Rama Hook Inte Bothie Worday, Instee
RAYMOND H. WOODARD, TRUSEE BOBBIE J. WOODARD, TRUSTEE
STATE OF Florida) SS. County of Folk)
This instrument was acknowledged before me on <u>Id Milicl</u> , 2006. by RAYMOND H. WOODARD and BOBBIE J. WOODARD, TRUSTEES of the RAYMOND H. WOODARD and BOBBIE J. WOODARD REVOVABLE LIVING TRUST.
MICHAEL A. PANICO OMMISSION # DD 357153
Notary Public for the State of Horida State underwiters
Residing at
My Commission Expires <u>Sight 22 Las</u> .
CERTIFICATE OF COUNTY COMMISSIONERS
We, The undersigned, MONIMA B. HOSS., Chairperson of the Board of County Commissioners of Lincoln County, Montana and, County Clerk and Recorder of said county do hereby certify that this accompanying plat of LINDA'S RETREAT, Lincoln County, Montana has been submitted to the Board of County Commissioners of Lincoln County, Montana for examination and has been found by them to conform to law and is hereby approved. Parkland Dedication is exempt per Section 76-3-621(3)(a), MCA.
Dated the March, 2006. Maria and B. Ropal Coral M. Cumining by Bomus Will
Chairperson County Clerk and Recorder Lincoln County, Montana
Approved: <u>SEPT. 14</u> , 200 5
Examining Land Surveyor Registration No. 4130
CERTIFICATE OF SURVEYOR
STATE OF MONTANA) County of Lincoln) ss
I, DAWN MARQUARDT, a registered Land Surveyor, do hereby certify that I have performed the survey shown on the attached plat of LINDA'S RETREAT; that such survey was made in September 2001; that said survey is true and complete as althour and that the monuments found and set are of the character and occupy the positions shown thereon.
Dated the to day of March 200 6. profile and the day of March 200 6.
DAWN MARQUARDT 7328 I R
Registration No. 7328 s 285 1st Ave EN
Kalispell, MT 59901 LAND
I hereby certify that all real property taxes and special assessments assessed and levied on the land to be divided have been paid. Dated the 38 day of Manch , 2006.
Heri A Meller by Jani Kinder Deputy Clerk Treasurer; Lincoln County, Montana
STATE OF MONTANA County of Lincoln
Filed on the 18 day of Cypril , 2006, A.D., at 11:35 o'clock Am.
County Clerk and Recorder
By: Leane Sunnie Deputy
Instrument Record No. 4704 DOC-1933 96

SHEET 2 OF 2

Field Crew: BP & Crew

Date: Sept 7, 2005 Revision Date: n/a

Project Name: Woodard Project Number: 01-097

Filename: woodard 2001 Drawn By: Sherm

Des approved p. F. 8592 DOC/9.3397 Varitary Restriction Removed p. F. # 8594 Da. 193899 Notiona Wied plan p. F. 8595 DOC/ 9.3400 Road approach p. f. 8596 00 193401 platting entificate p. f. 8595 Doc 193898 Converse Doc 193402 S 303/664 OWNERS:

Indian Creek Partnership

PURPOSE:

Area of Subchivision

LINE LENGTH

Net acreage 236 tacres Gross Ocreage: 14.12 + acres

LINE TABLE

51.24

88.31


Kallepell, Mt 50001 * 3 Auc (405) 744-3055

141.66 125.45

boundary line adjustment

DATE:

October 21, 1999



per COS No. 2427

Amended Subdivision Plat of: Lot 4 of Lindsay Acres Unit No. 2 N 1/2 Section 3, T36N R27W, P.M., M. Lincoln County, Montana

LEGAL DESCRIPTION LOT 4.LINDSAY ACRES UNIT No. 2 and a portion of North 1/2 of Section 3, Township 36 North Range 27 West, Principal Meridian, Montana, Lincoln County Montana described as a whole as follows:
Beginning at the Center-North 1/16 Corner; thence along the East line of the Southeast 1/4 of the Northwest 1/4 S00°03'45"W, 660.23 feet; thence N89°59'51"W, 448.09 feet; thence N29°40'06"E, 129.08 feet; thence N21°39'47"E, 255.84 feet; thence N89°56'41"E, 64.59 feet; thence N89°56'41"E, 51.24 feet; thence N07°26'55"E, 141.66 feet; thence N07°26'55"E, 141.66 feet; thence N13°37'26W, 213.76 feet; thence N05°56'33"W, 831.35 feet to the Southwest corner of said Lot 4; thence along the Westerly, Northerly and Easterly lines of said Lot 4 N00°03'45"E 406.00 feet, N89°49'00"E 200.00
feet and S00°03'45"W, 436.00 feet to the Southeast corner of Lot 4; thence S00°03'45"W, 60.00 feet; thence S21°10'13"W, 75.57 feet; thence S43°39'51"E, 486.53 feet, more or less, to the approximate centerline of Indian Creek; thence Southwesterly along said centerline 75 feet, more or less, to the EAST line of the NW1/4; thence along the East line S00°03'45"W, 378.82 feet, more or less, to the Point of Beginning. CONTAINING 14.12 acres, more or less, of land as shown hereon; SUBJECT TO ALL existing easements and right-of-ways
The above described tract of land is to be known and designated as AMENDED SUBDIVISION PLAT OF LOT 4 LINDSAY ACRES UNIT No. 2, Lincoln County, Montana. We also certify that this division of land is for the purpose of relocating a common boundary line between a single lot within a platted subdivision and adjoining land outside a platted subdivision. A restriction or requirement on the original platted lot or original unplatted parcel continues to apply to those areas pursuant to Section 76-3-207(e), MCA. We also certify that the purpose of this division of land is to acquire additional land to become part of a parcel that has no sanitary restrictions imposed on it, and that no dwelling or structure requiring water or sewage will be erected on the additional acquired land. Therefore, this division is exempt from review by the Department of Environmental Quality Pursuant to ARM 17.36.605(2)(A). We also certify that this division of land is to create a parcel of land (remainder of Parcel A COS No. 2427) where sanitation facilities will not be used, in which no structure requiring water or sewage disposal will be erected. Therefore, this division is exempt from review by the Department of Environmental Quality Pursuant to ARM. 17.36.605(2)(e) MCA.
Indian Creek Partnership by: William Orcutt Jannett Orcutt
Indian Creek Partnership by: William Orcutt Jannett Orcutt
STATE OF MONTANA County of Lincoln ss On this 100 day of 100 before me, the undersigned, a Notary Public for the state aforesaid,
the persons whose names are subscribed to the foregoing instrument and acknowledged to me that they are executed the
IN WITNESS THEREOF, I have hereunto set my hand and affixed my Notarial Seal the day and year first above written.
Notary Public for the State of Montana
Residing at) Sauce
My commission expires 5 // 6 / 8 / 11 / 10 / 99
Examining Land Surveyor Registration No.
CERTIFICATE OF SURVEYOR
DAWN MARQUARDT Registration No. 7328 S
Filed on the 5 to Day of Cockensus 1999 A.D., at 2:00 O'clock M.
County Clerk and Recorder By: Keannie Quenes
Departy
I hereby certify that all real property taxes and special assessments assessed and levied on the land to be divided have been paid. Dated the Day of 1000 199 199 199 199 199 199 199 199 19
Treasurer, Lincoln County, Montana
SCALE: 1" = 200' #

Date: October 19, 1999

Filename: Working

Project Name: I-Lindsay-Acres

Chairman, Lincoln County Commissioner Date

Drawn By: Le Loupis

Revision No. N/A

Project Number: 99-269

Acreage Net lot area-19.16+ acres Road area - J. 84 acre Total area - 20.00 tocres

Lot 5

4.00 acres &

(3.82±ocres net)

Lot 4

4.00± acres

(3.82±ocres net)

ŠŽ.

2647.61

Fd. 5/8" rebar -

1.28' South of section corner

C. of S. No.

1786

(Traverse along & of Indian Creek

SUBDIVISION PLAT OF INDSAY ACRES

NEI/4, Sec. 3, T36NR27W, P.M., M., Lincoln County, Montana

CONTACTOR OF SECTION

AND AN GREEK RANCH, A FARINGSHOFF, THE UNSCHOLT COLORS OF CAMER DOER HEREBY OF STREET THE PRODUCT OF THE SECOND CONTRACTOR OF BUILDING AND CONTRACTOR OF THE ACCOUNT AND CONTRACTOR OF THE CONTRACTOR AND THE ART OF THE BUILDING WAS INCOMED AND A STREET CONTRACTOR OF THE STREET AND A STREET AND COMMITTE

To the toward on the Administration of Scholar Turkborn of North, Rande of West. P.M., M., CANDON GOLALA, MONTANA DE LA TERRA A DECEMBANA Commentant and All fee Noble & Comment, Selfion of Control & Could be Noble Control of Control And Selfion of More than EA to Selfion the Point of Bearwhys; the Not control to a Apply to harry live to to to the Prof. "EAUTO" () are also return South Dirich " West for also MOTE O LA CESTO TRE LENTERETNÉ SE IN TAN GERER : LINENGE MEUTERE LA CNA LE CENTRE LE PER DE LE CONTRACTOR DE L'EN LUREL - TOTAL SET MOLE OF LE SIZO A FOIRT WHI HE SEAR SO THE SIZON WEST ARREST OF PRINT DE BE ENVIRON: PROBLEMONTE OF THE EAST OF TREET MORE OF ERENT TO THE POINT OF BEAUTIFUL OF THE ATTACH TO A TO A PORT MORE OF LETTING LAND ATT. AS SHOWN HERETTAIN SURPRESE TO CONDITY ROAD RELIEF OF WAR OLDER THE NOTE RESERVED TO HERE THEREOU AND THURSD.

THE ARBIT TERRETER THAT I BE LAND BY TO BE KNOWN AND RELEASED ARE EMDSAY ACRES, LIB OWN. GOUNT MUNICIPALA.

NUTAN BREEK RANDH

STATE OF MOLTANA

1 1991. HERE M., THE NUMBERS A NOTARD LENGUAGE AND AREA Daniel D. Smozanek , KNOWN TO ME DO ANDIAN CREEK RANCH, THE CANADER OF THAT END TEN THE ,我们我我的家民们,你会说,我的一种我们,我看到了这个人,只要回答的女子,也是这个人的女子,还是这样的我们的人,

THE ALTHESS WHEREOF, I HAVE HEREOMIC OFF ME HAND AND ALTHER ME NOTAHIAL STATE THE DAY AND BEAR IN ABBUT ACTIONS

S. No. 1634

\$ 60' County Road

Lof 2

(3.85 toures net) (3.84 toures net) 3 (3.83 toures net)

3 No. 8 725

4.00 tacres 2 4.00 acres

LOT 3

4.00± acres

N.89°49'00"E

Lot 1

୍ରି

Oset 5/8" x 24" rebar with plastic cap stamped 173285' O Found 5/8" rebar 173285' per C. of S. No. 1786

• Found point as noted

Fd. 2'2" bross cap 1.54' South of "4 corner

CERTIFICATE OF COUNTY COMMISSIONERS

THE THE PROPERTY OF THE BOARD OF COUNTY CONTROL OF COUNTY OF THE BOARD OF COUNTY OF LINCOLN COUNTY, MONIANA, AND CORRECTED SUBBLITED. AT THE BOARD OF COUNTY COMMISSIONERS OF LINCOLY COUNTY, MONTANA FOR STAMINATION AND HAS BEEN FOUND BY THEM TO CONTOUR TO LAW AND WAS APPROVED BY THEY AT THE RESULTAN MESTING THE ONLOWING ORDER WAS MADE BY THE AT THE REQUEAR MESTING ALLD ON THE SIX DATION OF THE BOARS OF COUNTY COMMISSIONERS AT A REQUEAR MEETING ONLY ON THE SIX DATION OF SAIL BOT _____, 10_90, AND ENTIRED INTO THE PROBLECINGS OF SAID BODE MINASMODICAG DECIDATION OF PARK LAND WITHIN THE STATTED AREA LINDSAY ACRES WOLL BE CASCITABLE, CONCOMPLAD, DIFFERENT TO REVELOP OR MAINTAIN OR OTHERATHE UNDOFFABLE FOR PARK AND PLAYGROUND HOWBOLES, IT IS HEREBY OFLERED BY THE BOARD OF COUNTY JOHMINSTONERS OF LINCOLK COUNTY, MUSICANA, THAT LAND DEDITATION FOR MARK PURPOSES OF WALLED AND THAT DASH IN LIEU OF PARK LAND BE ANDERTED IN ACCORDANCE WITH THE PROJECTION OF SECTION CO-5-600, MCA

JOEN COLNTY, MONTANA

19 14. " IN THE APOUNT OF \$2,222.00

THERE SERVICE THAT NO REAL PROPERTY LAVES ASTRESSED AND LETTED ON THE CAND TO BE STUTIED BESTRIKED ABOVE ARE SECTINDENT.

YEASURES, LINCOLN COUNTY, MONTANA

STATE OF MONTANA COUNTY OF LINGOLN

19<u>91</u>, A.D., AL 3:05 o' GLOUM P.M.

CERTIFICATE OF SURVEYOR

LINCOLN COUNTY, MONTANA

RELIEFRATION No. 73/8

MARQUARDT & McALISTER SURVEYING, INC. 1031 South Main (406) 755-6285 KALISPELL, MONTANA 59901

Scale~1"= 200'

AMENDED SUBDIVISION PLAT OF LOT 5, LINDSAY ACRES SCALE: 1"=50" - N89°48'57"E 265.00' LOCATED IN THE NORTHEAST 1/4 OF SECTION 3, T36N, R27W, P.M.M., LINCOLN COUNTY, MONTANA 6 60' COUNTY ROAD ● FOUND 5/8" RE-BAR WITH PLASTIC SURV-CAP MARKED "McALISTER 7328S" N89°48'57"E 265,00' 225.00° 40.00' O SET 5/8" x 24" RE-BAR WITH PLASTIC SURV-CAP MARKED "BURTON 5428S" 223.62' 008'37"E LOT 5A I HEREBY CERTIFY THAT ALL REAL PROPERTY TAXES ASSESSED AND LEVIED ON THE LAND I HEREBY CERTIFY THAT PHYSICAL ACCESS TO ALL LOTS DESCRIBED WITHIN THIS SURVEY ARE PAID. THIS CERTIFICATE IS MADE AS REQUIRED BY SECTION 76-3-207 & 76-3-303, M.C.A. WITHIN THIS SUBDIVISION PROVIDED BY THE DRIVING SURFACE IS APPROXIMATELY 20 FEET WIDE. 1.360 ACRES (GROSS) 1.000 ACRES (NET) DATED THIS 10th DAY OF Opril , 1996. BY Geri a. Miller by Janya R. M. bruke - Deputy 40' PRIVATE ROAD 224.98 40,00 APPROVED: S89°48'57"W 264.98' CETIFICATE OF DEDICATION WE, THE UNDERSIGNED, PROPERTY OWNERS, DO HEREBY CERTIFY THAT WE HAVE CAUSED TO BE SURVEYED, SUBDIVIDED AND PLATTED INTO LOTS AS SHOWN BY THE PLAT AND *©* CERTIFICATE OF SURVEY HEREUNTO INCLUDED, THE FOLLOWING DESCIBED TRACT OF O LAND, TO-WIT: Ø A TRACT OF LAND LOCATED IN THE NORTH HALP OF THE NORTHEAST QUARTER OF SECTION 3, TOWNSHIP 36 NORTH, RANGE 27 WEST, PRINCIPAL MERIDIAN, MONTANA, LINCOLN PREPARED BY: FLATHEAD LAND CONSULTANTS JAMES H. BURTON R.L.S. COUNTY, MONTANA AND MORE PARTICULARLY DESCRIBED AS FOLLOWS: 11B SOUTH MERIDIAN ROAD COMMENCING AT THE NORTHEAST CORNER OF LOT 5 OF LINDSAY ACRES, RECORDS OF P.O. BOX 572 LINCOLN COUNTY AND WHICH POINT IS THE TRUE POINT OF BEGINNING; KALISPELL, MONTANA 59903 406-257-2202 THENCE S00°09'00"W, ON AND ALONG THE EAST BOUNDARY OF SAID LOT 5, A DISTANCE OF 655.36 PERT TO A POINT WHICH POINT LIES ON THE CENTERLINE OF INDIAN CREEK; PREPARED FOR: JOHN FOSS THENCE N89°46'04"W, ON AND ALONG SAID CENTERLINE OF INDIAN CREEK, A DISTANCE OF 217.97 FEET TO A POINT; JULY, 1994 LOT 5B THENCE S53°22'48"W, CONTINUING ON AND ALONG SAID CENTERLINE OF INDIAN CREEK, BURTON A DISTANCE OF 58.61 PEET TO A POINT WHICH POINT IS THE SOUTHWEST CORNER OF SAID LOT 5; 2.639 ACRES THENCE NOO 08 37 E, ON AND ALONG THE WEST BOUNDARY OF SAID LOT 5, A DISTANCE OF 688.58 FEET TO A POINT WHICH POINT IS THE NORTHWEST CORNER OF SAID LOT 5; THENCE N69°48'57"E, ON AND ALONG THE NORTH BOUNDARY OF SAID LOT 5, A DISTANCE JAMES H. BURTON REGISTERED LAND SURVEYOR REGISTRATION NUMBER 5428S OF 265.00 FEET TO THE TRUE POINT OF BEGINNING. THIS TRACT CONTAINS 3.999 ACRES AND SUBJECT TO AND TOGETHER WITH A 60-FOOT COUNTY ROAD ALONG THE NORTH BOUNDARY AND A 40-POOT PRIVATE ROAD AND UTILITY EASEMENT ALONG THE EAST BOUNDARY ALL AS SHOWN HEREON AND SUBJECT TO AND CHECKED: TOGETHER WITH ALL APPURTENANT BASEMENTS OF RECORD: S STATE OF MONTANA COUNTY OF Tencoln STATE OF MONTANA ON THIS 31 DAY OF LUGUST , 1995, BEFORE ME, THE UNDERSIGNED, A NOTARY PUBLIC FOR THE STATE OF MONTANA, PERSONALLY APPEARED Solved for , HUSBAND AND WIFE, KNOWN TO ME TO BE THE PERSONS WHOSE NAMES ARE SUBSCRIBED TO THE WITHIN INSTRUMENT COUNTY OF LINCOLN 1996 AT 2:35 O'CLOCK P.M. AND ACKNOWLEDGED TO ME THAT THEY EXECUTED THE SAME. € INDIAN CREEK -IN WITNESS WHEREOF, I HAVE SET MY HAND AND AFFIXED MY NOTARIAL SEAL THE DAY AND YEAR FIRST ABOVE WRITTEN. 217.97' NOTARY PUBLIC FOR THE STATE OF MONTANA RESIDING AT Employ, MONTA
MY COMMISSION EXPIRES 2-12 98 FILING FEE INSTRUMENT REC. NUMBER MINOR SUBDIVISION PLAT NUMBER _5634

Sanitary Lestrictions Limoved P.F. 45633

A FINAL SUBDIVISION PLAT OF Lindsay Acres Unit No. 2 NW I/4, Sec. 3, T36N R27W Fd. 5/8" REBAR 2989ES PER P.M., M., Lincoln County, Montana (. 89°49′00"*E* SEC 35 T37N R 27W SECTION 1323.76 CERTIFICATE OF DEDICATION WE, INDIAN CREEK RANCH, THE UNDERSIGNED PROPERTY OWNERS, DO HEREBY CERTIFY THAT WE HAVE Fd. STONE -CAUSED TO BE SURVEYED, SUBULVIDED AND PLATTED INTO LOTS AS SHOWN BY THE PLAT AND CERTIFICATE 2.47 SOUTH OF SURVEY MEREDATO INCLUDED, THE FOLLOWING DESCRIBED TRACT OF LAND, TO-WIT: OF LINE LOT I THAT PORTION OF GOVERNMENT LOT 3, SECTION 3, TOWNSHIP 36 NORTH, RANGE 10 WEST, P.M., M., 2:466 ACRES 2.002 ACRES LINCOUN COUNTY, MONTANA DESCRIBED AS FOLLOWS: COMMENCING AT THE NORTHEAST CORNER OF GOVERNMENT LOT ST THENCE ALONG THE NORTH LINE OF GOVERNMENT LOT & SOUTH 80049'00" WEST 55.20 FEET TO THE POINT OF BEGINNING: THENCE CONTINUING ALONG THE NORTH LINE SOUTH 89º49100" WEST 1179,00 PEET; THENCE SOUTH 30° 32 149" E-ST 505.31 FEET; THENCE NORTH 89°49 100" EAST 497.70 PEET; THENCE NORTH 1903145# East 430.00 FEET TO THE POINT OF BEGINNING CONTAINING 10.477 ACRES OF LAND AL AS SHOWN HEREON. SUBJECT TO EASEMENTS OF RECORD. SUBJECT TO COUNTY ROAD RIGHT OF WAY AS SHOWN. 60' PRIVATE ROAD THE ABOVE DESCRIBED TRACT OF LAND IS TO BE ANOWN AND DESIGNATED AS LINDSAY ACRES 1911 NO. AND UTILITY BASEMENT LINCOLN COUNTY, MONTANA. PARCEL ()NO. OF INDIAN CREEK RANCH, AND THE PERSON WHOSE NAME IS EXECUTED TO THE FORESOINS INSTRUMENT AND AGENOWLEDGED TO ME THAT HE/SHE EXECUTED THE SAME. IN WITNESS WHEREOF, I HAVE HEREUNTO SET MY HAND AND AFFIXED MY NOTARIAL SEAL THE DAY AND YEAR PIRST ABOVE WRITTEN. CERTIFICATE OF COUNTY COMMISSIONERS WE, THE UNDERSIGNED, GERALD R. CRIMER, CHAIRPERSON OF THE BOARD OF COUNTY COMMISSIONERS OF LINCOLN COUNTY, MONTANA AND CORAL M. CUMPUSCO, COUNTY CLERK AND RECORDER OF SAID COUNTY DO HEREBY CERTIFY THAT THIS ACCOMPANYING PLAT OF LINDSAY ACRES UNIT NO 2, LINCOUNTY, MONTANA, HAS BEEN SUBMITTED TO THE BOARD OF COUNTY COMMISSIONERS OF LINCOLN COUNTY, MONTANA FOR ESAMINATION AND HAS BEEN FOUND BY THEM TO CONFORM TO LAW AND WAS APPROVED BY THEM AT THEIR REGULAR MEETING HELD ON THE 18th DAY OF JUCH 19 45 , AND ENTERED INTO THE PROCEEDINGS OF SAID BODY TO-WIT: "INASMUCH AS DEDICATION OF PARKLAND WITHIN THE PLATTED AREA OF LINDSAY ACRES UNIT NO. 2 WOULD BE UNSUITABLE, UNECONOMICAL, DIFFICULT TO DEVELOP OR MAINTAIN OR OTHERWISE UNSUITABLE OF PARK AND PLAYGROUND PURPOSES, IT IS MERESY ORDERED BYTHE BOARD OF COUNTY COMMISSIONERS OF LINCOLN COUNTY, MONTANA, THAT LAND DEBIDATION FOR PARK PURPOSES SE WALVED AND THAT CASH-IN-LIEU OF PARKEAND BE ACCEPTED IN ACCORDANCE WITH THE PROVISIONS OF SECTION 75-3-606, MCA, H IN THE AMOUNT OF CHAIRPERSON, BOARD OF COUNTY COMMISSIONERS LINCOLN COUNTY, MONTANA LINCOLN COUNTY, MONTANA CERTIFICATE OF SURVEYOR STATE OF MONTANA FILED ON THE 19 BAY OF Feeler, 1995, A.D., AT 9:05 O'CLOCK AM. LEGEND SET 5/8' × 24" REBAR WITH PLASTIC CAP STAMPED 173285' O FOUND 5/8" REBAR '73285' PER C . OF 5. NO: I HEREBY CERTIFY THAT ALL REAL PROPERTY TAXES AND SPECIAL ASSESSMENTS ASSESSED AND LEVIED ON THE LAND TO BE DIVIDED HAVE BEEN • FOUND POINT AS NOTED Marquardt Surveying, Inc. MINGOLN COUNTY, MONTANA SCALE ~("=200' 285 1st AVE. E.N. KALISPELL, MONTANA 59901

PHONE (406) 755-6285


Panitary Rastections General P. F. # 5368


5369

P.F. No.

A FINAL SUBDIVISION PLAT OF Lindsay Acres Unit No. 3 Fd. B.C. 1.54 South of 60' COUNTY ROAD N1/2, Sec. 3, T36N R27W BASIS OF BEARINGS N. 89°49'00"E 5295.15 1.28 SOUTH OF P.M., M., Lincoln County, Montana SECTION CORNER T37N R27W CERTIFICATE OF DEDICATION 2592.34 - 2303.01 T36N R27W WE, INDIAN CREEK RANCH PARTNERSHIP, THE UNDERSIGNED PROPERTY OWNERS, BO HERE BY CERTIFY THAT WE HAVE CAUSED TO BE SURVEYED, SUBDIVIDED AND PLATTED INTO LOTS AS SHOWN BY THE PLAT AND CERTIFICATE OF SURVEY HEREUNTO INCLUDED, THE FOLLOWING DESCRIBED TRACT OF LAND, EXISTING 2.47' SOUTH 60' PRIVATE TO WIT: OF SECTION ROAD AND THAT PORTION OF THE NORTH &, SECTION 3, TOWNSHIP 36 NORTH, RANGE 27 WEST, P.M., UTILITY EASEMENT O M., LINCOLN COUNTY, MONTANA DESCRIBED AS FOLLOWS: BEGINNING AT THE NORTHWEST CORNER OF LINGSAY ACRES; THENCE ALONG THE NORTH LINE OF LINDSAY ACRES NO. 2 LOT 6 LOT 7 SECTION 3, ALSO BEING THE CENTER LINE OF THE COUNTY ROAD, SOUTH 89°49'00" WEST 399.80 FEET; THENCE SOUTH 00°03'45" WEST 436.00 FEET; THENCE SOUTH 89°49'00" WEST 200.00 FEET; THENCE SOUTH 00°03'45" WEST 60.00 FEET; THENCE SOUTH 21°10'13" LOT 5 2.00 ACRES GROSS LOT 3 2.00 ACRES GROSS & LOT 4 1.861 ACRES NET ,861 ACRES NET WEST 75.57 FEET; THENCE SOUTH 43°39'51" EAST 487 FEET HORE OR LESS TO THE CENTER LINE OF INDIAN CREEK; THENCE NORTHEASTERLY ALONG THE CENTER LINE OF INDIAN CREEK 327 FEET MORE OR LESS TO A POINT WHICH BEARS SOUTH 00009100" WEST FROM THE POINT OF BEGINNING; THENCE NORTH 00"09100" EAST 759 FEET HORE OR LESS TO THE POINT OF BEGINNING CONTAINING 8.98 MORE OR LESS ACRES OF LAND ALL AS SHOWN HEREON. SUBJECT TO COUNTY ROAD RIGHT OF WAY. SUBJECT TO AND TOGETHER WITH PRIVATE ROAD AND UTILITY EASEMENTS AS SHOWN. SUBJECT TO EASEMENTS OF RECORD. THE ABOVE DESCRIBED TRACT OF LAND IS TO BE KNOWN AND DESIGNATED AS LINDSAY ACRES UNIT NO. 3. SECTION LINCOLN COUNTY, MONTANA. LINE LOT LINDSAY ACRES 199.56' -199.57 STATE OF MONTANA 60' PRIVATE ROAD 599.13 COUNTY OF LINCOLN AND UTILITY ON THIS 14 DAY OF MARIL , 199 7 , BEFORE ME, THE UNDERSIGNED, A NOTARY PUBLIC FOR THE STATE AFORESAID, PERSONALLY APPEARED ALFRED J. LUCIANO, A REPRESENTATIVE OF INDIAN CREEK RANCH PARTNERSHIP, KNOWN TO ME TO BE THE PERSON WHOSE NAME IS SUBSCRIBED TO EASEMENT NO. 725 OF 261.12 ?5.72, N. 89'49'00'E. LOT 8 THE FOREGOING INSTRUMENT AND ACKNOWLEDGED TO ME THAT HE EXECUTED THE SAME. IN WITNESS WHEREOF. I HAVE HEREUNTO SET MY HAND AND AFFIXED MY NOTARIAL SEAL THE DAY 2 235 ACRES AND YEAR FIRST ABOVE WRITTEN. NOTARY PUBLIC FOR THE STATE OF RESIDING AT KAUSPELL MY COMMISSION EXPIRES 8/23/ LOT 9 CERTIFICATE OF COUNTY COMMISSIONERS WE, THE UNDERSIGNED, CALLERS OF CHAIRPERSON OF THE BOARD OF COUNTY COMMISSIONERS OF LINCOLN COUNTY, MONTANA AND CALAR COMPANYING PLAT OF LINDSAY ACRES LINIT NO. 3, LINCOLN 2.749 ACRES COUNTY, MONTANA HAS BEEN SUBMITTED TO THE BOARD OF COUNTY COMMISSIONERS OF LINCOLN COUNTY, MONTANA FOR EXAMINATION AND HAS BEEN FOUND BY THEM TO CONFORM TO LAW AND WAS APPROVED BY THEM AT THEIR REGULAR MEETING HELD ON THE IN DAY OF May . 199 97 . PARKLAND DEDICATION IS EXEMPT PER SECTION 76-3-621(3)(A), MCA. CHAIRPERSON, BOARD OF CO. COMMISSIONERS 48725 OF S. NO. 1634 COUNTY CLERK AND RECORDER LINCOLN COUNTY, MONTANA LINCOLN COUNTY, MONTANA CERTIFICATE OF SURVEYOR I HEREBY CERTIFY THAT PHYSICAL ACCESS TO ALL LOTS WITHIN THIS SUBDIVISION IS PROVIDED BY OF INDIAN CREEK The DRIVING SURFACE IS APPROXIMATELY SO FEET WIDE STUBE ● FOUND 5/8' REBAR' 73285' PER C. OF S. No. 2334 REGISTRATION No. 7328 S O FOUND 56 REBAR '73285 PER HEREBY CERTIFY THAT ALL REAL PROPERTY TAXES AND SPECIAL ASSESSED SESSED AND LEVIED ON THE LAND TO BE DIVIDED HAVE BEEN PAID. DATED THIS 14th DAY 1000 199 LINDSAY ACRES UNIT NO. 2 O FOUND 5/8" REBAR '73285' PER LINDSAY ACRES APPROVED: • FOUND POINT AS NOTED SCALE ~ 1 = 100' STATE OF MONTANA COUNTY OF LINCOLN / Marquardt Surveying, Inc. 285 IN AVE EN KALISPELL MONTANA 59901 PHONE (406) 755-6285

LUCIANO-LINDSAY # 3 96-21





PLAT OF

LITTLE BEAR FLATS SUBDIVISION

Located in Part of Government Lot 6 & the SW1/4SE1/4, all in SECTION 35, TOWNSHIP 32 NORTH, RANGE 34 WEST, LINCOLN COUNTY, MONTANA, P.M.M.

JANUARY 10, 2023 Sheet 2 of 2

PURPOSE OF SURVEY AND OWNER'S CERTIFICATION	BASIS OF BEARINGS	LEGAL DESCRIPTION-LITTLE BEAR FLATS SUBDIVISION
Mountain View Flats, LLC, the owner of record, does hereby certify that the purpose of the survey and	Bearings and Section Subdivision are based on Certificate of Survey No. 2623.	An irregular tract of land lying west of Troy, Montana in Lincoln County, in Government Lot Six (6),
division of land is to create a 12 lot major subdivision known as "LITTLE BEAR FLATS SUBDIVISION" pursuant to M.C.A. 76-4-103.		and the Southwest Quarter of the Southeast Quarter (SW1/4 SE1/4) of Section Thirty-five (35),
Wagne Hirst 06/21/23	METHOD OF SURVEY	Township Thirty-two (32) North, Range Thirty-four (34) West, P.M.M., known as Little Bear Flats
Wayne Hirst, Mahaging Member, Mountain Flats, LLC Date 06/21/23	This survey was conducted utilizing GPS and conventional methods of surveying. GPS was calibrated to controlling corners from previous surveys of record.	Subdivision and more particularly described as follows:
Kurt Rayson, Managing Member, Mountain Flats, LLC Date		Beginning at the Southeast corner of the SWI/4 of the SEI/4 of said Section 35 which is
Devile Rayen VIEW 06/21/23		marked on the ground by an aluminum rod and cap stamped 7322LS; thence along the south line
Georga Rayson, Madaging Member, Mountain Flats, LLC Date	HISTORY OF SURVEYS	of Section 35, N 89°56'23" W, 699.96 feet to a 5/8 inch rebar and plastic cap
V. EW	1905 — Original GLO Survey — Allen Benedict 1992 — Certificate of Survey No. 1936 by 4975S — Government Lot 5 southwest of the railroad	stamped 9958LS on the Northeasterly right of way of U.S. Highway No. 2; thence, along the
ACKNOWLEDGIAGN	1995 – Certificate of Survey No. 2330 by 49755 – Government Lot 8 southwest of the railroad	highway right of way the following five (5) courses; N 31°33'39" W, 1928.69 feet, to
ACKNOWLEDGMENT The foregoing certifications were subscribed and acknowledged before me, a Notary Public in the State of	2021 - Certificate of Survey No. 4918 by 9958LS - Abandon 33' strip through subject property	a 5/8 inch rebar and plastic cap stamped 9958LS; thence N 58°26'21" E, 60.00 feet to
		a 5/8 inch rebar and plastic cap stamped 9958LS; thence
Montana, County of Lincoln by Wayne Hirst on this 21 day of JUNE, 2023. In		N 31°33'39" W, 390.20 feet; thence on a spiral curve to the right with a chord bearing and
witness whereof, have hereunto set my hand and affixed my notarial seal the PAULS JAMIE PAULSEN	COUNTY COMMISSIONER'S CERTIFICATION	distance of N 31°21'20" W, 48.80 feet; thence on a circular curve to the right with a radial
NOTARY PUBLIC for the	We, the undersigned: Chairperson of the Board of County Commissioners of Lincoln County,	bearing of N 59°03'51" E and a central angle of $14^{\circ}25'37$ ", with a radius of 2171.83 feet and
State of Montana Notary Public for the State of Montana Residing at Libby, Montana	Montana, do hereby Certify that this accompanying Plat of "Little Bear Flats", has been	an arc distance of 546.86 feet (chord = N 23°43'21" W, 545.41 feet), to the intersection of
residing at Libby, MT Lincolu My Commission Expires B, 2016 cember 8, 2026	submitted to the Board of County Commissioners of Lincoln County, Montana for examination	the Southwesterly right of way of the Burlington Northern Santa Fe Railroad, which is marked on
	and has been found by them to conform to state and county regulations and was approved by them at their regular held meeting on the 28% day of 30%	the ground by a 5/8 inch rebar and plastic cap stamped 9958LS; thence, along said railroad
ACENOMIEDOMENT	2023, at 1:30 o'clock.	right of way on a spiral curve to the left with a chord bearing and distance of
ACKNOWLEDGMENT The foregoing certifications were subscribed and acknowledged before me, a Notary Public in the State of		S 50°07'47" E, 270.60 feet, to a 5/8 inch rebar and plastic cap stamped 9958LS; thence
	Johlush 6/28/23	continuing along the railroad right of way, S 49°05'32" E, 766.91 feet, to a 5/8 inch rebar and
Montana, County of Lincoln by Kurt Rayson on this 21 day of LUNE, 2023. In	Chairperson, Board of Lincoln County Commissioners Date	plastic cap stamped 9958LS on the East line of Government Lot G; thence, leaving the railroad
witness whereof have hereunto set my hand and affixed my notarial seal		right of way and along the East line of Government Lot 6, 5 00° 1 2'38" W, 549.95 feet to the
JAMIE PAULSEN		Northwest corner of the SW 1/4 of the SE 1/4, marked on the ground by a 5/8 inch rebar and
Notary Public for the State of Montana NOTARY PUBLIC for the State of Montana		plastic cap stamped 9958LS; thence, along the north line of the SW1/4 of the
residing at Libby, MT Lincoln My Commission Expires Security Besiding at Libby, Montana My Commission Expires	ACCESS CERTIFICATION	SE1/4, S 89°50'55" E, G38.67 feet to the Southwesterly right of way of the Burlington
December 8, 2026		Northern Santa Fe Railroad, marked on the ground by a 5/8 inch rebar and plastic cap
	I hereby certify that physical and legal access to Lots I through 12 as	stamped 9958LS; thence, along the Railroad right of way, 5 49°05'32" E, 905.33 feet to
ACKNOWLEDGMENT	shown hereon, is provided by a 60 foot wide private road as shown on	a 5/8 inch rebar and plastic cap stamped 9958LS on the East line of the SW1/4 of the
The foregoing certifications were subscribed and acknowledged before me, a Notary Public in the State of	the plat hereon.	SE1/4; thence, along said East line, 5 00°03'43" W, 728.88 feet to the TRUE POINT OF
Montana, County of Lincoln by Georgia Rayson on this 21 day of Juve, 2023. In	Janu R. Stople 6/20/23	BEGINNING; encompassing an area of 37.09 acres.
JAMIE PAULSEN NOTARY PUBLIC for the	James R. Staples – 9958LS Date	SUBJECT TO and TOGETHER WITH all appurtenant easements of record.
Motary Public for the State of Montana, Notary Public for the State of Montana Residing at Libby, Montana		UTILITY EASEMENT
residing at Libby, MT Liscola My Commission Expires 8, 200 Symmission Expires		The undersigned hereby grants unto each and every person, fir, or corporation whether public or
	LINCOLN COUNTY TREASURER	private, providing or offering to provide telephone, electric power, gas, cable, television, water,
A MARINE TO MARINE TO THE PARTY OF THE PARTY	I hereby certify, pursuant to section 79-3-611(1)(b), mca, that no real property	or sewer service to the public, the right to joint use of an easement for each
The state of the s	taxes assessed and levied on the land to be divided hereon described are	construction, maintenance, repair, and removal of their lines and other
EXAMINING LAND SURVEYOR'S CERTIFICATION	delinquent.	facilities, in, over, under, and across each area designated on this plat as "Utility Easement" to
Examined this DOYER , 2023, A.D.	sectores careberg by	and to hold forever.
1 1975 (LS 12)	Maria 23	
oteven A. Boyler, PLS 9750LBD &	Blianone Caly	
Incoln County Examining land Surveyor	Treasurer, Lincoln County	
Muses		
	Col Col	
	War and the second of the seco	
	MONTANA	

PLAT NO. _7259

J.R.S. SURVEYING, INC.

P.O. BOX 1050

LIBBY, MONTANA 59923

(406) 293-5059

CERTIFICATE OF RECORDER
FILED FOR RECORD THIS 28th DAY
OF JUNE, 2023, AT
4:05 O'CLOCKP.M. SURVEYOR'S CERTIFICATE
I, JAMES R. STAPLES, DO HEREBY CERTIFY THAT DATE: 05-23-2023 ONTAN SECTION 35 THIS PLAT HAS BEEN PREPARED IN CONFORMANCE JOB NO. M17-07 TO THE MONTANA SUBDIVISION & PLATTING ACT TOWNSHIP 32N (SECTIONS 76-3-101 THRU 76-3-614 M.C.A.) JAMES R. AND THE REGULATIONS ADOPTED PURSUANT STAPLES DWN. BY: SO RANGE 34W THERETO, AND THAT THE MAP SHOWN HEREON IS 9958 LS A TRUE REPRESENTATION OF A SURVEY MADE BY SURVE REVISION: PRINCIPAL MERIDIAN MT LINCOLN COUNTY SHEET: 2 OF 2

PLAT OF: CERTIFICATE OF SURVEYOR CERTIFICATE OF DEDICATION STATE OF MONTANA County of Lincoln We, Tungsten Holdings Inc., owners of real property, do hereby certify that we have caused to be surveyed, subdivided and platted in to lots and streets as shown by the Plat hereto annexed, the following described land LITTLE COUNTRY ROAD, PHASE I near Eureka in Lincoln County, Montana to wit: I, Kenneth E. Davis, do hereby certify that a survey was made of Little Country Road, Phase I, a major subdivision, during the month of December 2010, In accordance with the provisions of Sections 76-3-201 DESCRIPTION OF LITTLE COUNTY ROAD PHASE 1 (PARCEL 7 OF C.O.S. 327) through 76-3-625 M.C.A.; that the annexed plat is in accordance with such a survey, that the streets and dimensions of the lots are as shown hereon; and that the said platted area was laid out on the ground In the SW 1/4 of Section 1, Twp. 36 N., R. 27 W., P.M.M. A tract of land located near Eureka, in Lincoln County Montana, being portion of Parcel 7 of C.O.S. No. 327, lying in the southwest Quarter of Section 1, Township 36 North, Range 27 West, P.M.M., containing Lots 1 - 3 with their respective For: Tungsten Holdings Inc. acreage's for a total acreage of 4.175 acres more or less and more particularly described as follows: Curve Table Date: December 2010 Beginning at a found 5/8 inch dia. rebar capped, Marquardt 2989-ES, located on the west right-of-way line of Little CURVE DELTA RADIUS LENGTH TOTAL ACREAGE: 4.175 ACRES± Creek Road, a 60.00 foot wide County Road per Grant Deed in Book 42, Page 334, Lincoln County records, said point 07*24'15" 2030' 262.33' marks the Southeast corner of Parcel 7 per C.O.S. 327 and the Southeast corner of Lot 1 as shown hereon; thence RESIDENTIAL LOTS 07'24'41" | 2030' | 262.59' leaving said west right-of-way line, and along the south boundary line of said Parcel 7, S87°26'40"W 256.30 feet to a set LEGEND
 07'24'15"
 2000'
 258.45'

 07'24'41"
 2000'
 258.71'

 16'37'28"
 900'
 261.13'

 16'49'23"
 900'
 264.26'
 5/8 inch dia. rebar capped K.E.D. 4975-S; thence leaving said south boundary, N30°54'12"W a total distance of 395.74 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S; thence N14°46'07"W a total distance of 189.74 feet to a set 5/8 SET A 5/8 INCH DIA. REBAR WITH A inch dia. rebar capped K.E.D. 4975-S; thence N34°51'03"W 127.53 feet to a set 5/8 inch dia. rebar capped K.E.D. I hereby certify that legal and physical access to all lots within this subdivision is provided by: 1 1/4 INCH PLASTIC CAP STAMPED 4975-S; thence N87°01'27"E 310.12 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S, which lies on the west K.E.D. 4975-S the driving surface is approximately _____feet wide right-of-way line of said Little Creek Road, measuring 30.00 feet from the centerline thereof; thence along said west right-of-way line along an 930.00 foot radius curve to the left, having an delta angle of 02°58'57" and an arc length of FOUND 5/8 INCH DIA. REBAR **CAPPED MARQUARDT 2989-ES** 48.41 feet to a found 5/8 inch dia. rebar capped, Marquardt 2989-ES; thence continuing along said right-of-way line, S21°52'48"E 178.89 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S; thence S21°52'48"E 198.86 feet to a found FOUND 5/8 INCH DIA. REBAR Registered Land Surveyor No. 4975-S 5/8 inch dia. rebar capped, Marquardt 2989-ES; thence along a 2030 foot radius curve to the left having an delta angle of NO CAP 07°24'15" and an arc length of 262.33 feet to the Point of Beginning. PARCEL 9-TR 2E **COMPUTED POINTS** PARCEL 8 - TR 2G N87'26'00"E C.O.S 327 **RECORD PER C.O.S. 327** The aforedescribed lots 1-3 contains 4.175 acres more or less, and is subject to and together with all other appurtenant C.O.S 327 GRANT DEED BOOK 42, PAGE 334, 06/22/1977 **{50'}** LITTLE CREEK ROAD, 60' WIDE COUNTY ROAD (C.O.S. No. 327) **{845.95*** The above described tract of land is to be known and designated as, Little Country Road, Phase I, {N87'26'00"E} Lincoln County, Montana. N87'26'40"E (C.O.S. 327) Dated this 1st day of April 2011 A.D. LOOP R = 50'PROPOSED 60' WIDE PRIVATE ACCESS & UTILITY EASEMENT Tim Rooney, Secretary LOT 10 N71:06'09"E_RADIAL-BONNIE L SEE NOTARY PUBLIC for the LOT 4 State of Montana Residing at Libby, MT STATE OF MONTANA County of Lincoln Commission Expires March 5, 2015 N87'01'27"E On this /St day of April , 2011 A.D. before me, Notary Public in and for the State of Montana, Tim Rooney, Secretary of Tungsten Holdings Inc., personally appeared known to me to be the persons whose names are subscribed to the within instrument and acknowledged to me that they executed the same. LOT 3 PARCEL 10 1.435 ACRES± C.O.S 327 COMMON TREASURER CERTIFICATION I hereby certify that all real property taxes and special assessments assessed and divided have been paid. Dated this state day of april 2011 A.D. LOT 6 20' WIDE-JOINT APPROACH COUNTY CERTIFICATE OF FINAL PLAT APPROVAL The County Commission of Lincoln County, Montana does hereby certify that it has examined this LOT 2 subdivision plat and having found the same to conform to law, approves it, and hereby accepts the 1.508 ACRES± dedication to public use of and all lands shown on this plat as being dedicated to such use, this 13 t day LOT 9 ATTEST: (Signature of Commissioner) NOON NOON (Signature of Clerk and Recorder) PARCEL 11 C.O.S <u>327</u> LOT 7 LOT 1 1.237 ACRES± CERTIFICATION OF LINCOLN COUNTY EXAMINING LAND SURVEYOR: Examined this day of 1 EXISTING **APPROACH** 256.30 Registered Land Surveyor No. 9008LS 1196.35 (1196.39')P.O.B. S87'26'40"W (C.O.S. No. 327) (S87'26'00"W) STATE OF MONTANA COUNTY OF LINCOLN PARCEL 6 C.O.S 327 Graphic Scale Davis Surveying Inc. TROY MONTANA, (406)295-5441 DATE: 01-10-11 PLAT NO. 7076 $l \cdot inch = 100 \text{ ft.}$ DRAWN BY: 5 & C FILE: Phase 1 final.dwg Sanday Lestriction Semond Dec 232151 DE 10691 Read Jacus Dec 232158 P.F. 10693
Directors-Minutes Dec 232159 D.F. 10694 Coverante Dec Noxious Weed Plan Doi 234839 P.F. 10884 articles of Ancopposation Dec 232162

LINCOLN COUNTY, MONTANA PLAT OF: LITTLE COUNTRY ROAD, PHASE II (Parcel 7 of C.O.S. 327)

In the SW 1/4 of Section 1, Twp. 36 N., R. 27 W., P.M.M.

For: Tungsten Holdings Inc.

Date: December 2017 TOTAL ACREAGE: 15.82 ACRES±

RESIDENTIAL LOTS, 1 COMMON AREA

LEGEND

- SET A 5/8 INCH DIA. REBAR WITH A 1 1/4 INCH PLASTIC CAP STAMPED
- FOUND 5/8 INCH DIA. REBAR CAPPED K.E.D. 4975-S
- FOUND 5/8 INCH DIA. REBAR **CAPPED MARQUARDT 2989-ES**
- FOUND 5/8 INCH DIA. REBAR
- NO CAP
- **COMPUTED POINT**
- RECORD PER C.O.S. 327
- GRANT DEED BOOK 42, PAGE 334, 06/22/1977 LITTLE CREEK ROAD, 60' WIDE COUNTY ROAD
- TURNOUT

ROAD APPROACH

PRIVATE ACCESS AND UTILITY EASEMENT

SHARED WELL AND WATERLINE EASEMENT

APPROXIMATE ROAD/DRIVEWAY SURFACE

ŧ	1	n	\sim			h	le
ᆫ	ł	11	ᆮ		\boldsymbol{a}	IJ	16
_	•		•	•	•	~	

Line	Bearing	Distance
L1	N86°56'01"E	10.89'
L2	S87°01'27"W	17.66'
L3	N87°26'40"E	17.75'
L4	N89°58'35"E	65.66'
L5	523°18'32"E	22.74'
L6	S2°33'20"E	30.00'
L7	S23°25'22"E	8.29'
L8	S23°25'22"E	8.29'
L9	S21°20'55"W	49.23'
L10	S80°17'38"E	21.15'
L11	N81°18'02"E	55.34'
L12	N26°02'19"W	31.32'
L13	N26°02'19"W	70.67'
L14	N67°32'40"E	14.41'
L15	N67°32'40"E	14.41'
L16	N67°34'53"E	15.88'
L17	S19°38'52"E	30.03'
L18	S19°38'55"W	31.43'
L19	N62°31'58"E	30.39'
L20	N57°39'58"E	30.15'

Cu	rve	Ta	ble

Delta

Curve

C1	16°48'28"	900'	264.01'
{C1}	16°49'23"	900'	264.26'
C2	7°24'15"	2000'	258.46'
{C2}	7°24'41"	2000'	258.71'
C3	56°46'44"	50'	49.55'
{C3}	56°56'51"	50'	49.62'
C4	11°19'29"	930'	183.82'
C5	2°58'57"	930'	48.41'
C6	7°24'15"	2030'	262.33'
C7	58°16'56"	125'	127.15'
C8	58°14'29"	65'	66.07'
C9	55°08'14"	35'	33.68'
C10	82°16'47"	110'	157.97'
C11	85°05'23"	80'	118.81'
C12	110°48'06"	50'	96.69'
C13	12°53'30"	170'	38.25'
C14	25°43'33"	80'	35.92'
C15	12°53'30"	200'	45.00'
C16	3°23'27"	230'	13.61
C17	5°05'51"	200'	17.79'
C18	5°10'42"	200'	18.08'
C19	10°16'34"	170'	30.49'
C20	93°34'59"	45'	73.50'
C21	93°34'59"	75'	122.50'
C22	93°34'59"	105'	171.50'
C23	94°09'20"	45'	73.95'
C24	62°56'15"	75'	82.38'
C25	56°00'54"	105'	102.65'
C26	31°14'02"	75'	40.88'
C27	37°20'07"	105'	68.42'
C28	39°47'43"	230'	159.75'
C29	39°47'43"	200'	138.91'
C30	30°16'25"	170'	89.82'




DRAWN BY: DLL


Davis Surveying Inc.


FILE: LittleCountryRd PH2 Survey.dwg

TROY MONTANA, (406)295-5441 DATE: 02-06-18









PER LINCOLN COUNTY SUBDIVISION REGULATIONS

P.O.B.

LOT 10

2.139 GROSS ACRES±

1.827 NET ACRES±


PRIVATE WATER LINE EASEMENT

> 20' x 20' SHARED WELL EASEMENT

LOT 9 2.229 GROSS ACRES±

2.117 NET ACRES±

The Undersigned hereby grants unto each and every person, firm, or corporation whether public or private, providing or offering to provide telephone, electric power, gas, cable television, water or sewer service to the public, the right to joint use of an easement for each construction, maintenance, repair and removal of their lines and other facilities, in, over, under and across each area designated on this plat as "Utility Easement" to have and hold forever.



PARCEL 6 C.O.S. <u>327</u>

LOT 7

1.858 ACRES±

940.06

STATE OF MONTANA COUNTY OF LINCOLN

LOT 1

PLAT 7076

LOT 2 PLAT 7076

PARCEL 9 C.O.S. 327

N87'26'00"E

LOT 3 PLAT 7076

C.O.S. NO. 4517

49.94'

PARCEL 10

C.O.S. <u>327</u>

PARCEL 11 C.O.S. <u>327</u>

PARCEL 8 C.O.S. <u>327</u>

{N87'26'40"E} N87'26'40"E

JOINT APPROACH

LOTS 3 AND 4

N19* 38' 52"W_ 159.08'

LOT₈

2.118 GROSS ACRES±

1.982 NET ACRES±

S87°26'40"W

(C.O.S. No. 327)

LOT 5

2.469 GROSS ACRES± 1.742 NET ACRES±

> ~16' WIDE JOINT **APPROACH**

LOTS 6 AND 7

GRASSY LOOF

48.63'—Co

LOT 6

1.986 GROSS ACRES± 1.62 NET ACRES±

_r20' X 20'

EASEMENT

PRIVATE WATER

LINE EASEMENT

SHARED WELL

LOT 4

1.130 NET ACRES±

PLAT OF:
LITTLE COUNTRY ROAD, PHASE II
(Parcel 7 of C.O.S. 327)

In the SW 1/4 of Section 1, Twp. 36 N., R. 27 W., P.M.M. For: Tungsten Holdings Inc. Date: December 2017
TOTAL ACREAGE: 15.82 ACRES±
7 RESIDENTIAL LOTS, 1 COMMON AREA

CERTIFICATE OF DEDICATION

I, Tungsten Holdings Inc., owner of real property, do hereby certify that I have caused to be surveyed, subdivided and platted into lots and streets as shown by the Plat hereto annexed, the following described land near Eureka, in Lincoln County, Montana to wit:

DESCRIPTION OF LITTLE COUNTRY ROAD PHASE II

A tract of land near Eureka, in Lincoln County Montana, being a portion of Parcel 7 of C.O.S. No. 327, lying in the Southwest Quarter of Section 1, Township 36 North, Range 27 West, P.M.M., containing Lots 4-10 and a 1.20 acre tract of land designated as common area, with their respective acreages and for a total acreage of 15.82 acres more or less and more particularly described as follows:

Beginning at a found 5/8 inch dia. rebar with no cap; thence, from said point of beginning N0° 50' 43"E a distance of 362.69 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, continuing N0° 50' 43"E a distance of 504.80 feet, for a total distance of 867.49 feet to a found 5/8 inch dia. rebar with no cap; thence, N87° 26' 40"E a distance of 280.60 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, continuing N87° 26' 40"E a distance of 169.96 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, continuing N87° 26' 40"E a distance of 151.32 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, continuing N87° 26' 40"E a distance of 244.00 feet, for a total distance of 845.88 feet to a found 5/8 inch dia. rebar capped, Marquardt 2989-ES, which lies on the west right-of-way line of said Little Creek Road, measuring 49.94 feet and having a radial bearing of N87° 26' 00"E from the centerline thereof; thence, along said west right-of-way line along a 50.00 foot radius curve to the left, having a delta angle of 56°46'44" and an arc length of 49.55 feet to a found 5/8 inch dia. rebar with no cap; thence, continuing along said west right-of-way line along a 930.00 foot radius curve to the left, having a delta angle of 11°19'29" and an arc length of 183.82 feet and having a radial bearing of N71° 06' 09"E to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, leaving said west right-of-way line, S87° 01' 27"W a distance of 44.40 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, continuing S87° 01' 27"W a distance of 68.46 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, continuing S87° 01' 27"W a distance of 179.60 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, continuing S87° 01' 27"W a distance of 17.66 feet, for a total distance of 310.12 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S34° 51' 03"E a distance of 48.63 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, continuing S34° 51' 03"E a distance of 78.90 feet, for a total distance of 127.53 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S14° 46' 07"E a distance of 109.92 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, continuing S14° 46' 07"E a distance of 79.82 feet, for a total distance of 189.74 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S30° 54' 12"E a distance of 205.91 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, continuing S30° 54' 12"E for a distance of 189.83 feet, for a total distance of 395.74 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S87° 26' 40"W a distance of 291.94 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, continuing S87° 26' 40"W a distance of 479.95 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, continuing S87° 26' 40"W a distance of 168.17 feet, for a total distance of 940.06 feet to the point

The aforedescribed Lots 4-10 and a 1.20 acre tract of land designated as common area contains 15.82 acres more or less, and is subject to and together with all appurtenant easements of record.

The above described tract of land is to be known and designated as, Little Country Road, Phase II, Lincoln County, Montana.

Dated this 23 day of MArch 2018 A.D.

Tim Rooney, Secretary Tungsten Holdings

STATE OF MONTANA)
) so
County of Lincoln)

On this <u>23</u> day of <u>MARCL</u>, 2018, before me a Notary Public for the State of Montana, personally appeared Tim Rooney, known to me to be the person whose name is subscribed to the within instrument, that he is the Secretary of Tungsten Holdings, Inc., and acknowledged to me that he executed the same for said corporation.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Notarial Seal the day and year first above written.

JAMIE R MURRAY
NOTARY PUBLIC for the
State of Montane
Residing at Libby, Montane
My Commission Expires
February 17, 2020

Davis Sur

Davis Surveying Inc. TROY MONTANA, (406)295-5441

DATE: 02-06-18

DRAWN BY: DLL FILE: LittleCountryRd PH2 Survey.dwg

PAGE 2 of 2
PLAT NO. 47204


CERTIFICATE OF SURVEYOR STATE OF MONTANA County of Lincoln I, Kenneth E. Davis, do hereby certify that a survey was made of Little Country Road, Phase II, a major subdivision during the month of December 2017, In accordance with the provisions of Sections 76-3-201 through 76-3-625 M.C.A.; that the annexed plat is in accordance with such a survey, that the streets and imensions of the of are as shown hereon; and that the said platted area was laid out on the ground according METHVE. DAVIS TO DAY OF MARCE 2018 A.D. LEGARAND PHYSICAL ACCESS orehy certify that legit and physical access to all lots within this subdivision is ovided by Registered Land Surveyor No. 4975-S TREASURER CERTIFICATION I hereby certify that all real property taxes and special assessments assessed and levied on the land to be divided have been paid. Dated this 23 day of 2018 A.D. COUNTY CERTIFICATE OF FINAL PLAT APPROVAL The County Commission of Lincoln County, Montana does hereby certify that it has examined this subdivision plat and having found the same to conform to law, approves it, and hereby accepts the dedication to public use of and all lands shown on this plat as being dedicated to such use, CERTIFICATION OF LINCOLN COUNTY EXAMINING LAND SURVEYOR: Examined this 76 day of MARC # 2018 A.D. Registered Land Surveyor No. 9008LS Ronald A. Pearson


STATE OF MONTANA

A FINAL SUBDIVISION PLAT OF STATE OF MONTANA HEREBY GERTIFY THAT ALL REAL PROPERTY COUNTY OF LINCOLN Little Creek Acres TAXES AND SPECIAL ASSESSMENTS ASSESSED. FILED ON THE 22 DAY OF Scheenlee, 1994, A.D., AND LEVIED ON THE LAND TO BE DIVIDED. HAZE BEEN PAID. DATED THIS 22nd DAY OF December S1/2, Sec. I and N1/2, Sec. 12, T36N R27W, P.M.,M., Lincoln County, Montana CERTIFICATE OF DEDICATION WE, DANNY A. BOWLAND AND CHERYL A. BOWLAND, THE UNDERSTANED PROPERTY OWNERS, DO HEREBY CERTIFY THAT WE HAVE CAUSED TO BE SURVEYED, SUBDIVIDED AND PLATTED INTO LOTS AS SHOWN BY THE PLAT AND CERTIFICATE OF SURVEY HEREUNTO INCLUDED, THE FOLLOWING DESCRIBED TRACT OF LAND, TO-WIT: Those portions of the North $\frac{1}{2}$, Section 12 and the South $\frac{1}{2}$, Section 1, Town-SHIP 56 NORTH, RANGE 27 WEST, LINCOLN COUNTY, MONTANA DESCRIBED AS FOLLOWS: COMMENCING AT THE NORTHWEST CORNER OF THE NORTHWEST 4, PARCEL II Section 12; Thence North 81°30'58" East 912.00 FEET TO THE POINT OF BEGIN-NING; THENCE CONTINUING NORTH 81°30'58" East 687.34 FEET; THENCE SOUTH 33°46'20" EAST 234.70 FEET TO THE BEGINNING OF A 2000.00 FOOT RADIUS CURLE PARCEL 6 TO THE LEFT; THENCE SOUTHEASTERLY ALONG THE CURVE THRU'A CENTRAL ANGLE OF 12°45'00" 445.15 FEET; THENGE SOUTH 46°01'38" EAST 286.85 FEET TO THE NORTH-5.81°30'58" W. BASIS OF BEARINGS ERLY LINE OF A COUNTY ROAD; THENCE ALONG THE NORTHERLY LINE THE FOLLOWING GOORSES: South 59°46'02" West 330.25 FEET to the Beginning of a 1030.00 Foot Radius SURVE TO THE LEFT; THENCE SOUTHWESTERLY ALONG THE CURVE THRU A CENTRAL ANGLE of 8°76'36" 154.78 FEET; THENCE SOUTH : 1609'26" WEST 140.11 FEET TO THE BESING NING OF A 1530.00 FOOT RADIUS CURIE TO THE LEFT; THENCE SOUTHWESTERLY ALONG THE CURVE THRU A CENTRAL ANGLE OF 8°25'10" 224.8" FEET; THENCE SOUTH 42°44' OF PARCEL 12 WEST 199.67 FEET; THENCE LEAVING THE NORTHERLY LINE OF THE COUNTY ROAD NORTH -16 CORNER BRASS CAP PER C. OFS. NO. 327 20°11'88" WEST 1366.31 FEET TO THE POINT OF BEGINNING CONTAINING 20.764 ACRES OF LAND ALL AS SHOWN BEREON. 1/4 CORNER THE ABOVE DESCRIBED TRACT OF LAND IS TO BE KNOWN AND DESIGNATED AS LITTLE CREEK ACRES. LINGOLN COUNTY, MONTANA. LOT I 15.764 ACRES GROSS 15.090 ACRES NET STATE OF MONTANA COUNTY OF LINCOLN 34 94 , BEFORE ME, THE UNDERSTANED, A NOTARY PUBLIC FOR THE STATE AFORESAID, PERSONALLY APPEARED DANNY A. BOWLAND AND △=/05°47'40" CHERYL A. BOWLAND, KNOWN TO ME TO BE THE PERSONS WHOSE NAMES ARE SUBSCRIBED TO THE FOREGOING INSTRUMENT, AND ACKNOWLEDGED TO ME THAT THEY EXECUTED THE SAME. PARCEL 4 IN WITNESS WHEREOF, I HAVE HEREUNTO SET MY HAND AND AFFILED MY NOTARIAL SEAD THE DAY AND YEAR FIRST ABOVE WRITTEN. LOT 2 5.000 ACRES NOTARY PUBLIC FOR THE STATE OF MONTANA RESIDING AT EULE MY COMMISSION EXPIRES 2-15-98 CERTIFICATE OF COUNTY COMMISSIONERS WE, THE UNDERSTANCE, NOTE E WILLIAMS, CHAIRPERSON OF THE BOARD OF COUNTY CLE D= 8°25'16" AND RECORDER OF SALD COUNTY DO HEREBY CERTIFY THAT THIS ACCOMPANYING PLAT OF LITTLE L= 224.87' R=1530.00' CREEK ACRES. LINCOLN COUNTY, MONTANA HAS BEEN SUBMETTED TO THE BOARD OF COUNTY COMMISSIONERS OF LINGOLN COUNTY, MONTANA FOR EXAMINATION AND HAS BEEN FOUND BY THEM TO CONFORM TO LAW AND WAS APPROVED BY THEM AT THEIR REGULAR MEETING HELD ON THE 21 AY OF 19 94 PARKLAND DEDICATION IS EXEMPT FER SECTION VOLK-60E 60' COUNTY ROAD CHAIRPERSON, BOARD OF COUNTY COMMISSIONERS COUNTY CLERK AND BEFORDER LINCOLN COUNTY, MONTANA LINCOLN COUNTY, MONTANA LEGEND O SET 5/8"X24" REBAR WITH CERTIFICATE OF SURVEYOR PLASTIC CAP STAMPED '73285' ! HEREBY CERTIFY THAT, PHYSICAL ACCESS TO ALL LOTS WITHIN THIS SUBDILISION IS PROVIDED BY ● FOUND 5/8" REBAR 12989ES __. THE DRIVING SURFACE IS APPROXIMATELY _20 FEET WIDE. Indian Creek Road PER C. OF 5. NO. 327 • FOUND POINT AS NOTED REGISTRATION No. 7328 Marquardt Surveying, Inc. SCALE ~1"= 200" 285 1st AVE, E.N. 100, 500, KALISPELL, MONTANA 59901 PHONE (406) 755-6285 P.F. No. 5243

Sanitary Restrictions Removed P.F. 5242.

5245





A PLAT OF: LITTLE FATT BOY SUBDIVISION

In the NW 1/4 SW 1/4 of Section 6, Twp. 36 N., R. 26 W., P.M.M. For: Leland & Deborah Mocko

TOTAL ACREAGE: 8.00 ACRES±

CERTIFICATE OF DEDICATION

I/we the undersigned property owners(s), do hereby certify that I/we have caused to be surveyed, subdivided and platted in to lots and streets as shown by the Plat hereto annexed, the following described land near Eureka in Lincoln County Montana to wit:


DESCRIPTION OF LITTLE FATT BOY SUBDIVISION

A tract of land near Eureka in Lincoln County Montana, lying in NW 1/4 SW 1/4 Section 6, of Twp. 36 N., R. 26 W., P.M.M., containing Lot 1 for total acreage of 8.00 acres more or less and more particularly described as follows:

Beginning at a 2 inch dia. brass monument stamped 2989-ES which marks the W 1/4 of Section 6, Twp. 36 N., R. 26 W., P.M.M.; thence, S00°01'37"E 672.96 feet along the west line of said Section 6, to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, N90°00'00"E 520.56 feet along the north line of Lot 1 of Fatt Boy Subdivision per Plat No. 6661, to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, N01°29'17"W 689.25 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S located on the east-west centerline of said Section 6; thence, S88°10'17"W 503.23 feet along said east-west centerline, to the point of beginning.

The aforedescribed Little Fatt Boy Subdivision contains Lot 1 for a total acreage of 8.00 acres more or less and is subject to and together with all appurtenant easements of record.

The above described tract of land is to be known Subdivision, Lincoln County, Montana.	
Dated this 58 day of Cugust	2006 A.D.
Leland Mocko and	Deborah Mocko
STATE OF MONTANA County of Lincoln	
On this 38 day of CMGUS+	, 2006 A.D. before me, a
Notary Public in and for the State of Montana,	LELand & Deborah Micke
personally appeared known to me to be the per within instrument and acknowledged to me that	at they executed the same.
1 i. Cont 7 Marvie	5/14/2009
Notary Public	My Commission Expires



Davis Surveying Inc. TROY MONTANA, (406)295-5441

DATE: 05/04/06

DRAWN BY: CJR

Old Land Projects FILE: t36r26s6.dwg

> Shirdings & Sact Da 197076 p.F. 8756 Aletting Cintificate Doc 197077 p.F 8757 Sanitary Restriction frames Da 197078 p.F. 8758

Propose Weed Dan Dox 197079 p. = 879/ Road Maintenane April. Doi 197081 = 304/903

COVENANT DOC- 177082 5306/904

CERTIFICATE OF SURVEYOR

STATE OF MONTANA
County of Lincoln

I Kenneth E. Davis, do hereby certify that a survey was made of Little Fatt Boy, a minor subdivision, during the month of May 2006, In accordance with the provisions of Sections 76-3-201 through 76-3-625 M.C.A. 2000; that the annexed plat is in accordance with such a survey, that the streets and dimensions of the lots are as shown hereon; and that the said platted area was laid out on the ground accordance.

LEGAL AND PHYSICAL ACCESS

I her State that legal and physical access to all lots within this subdivision

he driving surfice is approximately feet wide.

Registered Land Surveyor No. 4975-S

TREASURER CERTIFICATION

I hereby certify that all real property taxes and special assessments assessed and levied on the land to be divided have been paid. Dated this day of

Treasurer Lincoln County Montana

COUNTY CERTIFICATE OF FINAL PLAT APPROVAL

The County Commission of Lincoln County, Montana does hereby certify that it has examined this subdivision plat and having found the same to conform to law, approves it, and hereby accepts the dedication to public use of and all lands shown on this plat as being dedicated to such use, this day of 2006, A.D.

(Signatures of Commissioner)

ATTEST: and Le control
(Signature of Clerk and Records)

CERTIFICATION OF EXAMINING LAND SURVEYOR:

Approved this / day of September 2006 A.D.

Andrew Belski Registered Land Surveyor No. 14731PLS

STATE OF MONTANA COUNTY OF LINCOLN

Filed on this day of January 2006 A.D. at Missing O'clock m.

by Jeans Steamed

SHEET 2 OF 2 PLAT NO 200

James I. & Michelle B. McCartney **Certificate of Survey** Owner: James I. & Michelle B. McCartney 05 December 2016 Date: Purpose: Retracement Lot 1 Little Fatt Boy Subdivision NW¹/₄ SW¹/₄ Section 6, T36N R26W, P.M., M. Lincoln County, Montana N88°10'17"E 503.14" rec. N88°10'17"E 503.23' per Plat No. 6733 Found \$\frac{5}{8}\$" rebar "K.E.D. 4975\$" **Quarter Corner Common** to Section 1 and Section 6 Found 2" Brass Cap "2989-ES" Lot 1 **Little Fatt Boy Subdivision** 8.00 acres SCALE: 1" = 60 Legend found monument Set $\frac{5}{8}$ " x 24" rebar with a 2" aluminum cap "Belski" 14731 quarter corner N88°30'21"E (as noted) Found \(\frac{5}{8} \)" rebar \"K.E.D. \(4975 \)S" \$89°57'48"W 520.61' rec. N90°00'00"E 520.56' per Plat No. 6733 Wild West Drive 30' Easement per Plat No. 6733 LEGAL DESCRIPTION CERTIFICATE OF EXAMINING LAND SURVEYOR **CERTIFICATE OF SURVEYOR** State of Montana County of Lincoln) Filed on the 3th day of Dec____, 2016 C.E. I, Andrew P. Belski, a Professional Land Surveyor, do That portion of the $NW_{\frac{1}{4}}^{1}SW_{\frac{1}{4}}^{1}$ of Section 6, Township 36 North Range 26 West, hereby certify that this survey was performed by me or under my direct supervision that the months of the property of the complete as shown and that the months of the property of the complete as shown and that the months of the property of the complete as shown and that the months of the complete as shown and that the months of the complete as shown and that the months of the complete as shown and that the months of the complete as shown and that the months of the complete as shown and that the complete as shown and the complete as shown as the complete Principle Meridian, Montana, Lincoln County, Montana described as follows: at $\underline{a:31}$ o'clock \underline{P}_m . Lot 1 of Little Fat Boy Subdivision Plat No. 6733 Examining Land Surveyor are of the character and occupy the positions shown Containing 8.00 acres of land as shown hereon. Registration No. 9008LS Andrew P. Belski, PLS Registration No. 14731 PLS Instrument Record No. 266629 Certificate Of Survey No. 4462 236 Wisconsin Ave. tel: (406) 862-4945 Whitefish, MT fax: (406) 862-4963

LINCOLN COUNTY MONTANA

A PLAT OF: LITTLE HOODOO VIEW

In the SW1/4 of Section 19, Twp. 29 N., R. 30 W., P.M.M. For: Tungsten Holdings Inc.

Date: May 2006

Total: 5.06 Acres± Legend

SET 5/8 INCH DIA. REBAR WITH A PLASTIC CAP STAMPED K.E.D. 4975-S

- FOUND 5/8 INCH DIA. REBAR CAPPED HUGHES 7322-S
- o FOUND 5/8 INCH DIA. REBAR CAPPED K.E.D. 4975-S
- () RECORD PER PLAT NO.

(120.41)

(NOO°O1'44"W, (100.00')\

(N42°13'16"E)

CERTIFICATE OF SURVEYOR

STATE OF MONTANA
County of Lincoln

I, Kenneth E. Davis do hereby certify that a survey was made of Little Hoodoo View, a minor subdivision, during the month of May 2006, In accordance with the provisions of Sections 76-3-201 through 76-3-625 M.C.A. 2000; that the annexed plat is in accordance with such a survey, that the streets and dimensions of the lots are as shown hereon; and that the said platted area was laid out on the ground according to law.

day of April , 2006 A.D.

S \$165
STAVE

Keyneth E. Davis

Registered Land Surveyor No.

14725-5

Registered Land Surveyor No.

t legal and physical access to all lots within this subdivision is

ITEM Surface is approximately feet wide

Registered Land Surveyor No.

COUNTY CERTIFICATE OF FINAL PLAT APPROVAL

The County Commission of Lincoln County, Montana does hereby certify that it has examined this subdivision plat and having found the same to conform to law, approves it, and hereby accepts the dedication to public use of and all lands shown on this plat as being dedicated to such use, this _____day of ____2006, A.D.

(Signature of Commissioners)

ATTEST: (Signature of Clerk and Recorder)

TREASURER CERTIFICATION

I hereby certify that all real property taxes and special assessments assessed and levied on the land to be divided have been paid. Dated this 4 day of 2006 A.D.

Maney Frotter Letton by 201 Tressurer Lincoln County

CERTIFICATION OF EXAMINING LAND SURVEYOR:

Approved this 21 day of April , 2008 A.D

County Examiner Registered Land Surveyor No. 14731 PLS

STATE OF MONTANA COUNTY OF LINCOLN

Filed on this 10 day of 2 ay
O'clock 2.m.

_, 2006 A.D. at _________

County Clerk and Recorder

Deputy

PLAT NO. 4/182 00 202822

CERTIFICATE OF DEDICATION

I/we the undersigned property owners(s), do hereby certify that I/we have caused to be surveyed, subdivided and platted in to lots and streets as shown by the Plat hereto annexed, the following described land near Libby in Lincoln County Montana to wit:

DESCRIPTION OF LITTLE HOODOO VIEW

A tract of land located near Libby, in Lincoln County Montana, lying in the SW1/4 of Section 19, Twp. 29 N., R. 30 W., P.M.M., containing Lots 1-3 with their respective acreage's, for a total acreage of 5.06 acres more or less and more particularly described as follows:

Beginning at a found 5/8 inch dia. rebar capped K.E.D. 4975-S located on the east right of way line of a 100.00 foot U.S. Highway No. 2 measuring 50.00 feet from the centerline thereof; thence, leaving said right of way N42°13'16"E 63.33 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, N00°01'44"W 100.00 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, N04°44'16"E 120.41 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, N59°10'16"E 11.64 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S located on the west right of way line of a 60.00 foot wide St. Regis Haul Road measuring 30.00 feet from the centerline thereof; thence, along said right of way \$25°01'44"E a total distance of 1043.75 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S23°27'44"E 65.39 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence; S19°44'44"E 63.74 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S16°17'44"E 62.50 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S12°07'44"E 71.59 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S11°14'49"E 24.09 feet to a found 5/8 inch dia. rebar capped Hughes 7322-S; thence, leaving said right of way S66°38'36"W 164.97 feet to a found 5/8 inch dia. rebar capped Hughes 7322-S located on east right of way of said U.S. Highway No. 2; thence, along said right of way N23°22'44"W a total distance of 1081.13 feet to the point of beginning.

The aforedescribed Lots 1-3 contain 5.06 acres more or less, and is subject to and together with all other appurtenant easements of record.

The above described tract of land is to be known and designated as, Little Hoodoo View, Lincoln County, Montana.

Dated this 25th day of April

The Roper Scc.

Tungsten Holdings Inc.

On this 25th day of April , 2008 A.D. before me, a Notary Public in and for the State of Montana, personally appeared Tim Romey known to me to be the persons whose names are subscribed to the within instrument and

Ann Marie Crites

Multiput

11/12/

Notáry Public

DRAWN BY: MDM

STATE OF MONTANA

My Commission Expires

MARIE CO

Davis Surveying Inc.


FILE: t29r30s19.DWG

TROY MONTANA, (406)295-5441

Graphic Scale

(in feet)
1 inch = 200 ft.

Find plat appeared p. F. # 8984 Doc 202817 Platting (Interior p. F. # 8986 DOC 202817 Topine Wed plan p. F. 8988 DOC -202821 Senitary Restrictions Remned p. F. # 8985 Doc 202818 Road approach p. F. # 8987 Doc 202820 Councide 5314919 Doc 202823



Truck plat approval p.F. + 10040 Doc 217853 Sesitary Restriction Removed p.F. 10041200217054 platting Certifical p.F. 10042 Doc 217855

Proposer Weed Plan p.1 10043 Dot 217896 Doc 217857 Road Maintenam Doc 21788 5324695 Concerte Doc 21 7859 5 324/696

LINCOLN COUNTY MONTANA

LITTLE HOODOO VIEW II In the SW1/4 of Section 19, Twp. 29 N., R. 30 W., P.M.M.

For: Tungsten Holdings Inc.

Date: September 2007

Total: 15.10 Acres± RESIDENTIAL

CERTIFICATE OF DEDICATION

I/we the undersigned property owners(s), do hereby certify that I/we have caused to be surveyed, subdivided and platted in to lots and streets as shown by the Plat hereto annexed, the following described land near Libby in Lincoln County Montana to wit:

DESCRIPTION OF LITTLE HOODOO VIEW II

A tract of land located near Libby, in Lincoln County Montana, lying in the SW1/4 of Section 19, Twp. 29 N., R. 30 W., P.M.M., containing Lots 1-5 with their respective acreage's, for a total acreage of 15.10 acres more or less and more particularly described as follows:

Beginning at a found 5/8 inch dia. rebar capped K.E.D. 4975-S which marks the northeast corner of Lot 1; thence, S89°54'02"W a total distance of 425.90 to a found 5/8 inch dia. rebar capped K.E.D. 4975-S located on the east right of way line of a 60.00 foot wide Champion Haul Road measuring 30.00 feet from the centerline thereof; thence, along said right of way \$23°31'41"E 27.54 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S19°44'44"E 67.49 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S16°17'44"E 66.49 feet to a found 5/8 inch dia rebar capped K.E.D. 4975-S; thence, S12°07'44"E 74.23 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S11°14'49"E 25.33 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S09°45'51"E 92.11 feet to a set 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S09°45'51"E 238.53 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S11°20'51"E 99.56 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S: thence, S14°10'00"E 77.60 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S20°25'20"E 79.71 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S24°53'21"E 65.60 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S31°42'14"E 69.08 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S30°03'20"E 64.27 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S38°07'08"E 72.67 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S41°00'34"E 362.51 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, S40°31'20"E 48.21 feet to a found 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, leaving said right of way N49°25'15"E 420.35 feet to a found 5/8 inch dia. bare rebar; thence, N24°33'26"W a total distance of 1200.60 feet to the point of beginning.

The aforedescribed lots 1-5 contains 15.10 acres more or less, and is subject to and together with all other appurtenant easements of record.

The above descibed tract of land is to be known and designated as, Little Hoodoo View II, Lincoln County, Montana.

Dated this 23 RD day of MArch Tungsten Holdings, Inc.

STATE OF MONTANA County of Lincoln

On this 2310 day of March 2008 A.D. before me, a Notary Public in and for the State of Montana, personally appeared Im Rooney known to me to be the persons whose names are subscribed to the within instrument and acknowledged to me that they executed the same.

My Commission Expires

CERTIFICATE OF SURVEYOR

STATE OF MONTANA County of Lincoln

I, Kenneth E. Davis do hereby certify that a survey was made of Little Hoodoo View II, a minor subdivision, during the month of September 2007, In accordance with the provisions of Sections 76-3-201 through 76-3-625 M.C.A. 2000; that the annexed plat is in accordance with such a survey, that the streets and dimensions of the lots are as shown hereon; and that the said platted area was laid out on the ground according to law.

day of MARCH AND PHYSICAL ACCESS I hereby certify that legal and physical access to all lots within this subdivision is

DION some approximately 24 feet wide

COUNTY CERTIFICATE OF FINAL PLAT APPROVAL The County Commission of Lincoln County, Montana does hereby certify that it has examined this subdivision plat and having found the same to confirm to law, approves it, and hereby accepts the dedication to public use of and all lands shown on this plat as being dedicated to such use, this 25 day of 2008, A.D. 2009

Registered Land Surveyor No.

(Signature of Commissioners) ATTEST: (Signature of Clerk and Recorder)

TREASURER CERTIFICATION

I hereby certify that all real property taxes and special assessments assessed and levied on the land to be divided have been paid. Dated this 25th day of 7 eliver 2008 A.D.

CERTIFICATION OF EXAMINING LAND SURVEYOR:


Examined this 12 day of MARCH

Registered Land Surveyor No. 9008 LS

STATE OF MONTANA COUNTY OF LINCOLN

County Clerk and Recorder

Davis Surveying Inc. TROY MONTANA, (406)295-5441



Postous Whed plu f.F. 10334 DOC 22587 Road acceur p.F. 10335 DOC 222588 Continante Doc 222589 5 328/648

OWNERS: JEAN P. & SANDRA NORDAHL

FOR: JEAN NORDAHL

PURPOSE: SUBDIVISION

DATE: JUNE 30, 2009

Subdivision Plat of LITTLE O'BRIEN

SW 1/4 & SE 1/4 of Section 32, T35N R26W, P.M., M. Lincoln County, Montana

CERTIFICATE OF DEDICATION

We, JEAN P. NORDAHL & SANDRA NORDAHL, the undersigned property owners, do hereby certify that we have caused to be surveyed, subdivided and platted into lots as shown by the plat hereto annexed, the following described land in Lincoln County, to-wit:

Those portions of the Northeast 1/4 of the Southwest 1/4 and the North 1/2 of the Southeast 1/4, Section 32, Township 35 North, Range 26 West, P.M., M., Lincoln County, Montana, described as follows: Beginning at the Southeast corner of the North 1/2 of the Southeast 1/4;

Thence along the South line of the North 1/2 of the Southeast 1/4, South 89°49'21" West 2638.94 feet to the Southwest corner of the North 1/2 of the Southeast 1/4;

Thence along the West line of the North 1/2 of the Southeast 1/4, North 00°09'25" West 197.60 feet to the Northeast Corner of Lot 1 as shown on the subdivision plat of Upper O'Brien Creek, records of Lincoln County, Montana, said point being on the centerline of Meadow Creek Road, a 60' wide county road and also being on a 709.89 foot radius curve, concave Southerly, having a radial bearing of South 45°41'45" West;

Thence continuing along the Northerly boundary of Lot 1 as shown on the subdivision plat of Upper O'Brien Creek and along the centerline of Meadow Creek Road the following three (3) courses:

Northwesterly along the curve through a central angle of 51°23'39" an arc length of 636.77 feet;

Thence South 84°18'06" West 559.70 feet to the beginning of a 246.59 foot radius curve to the left;

Thence Southwesterly along the curve through a central angle of 51°36'40" an arc length of 222.12 feet to a point on the West line of the Northeast 1/4 of the Southwest 1/4;

Thence leaving the Northerly boundary of Lot 1 as shown on the subdivision plat of Upper O'Brien Creek and leaving the centerline of Meadow Creek Road, and along the West line of the Northeast 1/4 of the Southwest 1/4, North 00°10'50" West 1079.44 feet to the Northwest corner of the Northeast 1/4 of the Southwest 1/4;

Thence along the North line of the South 1/2 of Section 32, North 89°48'54" East 2639.04 feet;

The above described tract of land is to be known and designated as LITTLE O'BRIEN.

Thence South 49°26'32" East 37.57 feet;

Thence South 44°57'25" East 1831.08 feet to the Point of Beginning, containing 89.37 acres of land all as shown hereon. Subject to and together with easements of record.

This instrument was signed and acknowledged before me on Supt 22, 2009, by JEAN P. NORDAHL & SANDRA NORDAHL.

Printed Name: M. Kate Dierman Notary Public for the State of Mandana Residing at Euvela MT My Commission Expires 10/10/20/1

NO SEARCH HAS BEEN MADE FOR EASEMENTS AFFECTING THIS PROPERTY AND THIS SURVEY DOES NOT PURPORT TO SHOW ALL APPURTENANT EASEMENTS.

We, the undersigned, ______, Chairperson of the Board of County Commissioners of Lincoln County, Montana and _____, County Clerk and keyorder of said county do hereby certify that this accompanying plat of LITTLE O'BRIEN, Lincoln County, Montana has been submitted to the Board of County Commissioners of Lincoln County, Montana for examination and has been found by them to conform to law and is hereby approved. Parkland Dedication is exempt per Section 76-3-621(3)(a), MCA.

County Clerk and Recorder Lincoln County, Montana

RONALD A. PEARSON, 9008LS

I hereby certify that legal and physical access to Lots 2 & 3 within this subdivision are provided by MEADOW CREEK ROAD a 60 foot County road and that the single division access road which provides access to Lot 1 as shown on this plat meets the Lincoln County width and grade requirements.

DAWN MARQUARDT, Registration No. 73285

CERTIFICATE OF SURVEYOR

DAWN MARQUARDE Registration No. 7328\$

7328 LS

I hereby certify that all real property taxes and special assessments assessed and levied on the land to be divided have been paid. Dated the 28th day of 0.201.

Mancy trutter Higgins By Cornie Vogel
Treasurer, Unicoln County, Monty da

STATE OF MONTANA

Instrument Record No. 222590

Sheet 2 of 2 Sheets PM # 7029

	Field Crew: BP SM	
Date: April 15, 2009	Revision Date: June 30, 2009	
Project Name: Nordahl	Project Number: 09-037	
Filename: Final	Drawn By:	

Frince platappival P.F. 10332 Doc 222585 Platting Certificate P.F. 10333 Doc 222586

Prime Weed plus p.F. 10334 DOCT 212587 Road access p.F. 10335 DOCT 22588 Colenants Doct 222589 \$ 328/848

Subdivision Plat of OWNERS/FOR: A. W. PHILLIPY LIVING MOUNTAIN PURPOSE: SUBDIVISION DATE: AUGUST 20, 2007 Gov't. Lot 2, Section 2, T36N R27W, P.M., M. Lincoln County, Montana Certificate of Dedication I, A.W. PHILLIPY, the undersigned property owner, do hereby certify that I have caused to be surveyed, subdivided and platted into lots as shown by the plat hereto annexed, the following described land in Lincoln County, to-wit: That portion of Government Lot 2, Section 2, Township 36 North, Range 27 West, P.M., M., Lincoln County, Montana, described as follows: Beginning at the Southwest corner of Government Lot 2; Thence along the West line of Government Lot 2, North 00°05'20" East 330.62 feet; Thence North 89°50'16" East 597 feet, more or less, to the centerline of the irrigation ditch; Thence Southeasterly along the centerline of the ditch 359 feet, more or less, to the South line of Government Lot 2; Thence along the South line of Government Lot 2, South 89°32'18" West 743 feet, more or less, to the Point of Beginning, containing 5.00 acres, more or less, of land all as shown hereon. SCALE: 1" = 100' Subject to and together with easements of record. land is to be known and designated as LIVING MOUNTAIN, Lincoln County, Montana. Remainder - Greater than 20 Acres - Not Surveyed This instrument was acknowledged before me on June 1997 2008 by A.W. PHILLIPY. Printed Name: // Kimblyly M. Mille Notary Public for the State of Montana N89°50'16"E Residing at _ My Commission Expires 60' VALLEY LANE CERTIFICATE OF COUNTY COMMISSIONERS

We, the undersigned, _______, Chairperson of the Board of County Commissioners of Lincoln County, 60' WIDE PRIVATE ROAD & UTILITY EASEMENT Montana and _______, County Clerk and Recorder of said county do hereby certify that this accompanying plat of LIVING MOUNTAIN, Lincoln County, Montana has been submitted to the Board of County Commissioners of APPURTENANT TO PARCEL A AS SHOWN HEREON AND **BOUNDARY IS** Lincoln County, Montana for examination and has been found by them to conform to law and is hereby approved. REMAINDER OF GOV'T LOT 2 THE CENTERLINE Parkland Dedication is exempt per Section 76-3-621(3)(a), MCA. OF THE GLEN LAKE Lot 1 IRRIGATION DITCH ±5.00 Acres County Clerk and Recorder (RESIDENTIAL) **WEST LINE** Lincoln County, Montana GOV'T LOT 2 SOUTH LINE ±17.08'-GOV'T LOT 2 67.46' > ±743.47 S89*32'18"W POB-Lot I Registration No. 9008LS Deer Park Subdivision **VALLEY LANE** 40' WIDE PRIVATE ROAD & **CERTIFICATE OF SURVEYOR UTILITY EASEMENT PER PLAT** I, DAWN MARQUARDT, do hereby certify that the single division access road on this plat (Valley Lane) meets the Lincoln County width and grade requirements. ∕OF DEER PARK SUBDIVISION FOUND 5/8" REBAR WITH PLASTIC CAP MARKED "BURTON 54285" DAWN MARQUARDT ● FOUND 5/8" REBAR WITH PLASTIC CAP MARKED "MARQUARDT 73285" Registration No. 73285 O SET 5/8" BY 24" REBAR WITH PLASTIC CAP MARKED "MARQUARDT 7328S" NOTES * NO SEARCH HAS BEEN MADE FOR EASEMENTS AFFECTING THIS PROPERTY AND THIS SURVEY DOES NOT PURPORT TO SHOW ALL APPURTENANT EASEMENTS. * GLEN LAKE IRRIGATION DISTRICT SHALL BE CONSULTED FOR THE LOCATION OF ANY IRRIGATION DITCH EASEMENTS AFFECTING THIS PROPERTY PRIOR TO CONSTRUCTION STATE OF MONTANA OR EXCAVATION. Filed on the 23 day of October, 2008, A.D., at 9:25 o'clock Am. * THE PLACEMENT OF STRUCTURES OR THE PLANTING OF VEGETATION OTHER THAN GRASS IS PROHIBITED WITHIN THE IRRIGATION EASEMENT WITHOUT WRITTEN PERMISSION FROM THE GLEN LAKE IRRIGATION DISTRICT. * REMAINDER NOT TO BE TRANSFERRED WITHOUT GOVERNING BODY APPROVAL. Field Crew: BP & AS Date: January 13, 2006 Revision Date: August 20, 2007 Instrument Record No. 21505# Project Name: Phillipy Project Number: 05-310 CERTIFICATE OF SURVEY NO. M. 6941 Filename: FamilyTrans Drawn By: Augusta fex: (406) 755-3055 Possons Weed plan p. F. 9858 Doc 215052 Consent to platting p. F. 9859 Doc 215053 Road Maintenance Doc 215055 S 322/264 The al platapperuse p.F. 9855 Doc 2/5049 2/5050 Sanitary Restriction Removed p.F. 9856 Doc 2/5050 Platting Cestificate p.F. 49857 Doc 2/505/ **PHILLIPY**

A PLAT OF

LOBO TRACKS SUBDIVISION

H.E.S. No. 839


E 1/2, SECTION 10, T.37N., R.31W., P.M., MT.

LINCOLN COUNTY, MONTANA

National Forest System Lands

FOR: TUNGSTEN HOLDINGS

SEPTEMBER 2013



PURPOSE OF SURVEY AND OWNER'S CERTIFICATION

l, <u>Jay Dinning</u>, Treasurer for Tungsten Holdings, Inc., hereby certify that the purpose of this survey and division of land is to create a 5 Lot Minor Subdivision, to be known as "Lobo Tracks Subdivision"; Lot 1 being 22.14 acres, Lot 2 being 26.94 acres, Lot 3 being 33.55 acres, Lot 4 being 40.32 acres, and Lot 5 being 35.94 acres pursuant to M.C.A. 76-4-103 furthermore Lobo Tracts Subdivision Lots are exempt from DEQ review, ots "over 20 acres in size" per M.C.A. 76-4-103.

ACKNOWLEDGMENT

The foregoing Exemptions were subscribed and acknowledged before me

County of LINCOLN by JAY DINNING

on this **20**day of **NOV** 201 3. In witness whereof,

residing in: LIBBY MT. My Commission expires: 12-1-13

BASIS OF BEARING

The Basis of Bearing for this survey is N14*03'00"W, as shown on HES Plat No. 839, between HES Corner No. 1—839 an aluminum pipe with FS aluminum cap and Corner No. 2-839 an iron pipe with GLO brass cap

METHOD OF SURVEY

A total station was used with closed traverse procedures to tie previously set controlling monuments by Kelly Rooney, August 2013

HISTORY OF SURVEYS

1920—Homestead Entry Survey No's. 839 and 840, W. R. Stephenson 1988—COS No. 1650, Parcels within HES 840, Melvin D. Lauteran, 4232S 1993-Plat No. 5001, "Rat Creek Subdivision" within HES 840, Kenneth E. Davis, 4975S 2001-Plat No. 6369, "Bertelsen's North Fork Subdivision No. 1" within HES 840, Dawn Marquardt, 7328S

LAND SURVEYOR'S CERTIFICATION

I hereby certify that I am a Registered Land Surveyor in the State of that the survey shown on this Plat of "Lobo Tracks Subdivision" has been a under my supervision and in accordance with the Montana Code Annotated. Sections 76-3-101 through 76-3-625, and the Lincoln County

Regulations adopted pursuant thereto.

I hereby certify that physical and legal access to Lots 1, 2, 3, 4, and 5; shown hereon, is provided by 40 foot wide Private Access and Utility Easements known as "Poco Lobo and Bert's Way Roads" and that the driving surface is a minimum of 20 feet wide.

Wah 7. Highes, 7322LS Nov. 20, 20/3

Alvah F. Hughes, PLS, 7322LS

Date

EXAMINING LAND SURVEYOR'S CERTIFICATION.

Ronald A. Pearson, PLS 9008LS Lincoln County Examining Land Surveyor

COUNTY TREASURER'S CERTIFICATION

COUNTY COMMISSIONER'S CERTIFICATION

We, the undersigned: Chairperson of the Board of County Commiss County, Montana, do hereby Certify that this accompanying Plat of "Lobo Tracks Subdivision", has been submitted to the Board of County Commissioners of Lincoln County, Montana for examination and has been found by them to conform to state and county regulations and was approved by them at their regular held meeting

Parkland dedication is exempt per Section 76-3-621(3)(a), M.C.A. 12/30/13

CLERK AND RECORDER'S CERTIFICATION
State of Montana, County of Lincoln, filed this 3/07day

Platting Certificate p. F.* 11626 Doc 249173

Road p. F.* 11627 Doc 249174

Notion Weed plan p. F. * 11628 Doc 249175


US FS Road (In purmit p.F. 11629 Doc 249176

BY: SANDS SURVEYING, INC. 1995 THIRD AVENUE EAST KALISPELL, MT 59901 PH: (406) 755-648/

JOB NO: 137302 DATE: APRIL 2, 1996 FOR: ORA MILLER

LOG HOME VILLAGE SUBDIVISION

IN THE NI/2NEI/4 SEC. 18, T.29N., R.30W., P.M.M., LINCOLN CO., MONTANA



CERTIFICATE OF DEDICATION

WE, THE UNDERSIGNED PROPERTY OWNERS, DO HEREBY CERTIFY THAT WE HAVE CAUSED TO BE SURVEYED AND PLATTED INTO LOTS ALL THE FOLLOWING DESCRIBED PROPERTY AS DESCRIBED IN THE CERTIFICATE OF DEDICATION, AND SHOWN BY THE ANNEXED PLAT OR MAP AND SITUATED IN LINCOLN

A TRACT OF LAND, SITUATED, LYING, AND BEING IN THE NORTH HALF OF THE NORTHEAST QUARTER OF SECTION 18, TOWNSHIP 29 NORTH, RANGE 30 WEST, P.M., M., LINCOLN COUNTY, MONTANA, AND MORE PARTICULARLY

BEGINNING at the southeast corner of the Northwest Quarter of the Northeast Quarter of Section 18, Township 29 North, Range 30 West, P.M., M., Lincoln County, Montana; Thence S89 56'03"W and along the south boundary of said NW1/4NE1/4 a distance of 298.20 feet to a found iron pin; Thence N00 07'38"E 1323.09 feet to a found iron pin on the north boundary of said NE1/4; Thence S89 59'56"E and along said north boundary 957.00 feet to a found iron pin and the northeast corner of the West Half of the Northeast Quarter of said Northeast Quarter; Thence S00°01'45"W and along the east boundary of said W1/2NE1/4NE1/4 a distance of 1321.97 feet to a found iron pin and the southeast corner thereof; Thence S89 56'03"W and along the south boundary of said W1/2NE1/4NE1/4 a distance of 661.06 feet to the point of beginning and containing 29.090 ACRES: Subject to and together with all appurtenant easements of record.

THE ABOVE DESCRIBED TRACT OF LAND SHALL HEREAFTER BE KNOWN AS: LOG HOME VILLAGE SUBDIVISION

CERTIFICATE OF PRIVATE ROADWAYS

THE ROADWAYS SHOWN ON THIS PLAT ARE INTENDED TO BE PRIVATE IN ALL RESPECTS. THEY ARE HEREBY DEDICATED FOREVER TO BE FOR THE SOLE USE OF THE DEVELOPER AND OWNERS (AND THEIR SUCCESSORS IN INTEREST) OF THE LOTS DESCRIBED ON THIS PLAT. THE DEVELOPER AND THE OWNERS (AND THEIR SUCCESSORS IN INTEREST) OF THE LOTS DESCRIBED ON THIS PLAT WILL PROVIDE FOR THE ALL-SEASON MAINTENANCE OF THE PRIVATE ROADWAY BY THE CREATION OF A CORPORATION OR HOMEOWNERS ASSOCIATION TO ADMINISTER AND FUND THE MAINTENANCE. IT IS UNDERSTOOD AND AGREED THAT THE VALUE OF EACH LOT DESCRIBED ON THIS PLAT IS ENHANCED BY THE PRIVATE, EXCLUSIVE NATURE OF SAID ROADWAY. EXCEPTING AND RESERVING THE RIGHT TO USE ALL SAID PRIVATE ROADS BY THE DEVELOPER AND OWNERS OF THE LOTS AND ALL FUTURE PHASES

UTILITY EASEMENT CERTIFICATE

The undersigned hereby grants unto each and every person, firm, or corporation, whether public or private, providing or offering to provide telephone, telegraph, electric power, gas, cable television, water or sewer service to the public, the right to the

joint use of an easement for the construction, maintenance, repair, and removal of their lines and other facilities, in, over, under and across each area designated on this plat as "UTILITY EASEMENT" to have and to hold forever.

a Notary Public for the State of Montana, personal orphid. Miler Loud & Miles Mary Plantana known to person(s) whose name(s) are subscribed to the foreign and acknowledged to me that they executed the same

Notary Public for the State of Montana Residing at L. Sy My commission expires 6/21/2000

"I HEREBY CERTIFY THAT PHYSICAL ACCESS TO ALL LOTS WITHIN THIS SUBDIVISION IS PROVIDED BY LUSCHER DRIVE & MOUNT ZION ROAD. DRIVING SURFACES ARE APPROXIMATELY 24 FEET WIDE."

Dated this ____ day of

Thomas E. Sands, 7975-S

CERTIFICATE OF SURVEYOR

APPROVED:

7975-S

STATE OF MONTANA

COUNTY OF LINCOLN

Lincoln county Clerk and Recorder By: Junio Instrument Record No. 5708

SHEET I OF I SHEET


Lanitary Lestrictions Removed P.F. 5707


BY: SANDS SURVEYING, INC. 1995 THIRD AVENUE EAST KALISPELL, MT 59901 PH: (406) 755-6481

JOB NO: 137304 DATE: MARCH 4, 1999 FOR: ORA MILLER

AMENDED PLAT OF LOT 5 LOG HOME VILLAGE SUBDIVISION

IN THE NI/2NEI/4 SEC. 18, T.29N., R.30W., P.M., M., LINCOLN CO., MONTANA





LEGEND

- 1/16th CORNER FND 5/8" REBAR BY 7975-S
- FOUND 1/2" REBAR BY 7975-S

(UNLESS NOTED)

SET 1/2"x24" REBAR WITH 1 1/4" PLASTIC CAP, STAMPED: SANDS 7975-S

LOT NO.	SIZE NET (ACRES)	SIZE GROSS (ACRES)
5 5A	6.127 0.185	6.404 0.238
TOTAL (2)	6.312	6.642
Private Roads	0.330	
TOTAL	6.642 AC.	6.642 AC.

<u>AREAS</u>

CERTIFICATE OF DEDICATION

WE, THE UNDERSIGNED PROPERTY OWNERS, DO HEREBY CERTIFY THAT WE HAVE CAUSED TO BE SURVEYED AND PLATTED INTO LOTS ALL THE FOLLOWING DESCRIBED PROPERTY AS DESCRIBED IN THE CERTIFICATE OF DEDICATION, AND SHOWN BY THE ANNEXED PLAT OR MAP AND SITUATED IN LINCOLN

A TRACT OF LAND, SITUATED, LYING, AND BEING IN THE NORTH HALF OF THE NORTHEAST QUARTER OF SECTION 18, TOWNSHIP 29 NORTH, RANGE 30 WEST, P.M., M., LINCOLN COUNTY, MONTANA, AND MORE PARTICULARLY

Lot 5, LOG HOME VILLAGE SUBDIVISION (records of Lincoln County, Montana) and containing 6.642 ACRES. Subject to and together with all appurtenant easements of record.

THE ABOVE DESCRIBED TRACT OF LAND SHALL HEREAFTER BE KNOWN AS: AMENDED PLAT OF LOT 5, LOG HOME VILLAGE SUBDIVISION

UTILITY SITING

I certify that the purpose for this division of land is to create a parcel to be used for utility siting (Fire Station), and no structures requiring water or sewage disposal will be erected on the parcel so created: Therefore, this division of land is exempt from review by the Department of Health and Environmental Sciences pursuant to A.R.M. 17.36.605 (2) (e). Any change in land use subjects this division of land to review under the provision of the Sanitation in the Subdivision Act.

COUNTY OF LINCOLN

and known to me to be the person(s) whose name(s) are subscribed to the foregoing instrument and acknowledged to me that they executed the same.

Notary Public for the State of Montana Residing at My commission expires 5/3/99

CERTIFICATE OF COUNTY COMMISSIONERS

we, the undersigned Mariam B. Roose, Chairman of the Board of County commissioners of Lincoln County, Montana, and M. Cunamy, County Clerk of said County, do hereby certify that this accompanying Plat of: AMENDED PLAT OF LOT 5, LOG HOME VILLAGE SUBDIVISION, Lincoln County, Montana, has been submitted to the Board of County Commissioners of Lincoln County, Montana, for examination and has been found by them to conform to the law and was approved by them at their regular meeting held on the 3/1 day of ______, 199/.

Chairman - Board of County
Commissioners, Lincoln County County Clerk - Lincoln County

CERTIFICATE OF COUNTY ATTORNEY

This plat has been examined by the office of the county Attorney according to Section 76-3-612 (2) M.C.A., relying upon Title Report No.

and approved based on information submitted by the developer and/or his agent.

Office of the County Attorney

"I HEREBY CERTIFY THAT ALL REAL PROPERTY TAXES AND SPECIAL ASSESSMENTS ASSESSED AND LEVIED ON THE LAND TO BE DIVIDED HAVE BEEN

Nated this IN day of tull 3.

CEKLIL	TOWIE	OF	SURVEYOR	
	<i>V</i>		_	

APPROVED:

Examining Land Surveyor

STATE OF MONTANA

COUNTY OF LINCOLN

Filed for record this 57-day of 1999, at9:00'clock A-M Lincoln County Clerk and Recorder


By: Jannie Cunnis

Instrument Record No.

P.M. 6225

SHEET 1 OF 1 SHEET

Doc# 140351



AMENDED PLAT of, AMENDED LOT 5A of, AMENDED LOT 5, LOG HOME VILLAGE SUBDIVISION,

located in the N1/2NE1/4, Sec. 18, T.29N., R.30W., P.M., Lincoln County, Montana Creating Lot 5A1, expanding the Cabinet View Volunteer Fire Department, Station No. 1

BOUNDARY DESCRIPTION LOT 5A1 (including all of former Lot 5A): An irregular tract of land lying within the original Lot 5, Log Home Village Subdivision, Lincoln County, Montana, containing 1.050 acres more or less, and more particularly described as follows: Commencing at the southeasterly corner of Lot 5A, as enlarged on P.M. #6264, a 1/2" diam. rebar, with a 1 1/4" diam. plastic cap marked "SANDS 7975 S" which is the point of beginning; thence S. 00° 10' 16" W., along the southerly extension of the easterly line of Lot 5a, a distance of 136.73 feet, to a 5/8" diam, rebar with a 2" diam. aluminum cap marked "Lot 5A1 & Lot 5, Roger Green LS 13769 2005": thence S. 89° 54' 46" W., to the intersection with the Westerly line of said original Lot 5, a distance of 168.30 feet, to a 5/8" diom. rebar with a 2" diam. oluminum cap marked "Lat 5A1, Roger Green LS 13769 2005"; thence along the Westerly line of original Lot 5, N. 00' 07' 38" E., a distance of 137.43 feet, to a 1/2" diam. rebar, with a 1 1/4" diam. plastic cap marked "SANDS 7975 S"; thence cantinuing along said Westerly line, N. 00" 07' 38" E., a distance of 104.05 feet, to a 1/2" diam. rebar, with a 1 1/4" diam. plastic cap marked "SANDS 7975 S", which is also a sideline monument of Luscher drive; thence continuing along said Westerly line, N. 00° 07' 38" E., a distance of 30.00 feet, to a location on the centerline of Luscher Drive; thence along the centerline of Luscher Drive, N. 89° 57' 45" E., a distance of 215.90 feet, to a location on the centerline of Luscher Drive; thence, leaving said centerline & exterior of original Lot 5, thence S. 00° 10′ 16″ W., distance of 30.00 feet, along the easterly boundary of Lot 5A, to a 1/2" diam. rebar, with a 1 1/4" diam. plastic cap marked "SANDS 7975 S", which is also a sideline monument of Luscher drive; thence continuing along said easterly line of Lot 5A, S. 00° 10' 16" W., distance of 104.60 feet, along the easterly boundary of Lot 5A, to the point of beginning. As shown on this plat. Subject to and together with all appurtenant easements of record.

BOUNDARY DESCRIPTION OF (REMAINDER OF LOT 5) Now Known As

A portion of original Lot 5, Log Home Village Subdivision, Lincoln County, Montana, less Lot 5A (see P.M. #6225), and Lot 5A as enlarged by P.M. #6264, and Lot 5A1 (as shown on this plat). containing 5.596 acres more or less (As found

6.646-(0.520+0.530)=5.596), and more particularly described as

Commencing at the Northeast 1/16 section corner of section 18, a carner of Lot 5, Log Home Village Subdivision, a 5/8" diam. rebar, with a 1 1/4" diam. plastic cap marked "SANDS 7975 S"; thence S. 89° 54′ 31″ W., 298.37 feet, to a 1/2″ diam. rebar, with a 1 1/4" diam. plastic cap marked "SANDS 7975 S"; thence N. 00' 07' 38" E., a distance of 326.78 feet, to a 5/8" diam. repar with a 2" diam. aluminum cop marked "Lot 5A1 LS 13769 2005"; thence N. 89° 54′ 46″ E., a distance of 168.30 feet, to a 5/8″ diam. rebar with a 2" diam. aluminum cap marked "Lot 5A1 Lot 5 LS 13769 2005"; thence N. 00° 10′ 16" E., a distance of 136.73 feet, to a 1/2" diam. rebar, with a 1 1/4" diam. plastic cap marked "SANDS 7975 S"; thence continuing N. 00° 10' 16" E., a distance of 104.60 feet, to a 1/2" diam. rebar, with a 1 1/4" diam. plastic cap marked "SANDS 7975 S"; continuing N. 00" 10' 16" E., a distance of 30.00 feet, to a position on the centerline of Luscher Drive; thence easterly along the centerline of Luscher Drive, N. 89° 57° 45" E., 47.37 feet; thence along a curve, concaved northerly, with a radius of 1,000.00 feet, length of 111.61 feet and a delto angle of 6'23'42", thence N. 83' 21' 02" E., 152.84 feet; thence leaving the centerline of Luscher Drive and adjoining Lat 4, Log Home Village Subdivision, thence S. 00° 00' 36" W., a distance of 30.20 feet, to a 1/2" diam. rebar, with a 1 1/4" diam. plostic cap marked "SANDS 7975 S"; thence continuing S. 00° 00' 36" W., a distance of 591.87 feet, to a 1/2" diam. rebar, with a 1/4" diam. plastic cap marked "SANDS 7975 S"; thence, S. 89" 51' 20" W., 181.92 feet, to the point of beginning. As shown on this plat Subject to and together with all appurtenant easements of record.

CERTIFICATE OF ADJUSTMENT & PURPOSE: This survey was done to oid the Cabinet View Volunteer Fire Department in acquiring additional land needed for fire station No. 1. The land is being acquired from David R. & JaAnn M. Mast.

I/we the undersigned property owner(s), do hereby certify that the purpose of this survey is to relocate a common boundary line between a single lot within a platted subdivision; therefor this survey is exempt from review as a subdivision being completed pursuant to Section 76-3-201 (1) (h) M.C.A. 2003. which states: "...the requirements of this chapter may not apply to any division of land that... ...is created for... ...utility sites. A subsequent change in the use of the land to a residential, commercial, or industrial use is subject to the requirements of this chapter.'

STATE OF MONTANA County of Lincoln

personally appeared

known to me to be the persons whose names are subscribed to the within instrument and acknowledged to me that they executed the same.

CERTIFICATE OF SURVEYOR: I hereby certify that I am a Registered Land Surveyor in the State of Medicate that the survey shown on this Certificate of Survey has been proportionally determined by the control of th supervision my supervision and in accordance with Montage Coo Sections 76-3-101 through 76-3-625, and the Lincoln adopted pursuant thereto.

Roger O. Green, Montana L.S. #13769 209 Luscher Drive, Libby, MT 59923

EXAMINING LAND SURVEYOR'S CERTIFICATE

Approved this 2754 day of

ROGER O.

GREEN

13769LS

TREASURER'S CERTIFICATE:

Approved this 28 day of July 2005, A.D.

Here a Meller, Lincoln County Treasurer by Jone Kenden, Deputy Clerk,

State of Montona, County of Lincoln, Filed on this 35 day

of August, 2005 A.D. at 10:40 o'clock 10:40.

County Clerk & Recorder by Francis Deputy.


CERTIFICATE OF SURVEY #21 6630


BY: SANDS SURVEYING, INC.
1995 THIRD AVENUE EAST
KALISPELL, MT 59901
PH: (406) 755-6481

JOB NO: 137304A DATE: NOVEMBER 5, 1999 FOR: ORA MILLER

AMENDED PLAT OF AMENDED PLAT OF LOG HOME VILLAGE SUBDIVISION

IN THE NI/2NEI/4 SEC. 18, T.29N., R.30W., P.M., M., LINCOLN CO., MONTANA





	AREAS	
I'O.I. NO	SIZE NET ACRES	SIZE GROSS ACRES
5 5 A	5.908 0.404	6.12 2 0.520
TOTAL (2)	6.312	6.642
Private Roads	0.330	
TOTAL	6.642 AC.	6.642 AC.

LEGEND

- I/I6th CORNER ~ FND 5/8" REBAR BY 7975-S
- FOUND 1/2" REBAR BY 7975-S
- O SET 1/2" × 24" REBAR WITH I 1/4" PLASTIC CAP, STAMPED: SANDS, 7975-S

PURPOSE OF SURVEY: ENCROACHMENT SURVEY

CERTIFICATE OF DEDICATION

WE, THE UNDERSIGNED PROPERTY OWNERS, DO HEREBY CERTIFY THAT WE HAVE CAUSED TO BE SURVEYED AND PLATTED INTO LOTS ALL THE FOLLOWING DESCRIBED PROPERTY AS DESCRIBED IN THE CERTIFICATE OF DEDICATION, AND SHOWN BY THE ANNEXED PLAT OR MAP AND SITUATED IN LINCOLN COUNTY, MONTANA:

A TRACT OF LAND, SITUATED, LYING, AND BEING IN THE NORTH HALF OF THE NORTHEAST QUARTER OF SECTION 18, TOWNSHIP 29 NORTH, RANGE 30 WEST, P.M.,M., LINCOLN COUNTY, MONTANA, AND MORE PARTICULARLY DESCRIBED AS FOLLOWS TO WIT:

Amended Plat of Lot 5, LOG HOME VILLAGE SUBDIVISION (records of Lincoln County, Montana) and containing 6.642 ACRES. Subject to and together with all appurtenant easements of record.

THE ABOVE DESCRIBED TRACT OF LAND SHALL HEREAFTER BE KNOWN AS:
AMENDED PLAT OF THE AMENDED PLAT OF LOT 5, LOG HOME VILLAGE
SUBDIVISION

ENCROACHMENT SURVEY

I HEREBY CERTIFY THAT THE PURPOSE OF THIS DIVISION OF LAND IS TO RELOCATE COMMON BOUNDARY LINES BETWEEN ADJOINING PROPERTIES, BECAUSE OF AN ENCROACHMENT ON NEIGHBORING PROPERTY AND NO ADDITIONAL TRACTS ARE HEREBY CREATED; THEREFORE, THIS DIVISION OF LAND IS EXEMPT FROM REVIEW AS A SUBDIVISION PURSUANT TO SECTION 76-3-207(1)(a), M.C.A. AND IS ALSO EXEMPT FROM MONTANA DEPARTMENT OF ENVIRONMENTAL QUALITY REVIEW PER SECTION 17.36.605 (2) (b).

"Divisions made to correct errors in construction where a building, shrubs or other permanent vegetation may encroach upon the neighboring property."

Stylla to Miller Mary Etta Miller

STATE OF MONTANA

COUNTY OF LINCOLN)

11/20

Notary Public for the State of Montana Residing at Line / 117 My commission expires 67/62/201

"I HEREBY CERTIFY THAT ALL REAL PROPERTY TAXES AND SPECIAL ASSESSMENTS ASSESSED AND LEVIED ON THE LAND TO BE DIVIDED HAVE BEEN PAID."

Merial Miller by January Helinke-Deputy,
Treasurer, Lincoln County Montana,

CHAIRMAN, L'INCOLN COUNTY COMMISSIONERS

Chairman, L'INCOLN COUNTY COMMISSIONERS

Clerk & Line meng ?

Clerk & Leconder

CERTIFICATE	OF	SURVEYOR
-------------	----	----------

THOMAS E. SANDS 7975-S

Jan 12-2000

Examining Land Surveyor


STATE OF MONTANA

COUNTY OF LINCOLN

Filed for record this 13th day of famulary, 2000, at 9:00 clock A.

Lincoln County Clerk and Recorder
By: Francis Change
Instrument Record No.

P.M. 6264 SHEET 1 OF 1 SHEET



BASIS OF BEARING SEE PAGE 1 C-W 1/16 C.O.S. 2568 N72°51'31"W 83.44' N89°13'39"W P.O.B. 175.14 N27°32'13"W PRIVATE DRIVE **/** 87.37¹ LOT 1 $\Delta = 45^{\circ}06'00"$ GROSS: 2.08 ACRES± R = 270.00'L = 212.53NET: 2.00 ACRES± $\Delta = 11^{\circ}49'42''$ R = 300.00' 35.35 L = 61.93'S58°03'35"E 26.06' N89°58'47"E 200.77 (S89°59'12"E) {S89°58'01"E} S89°58'47"W N89°58'47"E 1309.571 W 1/16 1309.571 (1309.38)('88.9084 **LEGEND** SET 5/8 INCH DIA. REBAR WITH A 1 1/4 INCH DIA. PLASTIC CAP STAMPED K.E.D. 4975-S SET 3 1/4 INCH DIA. ALUM. MONUMENT ON A 5/8 INCH DIA. BY 24 INCH REBAR FOUND A 5/8 INCH DIA. REBAR CAPPED MAQUARDT 2989-ES FOUND 2 INCH DIA. PIPE (W 1/16) FOUND 5/8 INCH DIA. REBAR CAPPED MARQUARDT 7328-S SEE SHEET 1

SEE SHEET 1

DATE: 01/22/03

DRAWN BY: COR

RECORD PER C.O.S. 1572

RECORD PER C.O.S. 2568

Davis Surveying Inc.

TROY MONTANA, (406)295-5441

FILE: T3626535.DWG

LINCOLN COUNTY MONTANA A PLAT OF: LONE PINE

In the SE 1/4 SW 1/4 of Section 35 Twp. 36N., R.26W., P.M.M. Date: January 200 5 For: TRONLIGHT Development CORP.

TOTAL ACREAGE: 2.08 ACRES±

CERTIFICATE OF OWNERSHIP

I/we the undersigned property owners(s), do hereby certify that I/we have caused to be surveyed, subdivided and platted in to lots and streets as shown by the Plat hereto annexed, the following described land located near Eureka in Lincoln County Montana to wit:

DESCRIPTION OF LONE PINE


A tract of land located near Eureka, in Lincoln County Montana, lying in the SE 1/4 SW 1/4, of Section 35 Twp. 36N., R. 26W., P.M.M., containing Lot 1 for a total acreage of 2.08 acres more or less and more particularly described as follows:

Beginning at a 5/8 inch dia. rebar capped K.E.D. 4975-S which bears N74°10'17"E 1361.27 feet from a 3 1/4 inch dia. brass BLM monument which marks the southwest section corner of Section 35, Twp. 36N., R. 26W., P.M.M.; thence, S00°00'43"W 223.74 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S located on the north right of way of Therriault Creek Road No. 7138; thence, continuing S00°00'43"W 35.35 feet to a computed point located on the centerline of said Therriault Creek Road; thence, along said centerline S58°03'35"E 26.06 feet to a computed point; thence, on the arc of a curve to the right, a distance of 61.93 feet, turning through a delta angle of 11°49'42", and having a radius of 300.00 feet to a computed point; thence leaving said centerline, N89°58'47"E 41.60 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S located on the north right of way of said Therriault Creek Road; thence, continuing N89°58'47"E 200.77 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S located on the west right of way of a 60.00 foot easement to be known as Aspen Glen Road; thence along said west right of way, on the arc of a curve to the left, a distance of 212.53 feet, turning through a delta angle of 45°06'00", and having a radius of 270.00 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, N27°32'13"W 87.37 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, leaving said west right of way N72°51'31"W 83.44 feet to a 5/8 inch dia. rebar capped K.E.D. 4975-S; thence, N89°13'39"W 175.14 feet to the point of beginning.

The aforedescribed LONE PINE contains Lot 1 for a total acreage of 2.08 acres more or less and is subject to and together with all appurtenant easements of record.

The above described tract of land is to be known and designated as, LONE PINE, Lincoln County, Montana.

Dated thisday of	2003 A.D.
25042	and
STATE OF VILLIA	
County of Jan L	
Notary Public in and for the State of Mon	, 2003 A.D. before me, a tana, personally appeared $(x, y, y, (x, y), (x, y), (x, y))$ nes are subscribed to the within instrument and
acknowledged to me that they executed th	
1/1/1/1/1-	1/8/2000
Notary Public	My Commission Expires



CERTIFICATE OF SURVEYOR

STATE OF MONTANA County of Lincoln

I Kenneth E. Davis, do hereby certify that a survey was made of LONE PINE, a minor subdivision, during the month of January 2003, In accordance with the risions of Sections 76.3.201 through 76.3.625 M.C. A. 2000; that the annexed

1	y, that the streets and dimensions of the lots
	platted area was laid out on the ground
according to law.	paties area was min out on an ground
T	5 16d
Dated this day of 114rc	200 A.D.
5 Janu	
Keoneth E. Davis	Registered Land Surveyor No.
LEGAL AND PHYSICAL ACCESS	
220.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2	
I hereby certify that physical access to a	ll lots within this subdivision is provided by
hercault C	10 NO 7/38 10 Feet wide.
the driving surface is approximately 2	feet wide.
1 Dem 4	575 -S stered Land Surveyor No.
Kenneth E. Davis Regis	stered Land Surveyor No.
COUNTY CERTIFICATE (OF FINAL PLAT APPROVAL
	County, Montana does hereby certify that it
	having found the same to conform to law,
approves it, and hereby accepts the ded	ication to public use of and and all lands
shown on this plat as being dedicated to	o such use, this 9th day of MMC 200 A.D.
	5 %
(Signatures of Commissioners)	ATTEST:
Site & Windom	(Signature of Clerk and Recorder)
acting Chairman	
(Control of the Control of the Contr	
TREASURER CERTIFICATION	
I handre conside that all wall propagate to	xes and special assessments assessed and
levied on the land to be divided have b	neen naid Dated this 3 day of
A A A	been paid. Dated the day of
Daie Miller	

I ficioly certify that a	in real property dixes and s	pecial aboccoments aboccocca and
levied on the land to	be divided have been paid	l. Dated this 3 day of 50
Daie Mu	lla	• .
Treasurer	Lincoln County	Montana
CERTIFICATION Approved this 26"	OF EXAMINING LAND Of day of	SURVEYOR: ONTANA 2008A/D.
- Munt	D : 11 1C	4.2
County Examiner	Registered Land Survey	yor No.
STATE OF MONT	ANA	
COUNTY OF LIN	COLN	

Filed on this day of Thorch 200 A.D. at 7:55
O'clock m.

Cotal Mr. Cummian by France Lenner
Deputy

183172 SHEET 2 OF 2

Hatement J.F. 1928 DOL 183170 Motions alud p.F. 1930 Dol 183171

Covenente DOC 183/14

Sind plat approved 9.F. 1925 Doct 183/67 Senitary Restriction Removed p.F. 1926 Doct 183/68 Platting Certificates p.F. 1927 Doct 183/69

A FINAL PLAT OF Longgood Subdivision E 1/2, Govt. Lot I, NE 1/4, Sec. 6, T36 N R27W, P.M., M., Lincoln County, Montana TO EXISTING UTILITY LOCATION APPROX. 300 FEET COUNTY ROAD-5EC, 33 SEC. 32 APPROX. ROAD -Fd. STONE LOCATION Fd. BURTON Fd. STONE CER: FICATE OF DEDICATION REBAR Fd. MARQUARDT REBAR S. 89 28'42"W. WE, DONALD M & ANNE SE M. LONGGOOD. THE UNDERSTONED PROPERTY OWNERS, DO HEREBY CERTIFY THAT WE 5.89°37'01"W. **一 359,97** HAVE CAUSED TO BE S ALEYED, SUBDIVIDED AND LESTIED INTO LOTS AS SHOWN BY THE PLAT AND CERTIFICATE OF SURVEY HEREUNTO and LUDED, THE FOLLOWING LISCRIBED TRACT OF LAND, TO-WIT: Q_{c_N} 103.26'-/32.651 THE EAST \$ 0.0 COUNT OF THE LOT 1, SECTION 1, TOWNSHIP 36 NORTH, RANGE 27 WEST, P.M., M., LINCOLN COUNT, MONTANA CONTAINING 19.44 ACRES OF LAND ALL AS SHOWN HEREON. 101.76' LOT 1 SUBJECT TO EASEMENTS OF RECORD. SUBJECT TO AND TOGETHER WITH PRIVATE ROAD AND UTILITY EASEMENTS AS SHOWN. THE ABOVE DESCRIBED TRACT OF LAND IS TO BE - NOWN AND DESIGNATED AS LONGGOOD SUBDIVISION, LINCOLN COUNTY. MONTANA. WE MEREBY CERTIFY THAT PHISICAL ACCESS TO ALL LOTS WITHIN THIS SUBDIVISION IS PROVIDED BY PRIVATE ROAD. DONALD M. LONGGOUD SW CORNER GOV'T. LOT 2 EAST LINE Fd. F.S. ALUM. MON. NE 1/4 SEC. 6 AND STATE OF MONTANA EAST LINE GOV'T. LOT 1 COUNTY OF LINCOLN ON THIS AT OF SECTION , 198, BEFORE ME, THE UNDERSIGNED, A NOTARY PUBLIC FOR THE STATE AFORESAL, ERSONALLY APPEARED DONALD M & ANNETTE M. LONGGOOD, KNOWN TO ME TO BE THE PERSONS WHOSE NAMES ARE SUBSCRIBED TO THE FORESOING INSTRUMENT AND ACKNOWLEGED TO ME THAT THEY EXECUTED THE SAME. IN WITNESS WHEREOF, I HAVE HEREUNTO SET MY HAND AND AFFIXED MY NOTARIAL SEAL THE DAY AND YEAR FIRST ABOVE WRITTEN. TO EXISTING UTILITY LOCATION " MY COMMISSION EXPIRES APPROX. 300 FOET! CERTIFICATE OF COUNTY COMMISSIONERS . N.89°03' 33"E. / 658.22 Fd. McALISTER WE, THE UNDERSIGNED, Fd. MARQUARDT REBAR COMMISSIONERS OF LINSOLN COUNTY, MONTANA, AND SOUTH LINE AND RECORDER OF SALE COUNTY DO HEREBY CERTIFY THAT THIS ACCOMPANYING PLAT OF LONGGOOD SUBDIVISION, REBAR GOVT. LOT 1 LINCOLN COUNTY, MONTANA HAS BEEN SUBMITTED TO THE BOARD OF COUNTY COMMISSIONERS OF LINCOLN COUNTY, MONTANA. FOR EXAMINATION AND HAS BEEN FOUND BY THEM TO CONFORM TO LAW AND WAS APPROVED BY THEM AT THEIR REGULAR MEETING HELD ON THE 4th DAY OF NOVEMBER, 1998. PARKLAND DEDICATION IS EXEMPT PER SECTION 76-3-621(3)(A), MCA. LINCOLN COUNTY, MONTANA LINCOLN COUNTY, MONTANA HEREBY CERTIFY THAT ALL REAL PROPERTY TAKES AND SPECIAL ASSESSMENTS ASSESSED AND LEVIED ON THE LEGEND TREASURER, LINCOLN COUNTY, MONTANA O SET 1/8" x 24" REBAR WITH PLASTIC CAP STAMPED 173285 • FOUND POINT AS NOTED CERTIFICATE OF SURVEYOR South DAWN MARQUARDT REGISTRATION NO. 7328 STATE OF MONTANA)
County of Lincoln) **.*. SCALE ~ 1"= 200' I we no correly that the instrument to which this correspond to affine wet copy of the original on file in my office. 5 1 day of IN 19 98 Marquardt Surveying, Inc. 285 1st AVE. E.N. KALISPELL MONTANA 59901 P.F. No. 6/23 PHONE (406) 755-6285

DOC# 134186


LONGGOOD


OWNERS: AMADO G. LOPEZ AND RITA M. LOPEZ

DATE: AUGUST 2, 2021

FINAL PLAT OF LOPEZ SUBDIVISION

AN AMENDED PLAT OF LOT 1B OF AMENDED PLAT OF LOT 1 OF THE AMENDED PLAT OF LOT 1A OF THE AMENDED PLAT OF LOT 1 OF PARA MIS AMIGOS LOS CABALLOS SE1/4, SEC. 2, T36N, R27W, P.M., M., LINCOLN COUNTY, MONTANA





Sanitary Restriction Removed p.F. # 6854 DK 149978
Platting Certificate p.F. # 6857 DOC 149979

BY: BLOCK'S SURVEYING FIRM DATE: MAY 25TH,1999 1223 KIENAS RD. KALISPE'LL MT. 59901 PH: & FAX(406)755_3478

THE OFFICIAL PLAT LOSTROCK 2 SUBDIVISION

THIS IS AN AMENDED PLAT OF LOTS 5 AND 7 OF KETTLEHORN SUBDIVISION

SW1/4 SEC.32 T.36 N.,R.26 W.,P.M.,M., LINCOLN COUNTY 3.6/3 ACRES IN ROADS & EASEMENTS

NOTE: ALL DRIVE ARE PRIVATE ROADS AND UTILITY EASEMENMTS.

FOR: CHARLES O. BERGET & JIM D., MCRELL OWNER:

TOTAL ACRES = 21.208 AC.5 LOTS

CERTIFICATE OF COUNTY COMMISSIONERS

We, the undersigned, Mariane B. Rod se of the Board of County Commissioners of Lincoln County, Montana, Conal M. Currys-, Clerk and Recorder of said County, do hereby certify that this accompanying Official Plat of Lostrock 2 Subdivision, of Lincoln County, Montana has been submitted to the Board of County Commissioners of Lincoln County, Montana for examination and has been found by the Board to conform to law and was approved by them at their regular meeting held on the standay of Mov. , 1990

Lincoln County, Montana,

County Clerk and Recorder Lincoln County, Montana.

CERTIFICATE OF COUNTY ATTORNEY

This Plat has been examined by the Office of the County Attorney according to Section 76-3-612 (2)M.C.A. relying on Title Report Number , and approved based upon information submitted by the developer and/or his agent.

Date:

Owners Certification I the undersigned hereby grant unto each and every person, firm or corporation, whether public or private, providing and offering to provide telephone, telegraph, electric power, cabie television service to the public, the right to the joint use of an easement for the construction, maintenance, repair and removal of these lines and other facilities in over and across each area designated on this Plat as Private Road or Drive & Utility Easement to have and to hold forever.

I, the undersigned property owner, do hereby certify that I have cause to be surveyed, subdivided and platted into lots, as shown on the plat hereto annexed, the following described land in the County of Lincoln, Montana, to be known and designated as The Official Plat of Lostrock 2 Subdivision, to wit:

Jim D. Mcreli

Charles O. Berget

State of Montana County of Lincoln On this 3rd day of November, 1-999 before me a notary public for the State of Montana, personally appeared Charles O. Berget and Jim D. Mcrell and known to me to be the persons whose names are subscribed and acknowledged to me that they executed the

In witness whereof, I have hereunto set my hand and affixed my notarial seal the day and year first above written. Notary Public for the State of Montana

Residing at 1,004

My commission expires 9.17.200%

I hereby certify, pursuant to Section 76-3-611(1)(b), MCA, that all real property taxes assessed and levied on the property to be divided described above are paid.

Date this 14th day of allowersher 20019

CERTIFICATE OF SURVEYOR

I, the undersigned Land Surveyor, Montana Licence No. 7918-S do hereby certify that the Survey and Platting of The Official Plat of Lostrock 2 Subdivision was accomplished under my supervision as is shown on the plat and as shown in the Owners Certification, and that the same was made in accordance with the Provision of the Montana Subdivision and Platting Act (Title 76-Chapter 3-Annotated Code) and the regulations adopted pursuant thereto.

Description: A Tract of Land situated, lying and being in the SW1/4 of Section Thirty-two (32), Township Thirty-six (36) North, Range Twenty-six (26) West, P.M., M., Lincoln County and being an Amended Plat of Lots 5 and 7 of Kettlehorn Subdivision and more particularly described as follows to

Commencing at the SW corner of Lot 7 of Kettlehorn Subdivision, Records of Lincoln County, said point being the TRUE POINT OF BEGINNING; thence N 0° 09' 33" W along the West Boundary of said Lot 7, a distance of 570.73 feet to the centerline of Kettlehorn Driveand a point of curvature of a tangent curve, concave to the South, having a radius of 260.00 feet, a radial bearing of S 6° 48' 35" W; thence following said centerline East along said curve, thru a central angle of 28° 02' 52", an arc length of 127.28 feet; thence S 55° 08' 33" E, a distance of 33.58 feet to the begining of Lost Rock Drive; thence following the said centerline of Lost Rock Drive N 34° 51' 27" E, a distance of 52.19 feet to a point; thence N 51° 05' 56" W, a distance of 350.76 feet to the point of curvature of a tangent curve, concave to the Northeast, having a radius of 182.54 feet, a radial bearing of N 38° 54' 04" E; thence Northwest along said curve, thru a central angle of 38° 24' 41", an arc length of 122.38 feet to the point of curvature of a reverse curve, concave to the Southwest, having a radius of 209.63 feet, a radial bearing of S 77° 18' 44" W; thence Northwest along said curve thru a central angle of 34° 14' 17", an arc length of 125.27 feet; thence N 46° 55' 33" W, a distance of 95.90 feet to the point of curvature of a tangent curve, concave to the East, having a radius of 65.00 feet, a radial bearing of N 43° 04' 27" E; thence North along said curve, thru a central angle of 90° 21' 03", an arc length of 102.50 feet to the point of curvature of a tangent curve, concave to the South, having a radius of 122.75 feet, a radial bearing of S 46° 34' 30" E; thence East along said curve, thru a central angle of 58° 33' 30", an arc length of 125.45 feet to the point of curvature of a tangent curve, concave to the North, having a radius of 779.21 feet, a radial bearing of N 11° 59' 02" E; thence East along said curve, thru a central angle of 12° 10' 17", an arc length of 165.53 feet; thence N 89° 48' 45" E, a distance of 140.02 feet to the point of curvature of a tangent curve, concave to the South, having a radius of 90.00 feet, a radial bearing of S 0° 11' 15" E; thence East along said curve, thru a central angle of 15° 40' 30", an arc length of 24.62 feet; thence leaving said centerline N 15° 29' 15" E, a distance of 20.00 feet to a point; thence N 4° 46' 08" E, a distance of 137.67 feet to a point on the North Boundary of said Lot 7: thence N 88° 37' 17" E. a distance of 503.14 feet to the NE corner of said Lot 7; thence S 0° 14' 21" E, a distance of 1294.04 feet to the SE corner of said Lot 7; thence S 87° 41' 56" W, a distance of 671.98 feet to the PLACE OF BEGINNING and containing 21.208 acres, more or less. Subject to and together with private roads and drives as shown hereon. Subject to and together with all appurtenant easements of record. This property is now to be known and designated as THE OFFICIAL PLAT OF LOSTROCK 2 SUBDIVISION.

SHEET 2 OF 2 SHEET PLAT FILE NO.

THE OFFICIAL PLAT BY: BLOCK'S SURVEYING FIRM DATE: MAY 25TH,1999 LOSTROCK SUBDIVISION 1223 KIENAS RD. KALISPELL MT. 59901 SW1/4 SEC.32 T.36 N.,R.26 W.,P.M.,M., LINCOLN COUNTY PH: & FAX(406)755_3478 FOR: CHARLES O. BERGET & JIM D. MCRELL THIS IS AN AMENDED PLAT OF LOTS 5 AND 7 OF KETTLEHORN OWNER: SUBDIVISION TOTAL ACRES = 18.798 AC., 5 LOTS N 88'37'17"E 503,14' N 88'36' 38"E 1323.72' 3.551 ACRES IN ROADS & EASEMENTS 1164.01 NOTE: ALL DRIVE ARE PRIVATE ROAD AND UTILITY EASEMENMTS. Legal and physical acces is provided to each Lot by all drives shown hereon. Physical access is provided by a road with a 20 foot wide driving surface. N 89'48' 45"E LOI' 3 7.402 AC. 140, 02' 6. 822 AC. NET 40 LOST ROCK DRIVE LOT 2 3.449 AC. 2, 619 AC. NET N 87'05' 40"E 673, 19 LOT 4 4.302 AC. 3, 257 AC, NET S SO SO SO DRIVE BASIS OF BEARINGS
N 88'08' 60' MCRELL ROAD LOT 5 LOT 1 2.143 AC. 1.501 AC. 1. 494 AC. NET 1. 055 AC. NET N 88'08'18"E 451. 44' LOT TOF KETTLEHORN SUB. 392, 00 S 8519'15"E S 88'08'18"W S 88°08'18"W 182.87 POB SW CORNER LOT 5 OF KETTLEHORN SUB 140.96 I hereby certify, pursuant to Section 76-3-611(1)(b), MCA, that all real property taxes assessed and levied on the property to be Date this 14th day of Meaning 2000 Henrich Mullin by Janua Riselville Topichy.
Treasurer, Lincoln County, Montana CERTIFICATE OF SURVEYOR I, the undersigned Land Surveyor, Montana Licence No. 7918-S do hereby certify that the Survey and Platting of The Official Plat of Lostrock Subdivision was accomplished under my supervision as is shown on the plat and as shown in the Owners Certification, and that the same was made in accordance with the Provision of LEGENDthe Montana Subdivision and Platting Act (Title 76-Chapter 3-Annotated Code) and the regulations adopted pursuant thereto. SEC. CORNER 2 ① 1/4 CORNER 3 ⑤ C1/4 CORNER STATE OF MONTANA The state of the s • FOUND 5/8" MARQUARDT 6 O SET 1/2", REBAR 24" LONG WITH 11/4" ORANGE PLASTIC COUNTY OF LINCOLN FILED ON THE LL DAY OF Colomba A.D. AT 9:45 O'CLOCK A.M. CLERK AND RECORDER CAP, STAMPED BLOCK 7918_SONTAN CERTIFICATE OF SURVEYOR BRYAN B. BLOCK 7918 S 227. 58 SCALE 1"= 100' REGISTRATION NO. 7918_S S 87'41'56"W 671.98 APPROVED SKOW BY CKU II 5/8" MARQUARDT 5/8" MARQUARDT INSTRUMENT RECORD NO. CERTIFICATE OF COUNTY ATTORNEY: EXAMINING LAND SURVEYOR PAIDThis Plat has been examined by the Office of the County Attorney Legal Notice: The easement shown as Dagger Drive through Lot 7 of according to Section 76/3/612/(2)M.C.A. relying on Title Report Number and approved based upon information submitted by the developer and/or his agent. The Amended Plat of Lots 5 and 7 of Kettlehorn Subdivision. Records of Lincoln County is not a granted easement to the SHEET 1 OF 2 SHEET REGISTRATION NO. property beyond and is hereby retained by the owners of Lot 7 of The Amended Plat of Lots 5 and 7 of Kettlehorn Subdivision. PLAT FILE NO. 63/2 Sanitary Restrictions Lemmed p.F. 6854 DU" 149975 Platting Certificate p.F. 4855 DOC 149976

BY: BLOCK'S SURVEYING FIRM DATE: MAY 25TH,1999 1223 KIENAS RD.

L 63

N 88'36 38'E

34. 90'

113. 26

KALISPELL MT. 59901

PH: & FAX(406)755_3478

FOR: CHARLES O. BERGET & JIM D., MCRELL OWNER:

TOTAL ACRES = 18.798AC.

BEARI NG

LI NE'

5 LOTS & 3.551 AC. IN ROADS & EASEMENTS

DISTANCE

L/1 14L	DEARU NO	DISTINGE	100	27 00 00 00		54. 50
L 1	S 55*08' 33"E	<i>33. 58</i> ′	L 64	N 73'35' 26	<i>"E</i>	31.08'
L 2	N 34.51 '27"E	<i>52.19'</i>	L 65	N 73°35′ 26	"E	4. 04'
				S 29.30°20		0. 59'
L 3	N 46'55' 33"W	95, 90'	L 66			
L 4	N 89'48' 45" E	140.02'	L 67	N 00°05'12	<i>""}</i> "	0, 67'
L 5	N 15'29'15"E	20. 00'	L 68	N 00'05'12	<i>"''}</i>	16.08'
	N 04'46' 08"E	137.67'	L 69	S 29.46.12		60.00
L 6						
L 7	N 00.09'33"W	53, 70°	L 70	S 53°52′23	E'	71, 33'
L 8	N 00'09' 33"W	<i>30. 25'</i>	L 71	N 43°04° 27	' <i>"E</i>	20. 00'
	N 00'09'33"W	30, 20'	L 72	S 46'55' 33		30.00'
L 9						
L 10	N 00 ⁻ 09'33"W	<i>51. 59</i> ′	L 73	S 46°55′33	E.	65. 90°
L 11	N 88'08'18"E	110, 19'				
L 12	S 8519'15"E	41. 91'		a assertan	. ## ***	00 001
			L 75	S 65°53' 08	W	30.00'
L 13	S 58'52'18"E	92. 43'				
-I, 14	<i>_S-05`04``34"k</i> }	— <i>—90,-57</i> '				
-1 , 15			CURVE	DELTA ANCLE	RADI US	ARC
	S 87'41'56"W					
L 16		60. 07'	C 1	28 02' 52"	260, 00'	127, 28'
L 17	N 39°51 ' 03"E	60. 00°	C 2	38 24 41 "	182, 54'	122, 38'
L 18	N 85°55′ 53″E	78.16'	C 3	3414'17"	209, 63'	125. 27'
L 19	N 34.51 ' 27"E	30.00			•	
			C 4	90 21 ' 03"	65, 00'	102, 50'
L 20	S 56.46'31"E	<i>63. 59'</i>	C 5	58 33 *3 0"	122, 75'	1 25. 45'
L 21	N 43'04' 27"E	10.00'	C 6	1210'17"	779. 21 '	165, 53'
I, 22	N 46.55' 33"W	30. 00'		-		
			C 7	15 40' 30"	90.00'	21, 62'
L 23	N 46'55' 33"W	65, 90'	C 8	<i>26 26 ' 57 "</i>	192, 84'	89. 02'
L 21	S 43.04' 27"W	10.00'	C 9	1406'14"	252, 84'	62, 24'
L 25	N 46'55' 33"W	95. 90°	C 10	1220'44"	252. 84'	54, 48'
L 26	S 2713' 18"E	80.00'				
			C 11	01 24' 24"	290. 00 '	7.12'
L 27	S 6246'12"W	20. 00'	C 12	03 02 42"	230, 00°	12. 22'
L 28	S 2713'48"E	80. 00°	C 13	20 32' 22"	230, 00'	82, 45'
L 29	S 5833'37"E	96, 39 °				
			C 14	20 55' 50"	290. 00'	105.94'
L 30	S 58°33′37″E	96, 39	C 15	39 21 ' 22"	<i>85, 00'</i>	58. 39°
I, 31	S 58°33′37″E	96. 39 °	C 16	1918'27"	285, 95'	96. 36
L 32	N 2819'03"E	<i>55. 56'</i>		1918'27"	345. 95'	
	N 2819'03"E	<i>55. 56</i> '	C 17			116, 58'
L 33			C 18	07 21 ' 25"	442. 09'	56. 77°
L 34	N 2819'03"E	<i>55. 56'</i>	-C-19			13, 46*
L 35	N 00°1 4' 21 "W	<i>30. 03</i> ′	C 20	04 41 ' 33"	502. 09'	41.12'
L 36	N 00°14' 21"W	30, 02'				
# 00	1, 00 1 , ~, .,	.,	C 21	— - 08 17'19"	—50 2, 0 9'	72,71
			-C 22 -		8 51 . 73 :	
L 38	S 56:46'31"E	<i>30. 39'</i>	- <i>C 23</i>	1256'39"	— <i>791. 73'</i>	-178, 87'
L 39	S 2713'48"E	80. 00°	-C 24 -	45- 04' 23"		
L 40	S 62.46'12"W	20. 00'			•	
			-C- 25	45-04' 23"	- 115, 00'	9 0, 17 '
L 41	N 56°23′28"W	<i>55. 00</i> °	C 26	179 05'15"	55, 00 '	171.91'
L 42	S 55°28′44"E	55. 00°	C 27	165 26'14"	50. 00°	144.37
L 43	S 28.47'31 "E	50. 00°	C 28	0911'52"	1570.00'	252, 03'
L 44	N 1413'45"W	50.00'				
			C 29	0911'52"	1540.00'	217. 22'
L 15	S 72'34' 50"W	<i>85. 00'</i>	C 30	07 01 ' 04"	1 202, 30	147, 26
L 46	N 07°40′ 51 "W	68. 47°	C 31	<i>07 29' 38"</i>	1 232, 30'	161.18'
L 47	N 73'40' 56"E	22. 08'	C 32	06 30 56"	1172.30	133.31
	S 0014'21"E	31. 75'				
L 48			C 33	0911'52"	1510,00'	242. 40'
L 49	S 0011'21"E	31, 66°	C 34	38 24 ' 41 "	21 2. 54'	142.49*
7 50	17 001081 28##	100 001	C 35	38 24' 41"	152 54'	102. 26'
L 50	N 88'37'17"E	167. 22'				
L 51	S 88°08'18"W	<i>55.10'</i>	C 36	03 46'15"	239, 63'	15.77'
L 52	S 88°08'18"W	55.10°	C 37	1545'48"	239, 63°	65. 9 3'
L 53	S 88'08'18"W	30. 99'	C 38	3414'17"	179, 63'	107. 34'
			C 39	90 21 '03"	45. 00'	70. 96'
L 54	S 88°08′18″W	48.89'				
L 55	N 00°05'12"W	103, 98'	C 40	90 21 ' 03"	85, 00°	134.04'
L 56	N 00.05'12"W	103, 98'	C 41	<i>58 33' 30 "</i>	142,75'	1 45. 89'
			C 42	58 33' 30"	102, 75'	105.01'
L 57	N 00'05'12"W	103, 98'				100 00'
L 58	N 39*59'16"W	42, 61'	C 43	1210'17"	799. 21'	169.78'
L 59	N 39'59'16"W	42.61	C 11	1210'17"	759, 21'	161. 28'
L 60	N 39'59'16"W	42, 61'	C 45	62 57°27"	70, 00'	76. 92'
			C 46	4716'57"	110.00'	90. 78'
L 61	N 88'36' 38"E	90.10				
L 62	N 88°36' 38"E	34. 70°	C 47	4716'57"	90. 00	74. 27'
			C 18	46 44'17"	128.47'	104.80'
			C 49	17 45' 27"	98, 47'	82, 08'
				1214'38"	590, 00°	
			C 50			126.08
			C 51	1214'38"	560, 00'	119.67'
			C 52	1214'38"	530.00'	113 26'

C 52

THE OFFICIAL PLAT LOSTROCK SUBDIVISION

SW1/4 SEC.32 T.36 N., R.26 W., P.M., M., LINCOLN COUNTY

THIS IS AN AMENDED PLAT OF LOTS 5 AND 7 OF KETTLEHORN SUBDIVISION

SUBDIVISTON			
C 53	80 52' 42"	110.00	155, 28'
C 54	80 52' 42"	80.00	112.93'
C 55	80 52' 42"	50. 00°	70, 58'
C 56	44 34' 31 "	170.00'	132, 26'
C 57	44 34' 31 "	200. 00'	155, 60'
C 58	44 34' 31"	230, 00'	178, 94'
C 59	1440'15"	370, 05'	94. 75'
C 60	1428'37"	340. 05'	85, 92'
C 61	1414'43"	310, 05	77. 09'
C 63	39 07'14"	68, 47'	46, 75'
C 64	1540'30"	110.00'	30, 09'
C 65	106 39' 40"	53, 15'	98, 95'
C 66	106 39' 40"	83, 15'	154 80
C 67	106 39' 40"	113.15	210, 64'
C 68	1933'08"	764. 34'	260 83
C 69	1933'08"	734. 34'	250 60
C 70	19 33' 08"	704. 34'	240, 36
C 71	23 34' 41 "	387. 52	159.47
C 72	1552'24"	447. 52'	123, 98'
C 73	0407'13"	417, 52'	30, 03
C 74	19 27' 28"	417. 52'	141.79
C 75	07 35' 05"	1777. 59'	235. 32'
C 76	08 09'17"	1807. 59	257 27
C 77	08 42'11"	1837. 59'	279. 12'
C 78	70 37' 07"	101.74	125, 40'
C 79	70 37' 07"	71. 74'	88. 42'
C 80	70 37' 07"	41.74'	51, 45'
C 81	52 48' 05"	177. 86	163, 91
C 82	52 48' 05"	147.86	136. 26'
C 83	52 48' 05"	117. 86'	108.62
C 84	29 43'14"	349. 21	181.14'
C 85	29 43'14"	319. 21	165, 58'
C 86	29 43'14"	289. 21	150.02'
C 87	36 02' 56"	60. 00'	37. 75'
C 88	23 57' 04"	60.00	25. 08'
C 89	00 18' 59"	60 00'	0 33'
C 90	1552'24"	417. 52'	115, 67'
C 91	03 35' 04"	417, 52'	26, 12'

CERTIFICATE OF COUNTY COMMISSIONERS

We, the undersigned, manage B. Rosse, chairman of the Board of County Commissioners of Lincoln County, Montana, and County, do hereby certify that this accompanying Official Plan of Lostrock Subdivision, of Lincoln County, Montana has been submitted to the Board of County Commissioners of Lincoln County. Montana for examination and has been found by the Board to conform to law and was approved by them at their regular meeting held on the day of poor, , 1999

Mariame B. Fooce Chairman of the board of Commissioners Lincoln County, Montana.

Lincoln County, Montana. DETAIL FROM PG 1

County Clerk and Recorder

I the undersigned hereby grant unto each and every person, firm or corporation, whether public or private, providing and offering to provide telephone, telegraph, electric power, cable television service to the public, the right to the joint use of an easement for the construction, maintenance, repair and removal of these lines and other facilities in over and across each area designated on this Plat as Private Road or Drive & Utility Easement to have and to hold forever.

I, the undersigned property owner, do hereby certify that I have cause to be surveyed, subdivided and platted into lots, as shown on the plat hereto annexed, the following described land in the County of Lincoln, Montana, to be known and designated as The Official Plat of Lostrock Subdivision, to wit:

Charles O. Berget

Jim D. Mcrell

State of Montana County of Lincoln

On this 3rd day of NOVEMber 1999 before me a notary public for the State of Montana, personally appeared Charles O. Berget and Jim D. Mcrell and known to me to be the persons whose names are subscribed and acknowledged to me that they executed the

In witness whereof, I have hereunto set my hand affixed my notarial seal the day and year first above written. Notary Public for the State of Monleun Residing at 1664

My commission expires 9-1-1-2003

Description: A Tract of Land situated, lying and being in the SW1/4 of Section Thirty-two (32), Township Thirty-six (36) North, Range Twenty-six (26) West, P.M., M., Lincoln County and being an Amended Plat of Lots 5 and 7 of Kettlehorn Subdivision more particularly described as follows to

Commencing at the SW corner of Lot 5 of Kettlehorn Subdivision, Records of Lincoln County, said point being the TRUE POINT OF BEGINNING; thence N 0° 05' 12" W, a distance of 663.32 feet to the NW corner of said Lot 5; thence N 88° 36' 38" E, a distance of 1323.72 feet to the NE corner of said Lot 5; thence N 88° 37' 17" E along the North Boundary of Lot 7 of said Kettlehorn Subdivision, a distance of 167.22 feet to a point; thence S 4° 46' 08" W, a distance of 137.67 feet to a point; thence S 15° 29' 15" W, a distance of 20.00 feet to the centerline of Lost Rock Drive and the point of curvature of a tangent curve, concave to the South, having a radius of 90.00 feet, a radial bearing of S 15° 29' 15" W; thence following said centerline, West along said curve, thru a central angle of 15° 40' 30", an arc length of 24.62 feet; thence \$ 89° 48' 45" W, a distance of 140.02 feet to the point of curvature of a tangent curve, concave to the North, having a radius of 779.21 feet, a radial bearing of N 0° 11' 15" W; thence West along said curve, thru a central angle of 12° 10' 17", an arc length of 165.53 feet to the point of curvature of a tangent curve, concave to the South, having a radius of 122.75 feet, a radial bearing of S 11° 59' 00" W; thence West along said curve, thru a central angle of 58° 33' 30", an arc length of 125.45 feet to the point of curvature of a tangent curve, concave to the East, having a radius of 65.00 feet, a radial bearing of S 46° 34' 30" E; thence South along said curve, thru a central angle of 90° 21' 03", an arc length of 102.50 feet; thence S 46° 55' 33" E, a distance of 95.90 feet to the point of curvature of a tangent curve, concave to the Southwest, having a radius of 209.63 feet, a radial bearing of S 43° 04' 27" W; thence Southeast along said curve, thru a central angle of 34° 14' 17", an arc length of 125.27 feet to the point of curvature of a reverse curve, concave to the Northeast, having a radius of 182.54 feet, a radial bearing of N 77° 18' 44" E; thence Southeast along said curve thru a central angle of 38° 24' 41", an arc length of 122.38 feet; thence S 31° 05' 56" E, a distance of 350.76 feet to a point; thence S 34° 51' 27" W, a distance of 52.19 feet to a point being the centerline of Kettlehorn Drive; thence N 55° 08' 33" W, a distance of 33.58 feet to the point of curvature of a tangent curve, concave to the South, having a radius of 260.00 feet, a radial bearing of S 34° 51' 27" W; thence West along said curve, thru a central angle of 28° 02' 52", an arc length of 127.28 feet to a point on the West Boundary of sald Lot 7; thence N 0° 09' 33". W, a distance of 81.79 feet to the SE corner of said Lot 5; thence S 88° 08' 18" W, a distance of 1325.35 feet to the PLACE OF BEGINNING and containing 18.798 acres, more or less. Subject to and together with private roads and drives as shown hereon. Subject to and together with all appurtenant easements of record. This property is now to be known and designated as THE OFFICIAL PLAT OF LOSTROCK SUBDIVISION. SHEET 2 OF 2 SHEET PLAT FILE NO. 6312

Subdivision Plat of LOWER MEADOW CREEK OWNERS/FOR: JEAN P. NORDAHL SANDRA NORDAHL E1/2 NE1/4, N1/2 SE1/4, and E1/2 SW1/4, Section 32, PURPOSE: SUBDIVISION W1/2 NW1/4, Section 33, T35N R26W, P.M., M., DATE: AUGUST 22, 2006 Lincoln County, Montana DETAIL 'A' Not to Scale Lot 3 S89'48'54"W 1320.22 N89'55'33"E BLM BRASS CAP-Lot 1 60' PRIVATE Δ=47°15'47" ROAD & 20.51 Acres (Gr.) 6 20.00 Acres (Net*) 7 8 UTILITY S65'08'08"E -EASEMENT** 30.00' (Radial) Δ=2*36'59"-CL L=43.38'Parcel B per Lot 2 RW L=44.75' C. of S. No. 3533CO 20.44 Acres (Gr.) 5 55 20.00 Acres (Net*) 8 55 (CL & RW) S2214'53"W **LEGEND** S67'45'07"E 689.12' (CL & RW) 30.00 FOUND SECTION CONTROLLING CORNER AS NOTED N89'57'02"E FOUND 1/4 CORNER AS NOTED **FOUND 1/16 CORNER AS NOTED** Δ=1011'21" R=1615.00' FOUND 5/8" REBAR WITH PLASTIC CAP MARKED "BURTON 5428S" FOUND 5/8" REBAR WITH PLASTIC CAP MARKED "MARQUARDT 7328S" ·Δ=19'52'45" COMPUTED POSITION OF MONUMENT PER RECORDS OF LINCOLN COUNTY R=450.00'L=156.13' SET 5/8" BY 24" REBAR WITH PLASTIC CAP MARKED "MARQUARDT 7328S" RW L=145.72' N01°42'39"E -S12'33'30"W NET ACREAGES EXCLUDE COUNTY ROAD RIGHT OF WAY ONLY 34.63 Acres (Gr.) 470.29' (CL & RW) 33.10 Acres (Net*) EASEMENT IS APPURTENANT TO LOTS 1, 2 & 3 AS SHOWN HEREON AND L=95.62² DEVELOPER RESERVES THE RIGHT TO GRANT EASEMENT TO OTHERS Δ=51'10'13" C. of S. No. 3367 $\Delta = 5.50'47''$ R=850.00' -L=86.73' 841.80' (CL & RW) BASIS OF BEARINGS PER C. OF S. NO. 3533CO N89°48'54"E -∆=5°22'05" L=76.83' Parcel C per C. of S. No. 3533CO MEADOW CREEK ROAD 60' COUNTY ROAD, TAKEN AS 30' EACH SIDE CENTERLINE OF TRAVELLED WAY Remainder SCALE: 1" = 400' 140.35 Acres POB-S89'49'21"W 2638.94' BLM BRASS CAP~ **S32** N89°49'23"E 2637.06' 54 T34N S89*54'18"W **S**5 HAIGES BRASS CAP -HAIGES BRASS CAP Field Crew: BP Revision Date: Jan. 30, 2007 Project Name: Nordahl Sub Project Number: 06-124 SHEET 1 OF 2 SHEETS Filename: NordahlSub Drawn By: ALK

1/ Min Weed plan p.F. 9017 Da 203300

OWNERS/FOR: JEAN P. NORDAHL

SANDRA NORDAHL

PURPOSE: SUBDIVISION DATE: AUGUST 22, 2006

Subdivision Plat of LOWER MEADOW CREEK

E1/2 NE1/4, N1/2 SE1/4, and E1/2 SW1/4, Section 32, W1/2 NW1/4, Section 33, T35N R26W, P.M., M., Lincoln County, Montana

CERTIFICATE OF DEDICATION

We, JEAN P. NORDAHL & SANDRA NORDAHL, the undersigned property owners, do hereby certify that we have caused to be surveyed, subdivided and platted into lots as shown by the plat hereunto included, the following described tract of land, to-wit:

That portion of the East 1/2, Section 32 and the West 1/2 of the Northwest 1/4, Section 33, Township 35 North, Range 26 West, P.M., M., Lincoln County, Montana, described as follows:

Beginning at the Northwest corner of the East 1/2 of the Northeast 1/4, Section 32;

Thence along the North line of the East 1/2 of the Northeast 1/4, North 89°57'02" East 1322.89 feet to the Northwest corner of Section 33; Thence along the North line of the Northwest 1/4, Section 33, North 89°55'33" East 857.28 feet to a point on the centerline of Meadow Creek

Road, which point is on a 950.00 foot radius curve concave Southeasterly, having a radial bearing of South 17°52'21" East; Thence along the centerline of the road the following courses:

Southwesterly along the curve thru a central angle of 49°52'46" 827.03 feet;

Thence South 22°14'53" West 689.12 feet to the beginning of a 1615.00 foot radius curve to the right;

Thence Southwesterly along the curve thru a central angle of 10°11'21" 287.20 feet to a point on a 450.00 foot radius reverse curve concave

Southeasterly, having a radial bearing of South 57°33'45" East;

Thence Southwesterly along the curve thru a central angle of 19°52'45" 156.13 feet; Thence South 12°33'30" West 470.29 feet to the beginning of a 325.00 foot radius curve to the right;

Thence Southwesterly along the curve thru a central angle of 51°10′13″ 290.25 feet; Thence South 63°43'43" West 841.80 feet to the beginning of an 850.00 foot radius curve to the left;

Thence Southwesterly along the curve thru a central and Thence, leaving the centerline of the road, North 49°26 Thence along the West line of the East 1/2 of the North to the Point of Beginning, containing 75.58 acres of land Subject to County Road right of way as shown hereon. Subject to and together with easements of record.	"32" West 37.57 feet to the Southwest corner of the East 1/2 of the Northeast 1/4; east 1/4, North 00°07'19" West 2648.61 feet
The above described tract of land is to be known and d	SANDRA NORDAHL
STATE OF: ss. County of <u>Ancoln</u>)	
This instrument was acknowledged before me on Mar by JEAN P. NORDAHL. Printed Name: Karmen Koman Mary Public for the State of Mary	<u></u>
Residing at 700000000000000000000000000000000000	
: ss. County of LINCOLD This instrument was acknowledged before me on MA by JEAN P. NORDAHL. Sandra Wordahl	<u>v/3</u> , 200 7 ,

Printed Name: Karmen R Mu Notary Public for the State of ________ My Commission Expires 1008200

County Clerk and Recorder of said county do hereby certify that this accompanying plat of Lower Meadow Creek, Lincoln County, Montana has been submitted to the Board of County Commissioners of Lincoln County, Montana for examination and has been found by them to conform to law and is hereby approved. Parkland Dedication is exempt per Section 76-3-621(3)(a), MCA.

Board of County Commissioners Lincoln County, Montana

County Clerk and Recorder Lincoln County, Montana

Registration No. 147315

CERTIFICATE OF SURVEYOR

DAWN MARQUARDY Registration No. 73285

I hereby certify that all real property taxes and special assessments assessed and levied on the land to be divided have been paid. Dated the _______, day of ________, 2007 .

Treasurer, Lincoln County, Montana

STATE OF MONTANA

Instrument Record No. <u>~0 32</u>96

Field Crew:

Date: August 22, 2006 Revision Date: Jan. 30, 2007 Project Name: Nordahl Sub Project Number: 06-124 Filename: NordahlSub Drawn By: ALK

Final plat approved p. F. 9015 Doct 203218
platting Certificate p. F. 4 9016 Doct 203299

SHEET 2 OF 2 SHEETS Nopion Weed plan p. F. + 9017


OWNERS/FOR: JEAN P. NORDAHL SANDRA NORDAHL YORLUM PROPERTIES, LTD.


PURPOSE: AMENDED PLAT - REVISE EASEMENT

DATE: MARCH 3, 2009

Subdivision Plat of AMENDED LOWER MEADOW CREEK

E1/2 NE1/4, N1/2 SE1/4, and E1/2 SW1/4, Section 32, W1/2 NW1/4, Section 33, T35N R26W, P.M., M., Lincoln County, Montana





Field Crew: BP Date: March 3, 2009 Revision Date: Project Name: Nordahl Sub Project Number: 06-124 SHEET 1 OF 2 SHEETS Filename: AmdNordahlSub Drawn By: ALK

THE PURPOSE OF THIS SURVEY IS TO REMOVE THE EASEMENT

PREVIOUSLY SHOWN ACROSS LOT 1 (PER PM 6789) AND TO

REMOVE STATEMENT THAT THE DEVELOPER RESERVES THE

RIGHT TO GRANT EASEMENT TO OTHERS.

OWNERS/FOR: JEAN P. NORDAHL SANDRA NORDAHL YORLUM PROPERTIES, LTD.

PURPOSE: AMENDED PLAT - REVISE EASEMENT

DATE: MARCH 3, 2009

AMENDED LOWER MEADOW CREEK

E1/2 NE1/4, N1/2 SE1/4, and E1/2 SW1/4, Section 32, W1/2 NW1/4, Section 33, T35N R26W, P.M., M., Lincoln County, Montana

LEGAL DESCRIPTION

We, JEAN P. NORDAHL, SANDRA NORDAHL and YORLUM PROPERTIES, LTD., the undersigned property owners, do hereby certify that we have caused to be surveyed, subdivided and platted into lots as shown by the plat hereunto included, the following described tract of land, to-wit:

That portion of the East 1/2, Section 32 and the West 1/2 of the Northwest 1/4, Section 33, Township 35 North, Range 26 West, P.M., M., Lincoln County, Montana, described as follows:

Beginning at the Northwest corner of the East 1/2 of the Northeast 1/4, Section 32;

Thence along the North line of the East 1/2 of the Northeast 1/4, North 89°57'02" East 1322.89 feet to the Northwest corner of Section 33;

Thence along the North line of the Northwest 1/4, Section 33, North 89°55'33" East 857.28 feet to a point on the centerline of Meadow Creek Road, which point is on a 950.00 foot radius curve concave Southeasterly, having a radial bearing of South 17°52'21" East;

Thence along the centerline of the road the following courses:

Southwesterly along the curve thru a central angle of 49°52'46" 827.03 feet;

Thence South 22°14'53" West 689.12 feet to the beginning of a 1615.00 foot radius curve to the right;

Thence Southwesterly along the curve thru a central angle of 10°11'21" 287.20 feet to a point on a 450.00 foot radius reverse curve concave Southeasterly,

having a radial bearing of South 57°33'45" East;

Thence Southwesterly along the curve thru a central angle of 19°52'45" 156.13 feet; Thence South 12°33'30" West 470.29 feet to the beginning of a 325.00 foot radius curve to the right;

Thence Southwesterly along the curve thru a central angle of 51°10'13" 290.25 feet;

Thence South 63°43'43" West 841.80 feet to the beginning of an 850.00 foot radius curve to the left; Thence Southwesterly along the curve thru a central angle of 05°50'47" 86.73 feet;

Thence, leaving the centerline of the road, North 49°26'32" West 37.57 feet to the Southwest corner of the East 1/2 of the Northeast 1/4;

Thence along the West line of the East 1/2 of the Northeast 1/4, North 00°07'19" West 2648.61 feet

to the Point of Beginning, containing 75.58 acres of land all as shown hereon.

Subject to County Road right of way as shown hereon. Subject to and together with easements of record.

The above described tract of land is to be known and designated as AMENDED LOWER MEADOW CREEK, Lincoln County, Montana. We hereby certify that this division creates parcels of land that have no existing facilities for water supply, wastewater disposal, and solid waste disposal other than those that were previously approved by the reviewing authority under Title 76, chapter 4, part 1, or that were exempt from such review, if: no new facilities will be constructed on the parcels (Lots 1, 2 & 3);

and the division of land will not cause approved facilities to violate any conditions of approval, and will not cause exempt facilities to violate any conditions of exemption. Therefore, this division is exempt from review by the Department of Environmental Quality pursuant to ARM 17.36.605(2)(b)(i)&(ii).

STATE OF Montan a)

This instrument was acknowledged before me on April 28, 2009, by JEAN P. NORDAHL.

Printed Name: Onna Escabor
Notary Public for the State of Montana Residing at Eureka My Commission Expires 03/22/2013

This instrument was acknowledged before me on 4000 8, 2009, by SANDRA NORDAHL.

Ama & Printed Name: pma Escohor Notary Public for the State of Montana Residing at Eurena My Commission Expires 03/20/3013

STATE OF TEXAS

County of Denton

This instrument was acknowledged before me on APRIL 21, 2009, by JOSEPH S. MULROY, G.P. of YORLUM PROPERTIES, LTD.

Printed Name: Notary Public for the State of TOWN Residing at My Commission Expires 6-2-2012

WENDY SUTTON AY COMMISSION EXPIRES

CERTIFICATE OF COUNTY COMMISSIONERS

, Chairperson of the Board of County Commissioners of Lincoln County, Montana and We, the undersigned, County Clerk and Recorder of said county do hereby certify that this accompanying plat of Lower Meadow Creek, Lincoln County, Montana has been submitted to the Board of County Commissioners of Lincoln County, Montana for examination and has been found by them to conform to law and is hereby approved. Parkland Dedication is exempt per Section 76-3-621(3)(a), MCA.

Dated the ___ day of __

Chairperson **Board of County Commissioners** Lincoln County, Montana

County Clerk and Recorder Lincoln County, Montana

Ronald A. Pearson, 9008LS

DAWN MARQUARDT

_____, 200<u>9</u>, A.D., at <u>/2 .15</u> o'clock <u>P</u>m.


SHEET 2 OF 2 SHEETS

Field Crew: BP Date: March 3, 2009 Revision Date: Project Name: Nordahl Sub Project Number: 06-124 Filename: AmdNordahlSub Drawn By: ALK

Lincoln County Examining Land Surveyor CERTIFICATE OF SURVEYOR Registration No. 73285 STATE OF MONTANA

County of Lincoln

Instrument Record No. 2/8/55



Sanitary Restriction Kernoved P.F. 6952 DOC+ 153289

platting Certificate P.F. 4 6953 DOC+ 153285

Pord Maintenen agreement m 248/244

Orvenante m 268/245

A PLAT OF: LUCKY POINT AG. EXEMPTION

A PART OF HES 405

IN UNSURVEYED SECTION 32, TWP 35N., R 33W., P.M.M.

FOR: LARRY CRIPE DATE: AUGUST 199 **LEGEND** SET 5/B INCH DIAMETER REBAR WITH A 1 1/4 INCH DIAMETER PLASTIC CAP STAMPED KED 4975-S FOUND 5/B INCH DIAMETER REBAR COMPUTED POINT ONLY, NOT FOUND OR SET FOUND 5/8 INCH DIAMETER REBAR WITH A 1 1/4 INCH DIAMETER PLASTIC CAP STAMPED KED 4975-S () RECORD PER COS NO.973 40' ACCESS AND UTILITIES EASEMENT (BOOK 154 PAGE 877) 20' REF $\Delta = 05^{\circ}21^{\circ}34^{\circ}$ R = 5669.60T = 265.36REMAINDER 3 530.34 14.091 ACRES± PARCEL 4.972 ACRES± STATE OF MONTANA N 53'53'09" W County of Lincoln 80.50 On this 2nd day of November. 1998 ₩ N 27"25"22" W A.D., before me, a Notary Public in and for the State of Montana, personally appeared LARRY F. CRIDE known to me to be the persons whase names are subscribed to the $\Delta = 025854$ within instrument and acknowledged to me that they executed the R = 5669.60= 295.06NOTE: LOT LINES ARE TO THE New 3-24-99 CETER-LINE OF YAAK RIVER My Commission Expires TAX CERTIFICATION

I hereby certify that all real property toxes and special assessments assessed and levied on the land to be divided have been paid. Dated this about of Teconium 1998.

Mexi a miller by Janya R. Mehrche - Deputy
Treasurer Lincoln County

CERTIFICATE OF SURVEYOR

STATE OF MONTANA County of Lincoln

I. Kenneth E. Davis, a registered land surveyor do hereby certify that I have performed the survey shown on the attached plat or that such survey was performed under my supervision to my best knowledge and ability; that said survey is true and complete as shown and the monuments found and set occupy the position shown hereon.

4 day of Suph. 1908 A.D. Kenneth E. Davis, Lond Surveyor Registration No. 4975S

GRAPHIC SCALE

DAVIS SURVEYING INC.

TROY, MONTANA (406)295-5441

(IN FEET)

PURPOSE OF SURVEY

The purpose of	this survey is to create a tract of land fi	or
agricultural purposes;	therefore, this survey is exempt from	
review pursuant to Si	ection 16,16.601(1)(f).	

DESCRIPTION OF REMAINDER OF LIJCKY POINT AGRICULTURAL EXEMPTION

A tract of land near Yaak, in Lincoln County, Montana, being a part of Tract 5 of C. of S. No.973, lying wholly within HES 405 in Unsurveyed Section 32, Twp. 35 N., R. 33 W., P.M.M., and more particularly described as follows:

Beginning at a 5/8 inch dia, rebar marking the Northeast Corner of Tract 5; thence, S 50'06'24" W 1130.00 feet along the southeasterly boundary of said Tract 5 to a 5/8 inch dia, rebar capped: KED 4975-S set as a witness corner on the east bank of the Yaak River; thence, continuing along said southeasterly boundary S 50°06'24" W 93.04 feet to a calculated point designating the centerline of said Yoak River, for a total distance of 1223.04 feet; thence, along said Yaak River centerline N 13°29'13" W 646.36 feet to a computed point marking the intersection of sold centerline and the northwesterly boundary of said Tract 5; thence, leaving said centerline and along said northwesterly boundary N 50°06'24" E 94.97 feet to a 5/8 inch dia. rebar capped: KED 4975—S set as a witness corner on the east bank of said Yaak River; thence, continuing along said northwesterly boundary of said Tract 5, N 50°06'24" E 802.53 feet to a 5/8 inch dia, rebar marking the Northwest Corner of said Tract 5, for a total distance of 897.50 feet; thence, along the northeasterly boundary of said Tract 5 S 43"39"26" E 580.17 feet

to the point of beginning.

The aforedescribed tract of land is to be know as the remainder of Lucky Point Ag. Exemption, containing 14.091 acres, more or less, and is subject to a 40.00 foot wide access and utilities easement, as shown hereon, and together with all appurtenant easements of record.

DESCRIPTION OF PARCEL "A" OF LUCKY POINT AGRICULTURAL EXEMPTION

A tract of land near Yaak, in Lincoln County, Montana, being a part of Tract 5 of C. of S. No.973, lying wholly in Unsurveyed Section 32, Twp. 35 N., R. 33 W., P.M.M., and more particularly described os follows:

Beginning at a 5/8 inch dia. rebar capped: KED 4975-S marking the Southwest Corner of said Tract 5; thence, along the northwesterly boundary of said Tract 5, N 50'06'24" E 429.94 feet to a 5/8 inch dia. rebar capped: KED 4975—S set as a witness corner on the west bonk of the Yaak River; thence, continuing along said northwesterly boundary N 50'06'24" E 97.70 feet to a computed point marking the intersection of said northwesterly boundary with the centerline of said Yaak River for a total distance of 527.64 feet; thence, along said centerline S 13"29"13" E 646.36 feet to a computed point marking the intersection of said centerline with the southeasterly boundary of said Tract 5; thence, along said southeasterly boundary S 50'06'24" W 112.00 feet to a 5/8 inch dia. rebar capped: KED 4975-S set as a witness corner on the west bank of said Yaak River; thence, continuing along said southeasterly boundary S 50°06'24" W 110.00 feet to a 5/8 inch dia. rebar capped: KED 4975-S marking a point on the easterly Right-of-Way of State Hwy. Na. 508 known as the Yaak Hwy., which measured 60.00 feet from the centerline thereof; thence, along said Right-of-Way on the arc of a curve to the right 295.06 feet, turning through a delta angle of 02'58'54", having a radius of 5669.60 feet; thence, continuing along said Right-of-Way N 27"25'22" W 80.43 feet to a point marking the Right-of-Way transition from 60.00 feet to 80.00 feet, measured radially from the centerline thereof; thence, continuing along said Right-of-Way N 40'39'37" W 150.00 feet to a computed point; thence, continuing along said Right—of—Way N 53'53'09" W 80.50 feet to the point of

The oforedescribed tract of land is to be known as Parcel "A" Lucky Point Ag. Exemption, contoining 4.972 acres, more or less, and together with all appurtenant sasements of record.

	lescribed tract of land is to be known and LUCKY POINT AG. EXEMPTION	ż
_	ontona. day of November, 1998 A.D.	
gated this 170		
many -	and	_

EXAMINED AND APPROVED FOR LINCOLN COUNTY BY: DATE: 11-5-88

STATE OF MONTANA COUNTY OF LINCOLN

P.F. PLAT NO.

Sinitary Lestriction General Dx 136970

1 inch = 200 ft.

My commission expres March 12th 1813.


Thes. Swelger - Mayer.
W" M. Custos
Von E. Schanck
H. Dockman St

Taul U. Batt, charman.

J. M. Dartlell. 7. P. Garry.

U.W. Dlew St.

G. K. Clackwell.



LUKENS ADDITION LIBBY

AMDUTHIE.

AMENDED PLAT


LOTS 9, 10, AND 11, BLOCK 10, LUKENS ADDITION TO LIBBY

"BOUNDARY LINE ADJUSTMENT"

NW1/4 SW1/4, SECTION 3, T.30N., R.31W., P.M., MT.

FOR: BECK

OCTOBER 2008



PURPOSE OF SURVEY AND OWNER'S EXEMPTION CERTIFICATION

We, Jason L. and Melissa I. Beck, record owners, hereby certify that the purpose of survey and division of land is to relocate a common boundary between record parcels and is therefore exempt from subdivision review pursuant to MCA 76-3-207(1)(d): divisions made "for five or fewer lots within a platted subdivision, relocation of common boundaries and the aggregation of lots." We further certify that Lots "9A", "10A and "11A" are exempt from review by the Department of Environmental Quality pursuant to ARM 17.36.605 Exclusions 2(b): "A parcel that has no existing facilities for water supply, wastewater disposal, and solid waste disposal other than those that were previously approved by the reviewing authority or that were exempt from such review because (i) no new facilities will be constructed on the parcel and (ii) the division of land will not cause approved facilities to violate any conditions of approval, and will not cause exempt facilities to violate any condition of exemption."

10/27/08

ACKNOWLEDGMENT

The foregoing Exemptions were subscribed and acknowledged before me

a Notary Public for the State of Montana

County of hora on, by the above named person(s), on this

day of 200 In witness whereof, I have hereunto set my hand

Anna Lacella Notary Public for the State of Montana

HISTORY OF SURVEY

1911 - Plat No. 5, Original "Lukens Addition to libby", Paul D. Pratt

METHOD OF SURVEY

A total station and data collector was used with closed traverse procedures to tie the previously set controlling corners by Kelly Rooney, September 2008

BASIS OF BEARING

The basis of bearing for this survey is S65'01'00"E, as shown on Plat No. 5, between the Southwesterly Corner, "Block 10, Lukens Addition", a 1/2 inch diameter steel bar marked "JN" and the Southeasterly corner, "Block 10, a 1 inch diameter steel bar

LAND SURVEYOR'S CERTIFICATION

I hereby certify that I am a Registered Land Surveyor in the State of Montana, that the survey shown on this "Amended Plat" has been prepared under my supervision and in accordance with the Montana Code Annotated, Sections 76-3-101 through 76-3-625, and the Lincoln County

HUGHES 7322 LS PEGISTERED

ALVAH F.

EXAMINING LAND SURVEYOR'S CERTIFICATION

Ronald A. Pearson, PLS 9008LS Examining Land Surveyor

COUNTY TREASURER'S CERTIFICATION

I hereby certify that all real property taxes and special assessments assessed and levied on the parcel shown hereon are paid pursuant to Section 76-3-207(3), M.C.A.

CLERK AND RECORDER'S CERTIFICATION

State of, Montana, County of Lincoln. filed this

NOTARIA SEAL THE OF WON'T

LINCOLN COUNTY, MONTANA

A PLAT OF: LUNDBERG SUBDIVISION

IN THE N 1/2 OF THE SE 1/4 OF SECTION 2 T 29N., R 31W., P.M.M.

FOR: LUNDBERG, GROTJOHN DATE: AUGUST 1996

CERTIFICATE OF DEDICATION

the undersigned property owner(s), do hereby certify that I/we have caused to be surveyed, subdivided and platted into lots and streets, as shown by the Plot hereto onnexed, the following described land near ______County, Montona to wit: LIBBY

[N 89"59'10" W] (2619.65) 2619.73 BASIS OF BEARING N 89'59'10" W 758.38 622.86 $\Delta = 0.746'52''$ LOT #1 R = 2815.00T = 191.445.000 ACRES±

RADIAL

S 86'49'48" E

LOT #2

5.000 ACRES±

₩ 87'59'55" E

R = 2815.00 R/WT = 87.47L = 174.88

 $\Delta = 03'33'34''$

N 7643'03" E

554.66

425.03

PLAT

(S 89'54'21" E)

S 89'53'43" E

14.17

NO.

REMAINDER GREATER

THAN 20 ACRES

(1014.51)

1014.79

MO.

2416

GRAPHIC SCALE

(IN FEET)

1 inch = 200 ft.

L = 382.29

1090

TOTAL R/W $\Delta = 11^{\circ}20^{\circ}26^{\circ}$

R = 2815.00T = 279.50

L = 557.17

COS

CERTIFICATE OF SURVEYOR

STATE OF MONTANA County of Lincoln

I, Kenneth E. Davis, do hereby certify that a survey was made of <u>LUNDBERG SUBDIVISION</u>, a minor subdivision, under my supervision, during the month of <u>OCTOBER</u> 1996, in accordance with the provisions of Sections 76.3.201 through 76-3-403-Montana Codes Annatoted, 1978; that the annexed plot is in accordance with such survey, that the streets and dimensions of the lats are as shown hereon; and that the said placed area was look out on the ground according to law.

dov or cotabor 1996 A.D.

with E. Davis Lond Surveyor Registration No. 4975S

TAX CERTIFICATION

I hereby certify that all real property taxes and special ossessments assessed and levied on the land to be divided have been paid. Dated this 16 day of October 1996.

Mori a Miller by Janya R. Achine - Deputy
Treasurer Lincoln County Montons

DESCRIPTION OF LUNDBERG SUBDIVISION

A tract of land near Libby, in Lincoln County, Montano, being o part of that tract of land described per Book 151, Page 741, lying easterly of U.S. Hwy. No. 2, within the N 20 of the SE 1/4 of Section 2, Twp. 29 N, R. 31 W, P.M.M., and more particularly described as

Beginning at a 5/8 inch dia. rebar capped: KED 4975-S located on the east—west centerline of Section 2, Twp. 29N, R. 31 W, P.M.M., which bears N 89'59'10" W 758.38 feet from a 3 1/4 inch dia. BLM brass cap reported to mark the east 1/4 corner of said Section 2; thence, from said point of beginning S 00°28'08" W 822.10 feet to a 5/8 inch dia. rebor capped: KED 4975—S; thence, N 86°49'48" W 425.03 feet to a 5/8 inch dia. rebor capped: KED 4975—S located on the eosterly Right-of-Way line of U.S. Hwy. No. 2 which measured 50.00 feet from the centerline thereof; thence, N 17°20'41" W 265.74 feet along said easterly Right—af—Way line to a 5/8 inch dia. rebar capped: KED 4975—S; thence, continuing along said easterly Right—of—Way line 557.17 feet on the arc of a curve to the right concaved northeasterly, turning through a delta angle of 11°20′26″, having a radius of 2815.00 feet to 5/8 inch dia rebar copped: KED 4975—S, located on the east-west centerline of soid Section 2; thence, S 89'59'10" E 622.86 feet along said east-west centerline to the point of beginning.

The aforedescribed tract of land is to be known as Lundberg Subdivision, containing Lats 1 and 2, being 5.000 acres, more or less, each, for a total of 10.000 acres, more or less.

The above described tract of land is to be known and designated as <u>LUNDBERG SUBDIMISION</u>
Lincoln County, Montana.

STATE OF MONTANA

_day of Ottoboo A.D., before me, a Natary Public in and for the State of Montana, personally appeared Ernest Alundberg and Rence Rence Lundburg known to me to be the persons whose names are subscribed to the within instrument and acknowledged to me that they executed the

ramemb m aithru Notory Public My Commission Expires

LEGAL AND PHYSICAL ACCESS

I hereby certify that physical access to all lots within this subdivision is provided by 4.5. HICHWAY 2.

Va Kenneth E. Davis, RLS

4975-S

The driving surface is approximately 30 feet wide.

Registration No. 4975S

STATE OF MONTANA COUNTY OF LINCOLN

Filed on this 16 day of OCH, 1996 A.D. ot 4:25

O'clock2 County Clerk and Recorder

EXAMINED AND APPROVED FOR LINCOLN COUNTY BY:

TROY, MONTANA (406)295-5441 DAVIS SURVEYING INC.

LEGEND

SET 5/8 INCH DIAMETER REBAR WITH A 1 1/4 INCH DIAMETER PLASTIC CAP STAMPED KED 4975-S

FOUND 3 1/4 INCH DIAMETER BLM

BRASS CAP AS EAST 1/4 CORNER

649-S AS C 1/4 CORNER

RECORD PER COS NO.1090

RECORD PER COS NO.2059

FOUND 5/8 INCH DIAMETER REBAR WITH

A PLASTIC CAP STAMPED MDL 4232-S

FOUND 2 INCH DIAMETER BRASS CAP BY

FOUND 5/8 INCH DIAMETER REBAR WITH

A PLASTIC CAP STAMPED 7318-S

FOUND 5/8 INCH DIAMETER REBAR UNCAPPED

Sanetary Astriction Linewed P.T. 4 5758

P.F. PLAT NO.

Chairman, Lincoln County, Montana Commissioners

DATE: 10-16-96

OWNERS: FRANK DIERMAN, JR. AND BARBARA DIERMAN FINAL PLAT OF DATE: DECEMBER 8,2005 LUPINE RIDGE SUBDIVISION NE1/4 NE1/4 SEC. 22, T36N, R27W, P.M.,M., LINCOLN COUNTY, MONTANA BLACK LAKE ROAD (60' WIDE COUNTY ROAD) C10 LEGEND 1/16 CORNER, FOUND BRASS CAP STAMPED 2345-ES LOT 1 FOUND 5/8" REBAR W/PLASTIC CAP 5.204 AC.± (GROSS) STAMPED #2516-S (UNLESS OTHERWISE NOTED) $5.030 \text{ AC.} \pm \text{ (NET)}$ SET 5/8" X 24" REBAR W/PLASTIC CAP STAMPED #13102LS LOT 2 COMPUTED POINT 5.000 AC.± (GROSS) POINT OF BEGINNING $4.536 \text{ AC.} \pm \text{ (NET)}$ MEASURED DISTANCE RECORDED DISTANCE LUPINE LANE
40' WIDE ACCESS & UTILITY
EASEMENT TO REMAINDER TRACT P.O.B. 428.09 N89'52'17"W TOTAL AREA= 10.204 AC.± (GROSS) 9.566 AC. \pm (NET) 1074.17'(R) 87, S89'26'20"W REMAINDER (NOT A PART OF) 9.798 AC.± 868.42'(M) 868.27'(R) FND REB W/CAP STAMPED 7975S N89'23'32"W (BASIS OF BEARINGS) CURVE RADIUS DELTA ANGLE ARC LENGTH DISTANCE LINE BEARING 1200,00' 16'58'58' 355.69 L1 S72°20'54"E 58.68 400.00' 35'37'03 170.19° 248.66 \$88*52'53"E \$53*11'14"E NON-TANGENT RADIAL BEARING 1230.00' 16'59'13' 370.00' 35'37'15' SAM CORDI 364.67 N18'07'31"E 92.36 230.03 48.58 N01'08'19" L4 \$72*20'54"E

170.14

114.61

170.2**4**

29.99'

31.55

37.39

N18'06'57"

N01'08'14"E

S01'08'15"W

S36'45'30"W

S01'07'35"W

S36'44'27"W

S88'53'23"E

S53'11'14"E

L7 S88*52'23"E

L8 S08'45'09"W

L10 S00°07'43"W

L9 N00'33'40"W

CERTIFICATE OF DEDICATION

We, Frank and Barbara Dierman, the undersigned praperty owners, do hereby certify that we have caused to be surveyed, subdivided, and platted into lots as shown by the plat hereunto included the following described tract of land:

That portion of the Northeast one-quarter of the Northeast one-quarter (NE1/4NE1/4) of Section Twenty-two (22), Township Thirty-six North (T36N), Range Twenty-Seven West (R27W), Principal Meridian, Montana, Lincoln County, Montana, more particularly described as follows:

Commencing at the southeast corner of the Northeast one-quarter of the Northeast one-quarter (NE1/4NE1/4) of said Section Twenty-two (22); thence North00'07'43"East 574.26 feet along the easterly boundary of said Northeast one-quarter of the Northeast one-quarter (NE1/4NE1/4) of Section Twenty-two (22) to the TRUE POINT OF BEGINNING of the tract of land herein described; thence North89*52'17"West 428.09 feet; thence South50*35'22"West 361.35 feet; thence South89°26'20"West 165.67 feet; thence North00°33'40"West 738.87 feet to the centerline of a 60-foot wide declared county road (Black Lake Road); thence the following five (5) courses and distances along said centerline: South72°20'54"East 58.68 feet to the beginning of a non-tangent curve concave to the north having a rodius of 1200.00 feet, easterly 355.69 feet along said curve through a centrol ongle of 16'58'58", South88'52'53"East 170.19 feet to the beginning of a non-tangent curve concave to the south having a radius of 400.00 feet, southeasterly 248.66 feet along said curve through a central angle of 35'37'03", South53"11"14"East 92.36 feet to the easterly boundary of said Northeast one-quarter of the Northeast one-quarter (NE1/4NE1/4) of Section Twenty-two (22); thence South00'07'43"West 293.61 feet along said easterly boundary to the point of beginning and containing 10.204 acres of lond, gross measure, more or less. All as shown hereon.

Subject to and together with all appurtenant easements of record.

The "Remainder" tract of land, which is not part of Lupine Ridge Subdivision, is exempt from sanitation review by the Department of Environmental Quality pursuant to ARM 17.36.605 (2)(a), (a parcel that has no existing facilities for water supply, wostewater dispasal, and solid waste disposal, if no new facilities will be constructed on the parcel).

The obove decaribed tract of land is to be known and designated as LUPINE RIDGE SUBDIVISION, Lincoln County, Montana.

STATE OF Hontage) County of Flathead)

On this day of day of personally appeared Fronk and Barbara Dierman, known to me to be the persons whose names ore subscribed to the foregoing instrument and acknowledged to me that they executed the same. In witness whereaf, lhave hereunta set my hand and affixed my Natarial Seal the day and year first obove written.

Natury Public for the State of Hontage
Residing of Landschick
My Commission expires 7-06-06

CERTIFICATION OF COUNTY COMMISSIONERS

Chairperson of the Board of County Commissioners of Lincoln County, We, the undersigned, __ County Clerk and Recorder of said County do hereby certify that this accompanying plat of LUPINE RIDGE SUBDIVISION, Lincoln County, Montana has been submitted to the Board of County

CERTIFICATION OF COUNTY TREASURER

I hereby certify that all real property taxes and special assessments assessed and levied on the land to

aid.

a doy of **fact**, 2006.

CERTIFICATE OF SURVEYOR

I hereby certify that the legal and physical access to all lots within this subdivision is provided by BLACK LAKE ROAD, and Lupine Lane conforms to Lincoln County Single Division Road Standards.

CERTIFICATE OF SURVEYOR 2/20/06

EXAMINING AND SURVEYOR REG. NO. 14731PLS

STATE OF MONTANA County of Lincoln

A.D. 2006 at 9:25 o' clock A.M.

INSTRUMENT REC. NO. 192408

CERTIFICATE OF SURVEY NO. 6688

Comments 5 202/911 198409

REGISTERED LAND SURVEYOR

974 COLORADO AVE.

WHITEFISH, MT 59937

PHONE: (406)-862-9977

P.O. BOX 323

Caritary Redulation Remark p. F. 8487 DE 192404 Consent to platting p. F. 8489 Doc 192406

1170,00' 16'58'43'

430.00' 35'36'52

1200,00' 09'22'06

1230,00' 07'37'09'

C8 1200.00' 07'36'53" C9 1230.00' 09'22'04"

346.71

267.28


196.21

159.48

201.10


163.56

Noximo aleed p. = 8490 De VERANG-39_SUB.dwg



Platting Certificate DOE 243920 P.F. 11351 DEG DOE 248721 P.F. + 11352 Noxious Wied plan De 243722 PF + 11353 ROAD Approach DOC 243728 D.F. 1/354 AGREEMENT DOC 243924 P.F. 11355 COVENANTS DOC 243924 5846/796

State of money and the control of th		July 1. Tich	STATE OF MUTANA)
STATE OF HORMAN STATE	A trick of a udictivited in feetbook through mencions of the work. Fig. plant of Englishing In the Mining on the rection line teckers Section is at a 331. If the most one trick is a second of the control of the cont	rs Towns by worth the consideration who of the train of a setting of the train of the setting	Ca told 23 day of fileway tefore of Musilson Notary Futilio for the State of Musilson, responsibly appeared E.A. Sievers, known to the tile the person who executed the following Certificate of Survey, and he accompledged to me that he hid executed the same. Solaro Edito for the State of St
STATE OF HOTELD STATE	transfer all following S. C. of the second was to a point; then the S. of the second was the second with the telephon being not as a second with the second will be second with the seco		
STATE OF HINTERS COUNTY OF INVESTOR STATE OF HINTERS COUNTY OF INVESTOR COUNTY OF	Could transfor the left to recommend the country on the country of	Processing and the second seco	 County Curregor of Hirodin County, Montars, to certify that these examined the ecompanying plan in du, done of the inserted Order Cutolivision, Himodia 2 wity, Himtans, and the convey in represent and trat
CENTY OF TIPOST) GS CENTY OF TIPOST) GS CENTY OF TIPOST GS	^_ * s	Gets & Hennessy	
COURTY OF LITCOLN SB		Day & Henrisey	OPALIA DIBAFACE
of bounty Commissioners of Lincola County, Mortana, and a Notary by to in sed for the Citate of Montana, per unally numbered a Notary by to in sed for the Citate of Montana, per unally numbered instrument. In unhear yearsed it is yearn on a time of the date instrument. In unhear yearsed it is yearn on a time of the date the day and year first above written. Ky dendiriou ex, free // - 28 - 66 CERTIFICATE OF COUNTY CERTIFICATE OF COUNTY COUNTY OF INCOLN STATE OF HOWTERS I. E.R. Siever, Registered Engineer and lad County in the State of Rosinas, or hereby certify that between the fifteent lay of Certificate of Montana, and county of the Lest of my knowledge and helpf and that the ornear in the conformity to the lest of my knowledge and helpf and that the ornear incomposity to the lest of my knowledge and helpf and that the ornear incomposity to the lest of my knowledge and helpf and that the ornear incomposity to the lest of my knowledge and helpf and that the ornear incomposity to the lest of my knowledge and helpf and that the ornear incomposity to the lest of my knowledge and helpf and that the ornear incomposity to the lest of my knowledge and helpf and that the ornear incomposity to the lest of my knowledge and helpf and that the ornear incomposity to the lest of my knowledge and helpf and that the ornear incomposity to the lest of my knowledge and helpf and that the ornear incomposity to the lest of my knowledge and helpf and that the ornear incomposity to the lest of my knowledge and helpf and that the ornear incomposity to the lest of my knowledge and helpf and that the ornear incomposity to the lest of my knowledge and helpf and that the ornear incomposity to the lest of my knowledge and helpf and that the ornear incomposity to the lest of my knowledge and helpf and that the ornear incomposity to the lest of my knowledge and helpf and that the ornear incomposity to the lest of my knowledge and helpf and that the ornear incomposity to the lest of my knowledge and helpf and that the ornear inco	GCURTY OF I I POOL N) GS		
CENTIFICATE OF CHRIST STATE OF HINTER (SERVIPCO F INCOLN) STATE OF HINTER (CENTIFICATE OF CHRIST COUNTY OF INCOLN) STATE OF HINTER (CENTIFICATE OF CHRIST COUNTY OF INCOLN) STATE OF HINTER (CENTIFICATE OF CHRIST COUNTY OF INCOLN) STATE OF HINTER (CENTIFICATE OF CHRIST COUNTY OF INCOLN) STATE OF HINTER (CENTIFICATE OF CHRIST COUNTY OF INCOLN) STATE OF HINTER (CENTIFICATE OF CHRIST COUNTY OF INCOLN) STATE OF HINTER (CENTIFICATE OF CHRIST COUNTY OF INCOLN) STATE OF HINTER (CENTIFICATE OF CHRIST COUNTY OF INCOLN) STATE OF HINTER (CENTIFICATE OF CHRIST COUNTY OF INCOLN) STATE OF HINTER (CENTIFICATE OF CHRIST COUNTY OF INCOLN) STATE OF HINTER (CENTIFICATE OF CHRIST COUNTY OF INCOLN) STATE OF HINTER (COUNTY OF INCOLN) (CENTIFICATE OF COUNTY ATTEMEY (COUNTY OF INCOLN) STATE OF HINTER (COUNTY OF INCOLN) STATE OF HINTER (COUNTY OF INCOLN) (CENTRY OF INCOLN	on the 23 day of February 10th		
Instrument. in when writed live by real and strick by the real section of the day and year first above critica. We don't first above critical country outside the state of the state of the section of the sec	a Notary but is in and for the State of Mon	atana, jet malit a wares	
CERTIFICATE OF CURTON 1. E.R. Siever, Registered Engineer and land Conveyor in the State of Mantana, of North and that the Contral and an artifact and contral to the best of my sample and that that contral and it into the product of the transport of the state of the State of the State of the State of Mantana. E.R. Siever, Registered Engineer and land Conveyor in the State of Country of into the accurate larger was take transport of the transport of transport of the transport of the transport of the transport of transport of the transport of the transport of the transport of t	instrument. D. w. hear where I lest by the	The MANAGER MARKET AS THE WESTER	
CERTIFICATE OF CURTEY CERTIFICATE COURTY ATTCREEY COURTY OF LINCOLIN COURTY ATTCREEY COURTY ATTCREEY COURTY ATTCREEY COURTY OF LINCOLIN COURTY O			
COUNTY OF LINCOLN SS	ay decourated extites 11 - X 1 - 86	s Dr. O	
STATE OF HONTARA) COUNTY OF LINCOLN) I, E.R. Sievers, Registered Engineer and land Conveyor in the State of Momtama, do hereby certify that between the different law of September, 1964 and the trifteenth lay of Cotober, 1964, careful and assumate curvey was under under on supervision of the treat of land shown on the slave part of the Lyamwood Homes Subtrivition and that said plat was made in strict conformity to said curvey, and that the courses and dirance; down are time and correct to the test of my knowledge and relief and trust the courser of all lots are plainly marked on the ground with iron pine and correct to the Lest of my knowledge and relief and trust the courser of Momeana, plainly marked on the ground with iron pine and correct to the laws of the State of Momtana. E.R. SIMMENS E.R. SIMMENS E.R. SIMMENS Dated at Libby, Montana, thisday of		DUTARY HUNCIS	, county clauk, limedik chunty, montan
COUPTY OF LINCOLE) I, E.R. Sievers, Registered Engineer and Land Convey on let the State of Montage, do hereby certify that between the different Jay of September, 1964 and the tolteenth Jay of October, 1964, careful and solurate obvey was tade used to support the tract of Land solution on the slave plat of the Land curvey, and that the courses and intraces from the true conforming to the best of my knowledge and belief and that the courses and intraces from the true and correct to the best of my knowledge and belief and that the courses and intraces from the true and correct to the best of my knowledge and belief and that the courses and intraces from the land correct to the best of my knowledge and belief and that the course refall lots are plainly marked on the ground with true pine are quart stakes sarked with the laws of the State of Montage. E.R. SIMMES S. R. Liurum PROPESSIONAL SHOULDED AND		CURYBY	
and the trinteesth lay of October, 1968, careful and ascender, 1968 under my supervision of the tract of land ascender curvey was take Lyammood Homes Subsidies and that said just was made in effici conformity to said curvey, and that the courses and distance count as the conformity to the best of my knowledge and felled and that the course of all lots are plainly marked on the jound with from pine and punch estable sarked with lot and bluck numbers and that said survey was made is circle accordance with E.R. SIRMENS Supervisional BOSINEER AND PROPESSIONAL BOSINEER AND	COUPTY OF LINCOLN) SS) ea
E.R. SILMERS S	and the trirteenth low of the burney	lilieenth day of September, 1964 reful and accurate curvey was cade nown on the above plat of the it was made in strict conformity	county is hereby certify that I have examined the Certificate of/licenced Abstractor covering title to the land described on the plat of the lymawood Homes Subdivision
PAGENSTUMAT BUGINESS AND	Lymandood Homes Subdivious and that so if just said survey, and that the courses and it to the best of my knowledge and telled and tplainly marked on the ground with from pintot and bluck aumbers and that said such a subdivious subdivious aumbers and that said such as the said said said said said said said said	Canori Commate this and correct in the correct in the correct of all lots are	whose principal place of residence in litby, Montaga, are the owners, in fee simple
	Lyammood Homes Subdividing and that soil file to said curvey, and that the courses and direct the best of my knowledge and tellef and to plainly marked on the ground with from the lot and block aumbers and that said curvey with lawf of the State of Homesea.	Thick: Sinch are thus and correct in that the conner of all lets are and puard stakes named with was nade in cipics accordance with	whose principal place of residence in Litby, Montaga, are the owners, in fee simple of the land so platted.



LEGEND

* 34 IRON PIN IN CONCRETE

* ALL LOT CORNERS: 52 12 IRON PINS

SCALE 1"-50"

LYNUWOOD HOMES
IN SEC.S TOON ROLL M.P.M.
LIBBY MONTANA

LINCOLN COUNTY, MONTANA AMENDED PLAT OF LYNNWOOD HOMES

IN LOT 12 OF BLOCK 2 OF LYNNWOOD HOMES
IN THE NE 4, NE 4, OF SECTION 9
TWP. 30 N., R. 31 W., M.P.M.

JUNE, 1979

DESCRIPTION A

A tract of land in Libby in Lincoln County; Montana, being the north 50.00 feet of Lot 12 of Block 2 of Lynnwood Homes (a recorded subdivision in Lincoln County, Montana), lying wholly within the NET NET of Section 9 Twp. 30 N., R. 31 W., M.P.M., containing 0.167 acre, more or less and more particularly described as follows:

less, and more particularly described as follows:

Beginning at the northeast corner of Lot 12 of Block 2 of Lynnwood Homes (a recorded subdivision in Lincoln County, Montana) in the NET NET of Section 9 Twp. 30 N., R. 31 W., M.P.M.; thence, along the north line of said Lot 12, S 89 20 00 W 145.84 feet to the northwest corner thereof; thence, along the west line of said Lot 12, S 0 04 00 E 50.00 feet; thence, leaving said west line, parallel with the north line of said Lot 12, N 89 20 00 E 145.84 feet to a point on the east line of said Lot 12; thence, along said east line, N 0 04 00 W 50.00 feet to the point of beginning.

BESCRIPTION B

A tract of land in Libby in Lincoln County, Montana, being a part of Lot 12 and all of Lot 13 both of Block 2 of Lynnwood Homes (a recorded subdivision in Lincoln County, Montana), lying wholly within the NET NET of Section 9 Twp. 30 N., R. 31 W., N.P.M., containing 0.361 acre, more or less, and more particularly described as follows:

Beginning at the southeast corner of Lot 13 of Block 2 of Lynnwood Homes (a recorded subdivision in Lincoln County, Montana) in the NET NET of Section 9 Twp. 30 No. R. 31 W., M.P.M.; thence, along the east line of Lot 13 and Lot 12 both of said Block 2, N 0 04.00 W 107.76 feet; thence, leaving said east line, S 89 20.00 W 145.84 feet to a point on the west line of said Lot 12; thence, along the west line of Lot 12 and Lot 13 both of said Block 2, S 0 04.00 E 107.76 feet to the southwest corner of said Lot 13; thence, along the south line of said Lot 13, N 89 20.00 E 145.84 feet to the point of beginning.

PURPOSE FOR SURVEY

To asend Lots 12 and 13 of Block 2 of Lynnwood Homes by relocating the line between said Lots 12 and 13 as shown hereon.

BASIS FOR BEARING

Bearings were based on the bearing of the inverse between the southeast corner of Lot 1 of Block 2 of Lynnwood Homes and the southwest corner of Lot 6 of Block 4 of Frary and Olson as shown hereon from record information.

LEGEND

© Found or Set 5/8" X 24" Steel Rod with Yellow Cap Stamped: J.H.N. 4661 S.

[] Record per Lyprwood Homes.

APPROVED:

| Mayor of Libby, Montana.

APPROVED:

Examining Land Surveyor

Registration No.

APPROVED:

Chairman Board of Commissioners

ATTESTED:

County Clerk and Recorder

ded on this 19th day of sept ,1979

at 10:20 o'clock from

County Clerk and Recorder

Deputy

Plat No. 3434