

CERTIFIED CORNER RECORDATION

Corner Closing Corner Sec. 6 T. 27N R. 26W P.M., MT Lincoln County


I. 1900 original survey by John P. Henselwood: Set a shale stone, and two bearing trees.

1981 B.L.M. remonumentation record by Joseph E. French: The closing cor. of T27N, R's. 26 & 27 W., monumented with a shale stone, 30x18x4 ins., firmly set 24 ins. in the ground, mkd. "CC" on the S., 6 grooves on the S., E., and W. faces, and witnessed by the remains of the original bearing trees:

A dead fir, 18 ins. diam., bears S60°E, 129 lks. dist., mkd. "T27N R26W S6 BT".

A dead larch, 16 ins. diam., bears S2°W, 163 lks. dist., mkd. "T27N R27W S1 BT".

At the corner point, set an aluminum post, 30 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with an aluminum cap mkd. as shown.



from which:

A larch, 11 ins. diam., bears S18 1/2°E, 104 lks. dist., mkd. "T27N R26W S6 CC BT".

A larch, 14 ins. diam., bears S31 1/2°W, 128 lks. dist., mkd. "T27N R27W S1 CC BT".

Bury the orig. stone alongside and raise a mound of stone, 4 ft. diam., around the aluminum post.

II. Found a 2 1/2 in. alum. post, firmly set, protruding 6 ins. out of collar of stone, with a 3 1/4 in. diam. alum. cap mkd. as shown above, from which:

A larch snag, 7 ins. diam., bears S18°E, 69.2 ft.(104.8 lks.) dist., mkd. with visible scribing.

A larch, 13 ins. diam., bears S31°W, 84.9 ft. (128.6 lks.) dist., mkd. with visible scribing.


A downed fir, 18 ins. diam., bears S60°E, 85.1 ft. (128.6 lks.) dist., mkd. with visible scribing.

III. Established one new bearing tree:

A larch, 11 ins. diam., bears S88°E, 74.9 ft. dist., mkd. "T27N R26W S6 CC BT".

Painted bearing trees and attached Land Survey Monument and Bearing Tree signs.

Magnetic Declination: 20° East.



SKETCH OF CORNER

CERTIFICATION

I, Rex O. Rice

certify the information shown herein is true and correct.

I, Alvah F. Hughes


certify that this Corner Record correctly represents work performed by me or under my direction in compliance with the "Corner Recordation Act" (70-22-101, et seq., M.C.A.)

Alvah F. Hughes
Signature of Surveyor or Seal


Date: 11/19/96

Reg. No.: 7322LS

Employer: U.S. FOREST SERVICE



Sec. 6



• - corner this sheet

Office of Clerk and Recorder, County of Lincoln. This "corner record" was filed for

record on 12-26-97 and was noted on the cross-index plat and is assigned page No. 10005

in book No. _____

Coral M. Cunningham
County Official

Cross Index No.

A-1

T.

27N

R.

26W

P.M., MT