

CERTIFIED CORNER RECORDATION

CORNER SW SEC. COR. S15 T.32 N., R.34 W., P.M.M LINCOLN COUNTY

RECORD:

Surveyed by Woodrow E. Damm, Joseph E. French, Duane G. Lindenberg, from July 6, 1966 to August 15, 1968. Set a iron post, 30 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with a 31/4 brass cap mkd.

T32N R34W
S16 | S15
S21 | S22
1967

From which

A Fir, 12 ins. diam., bears N. 53° E., 27 lks. dist., mkd. T32N R34W S15 BT (record)

A Pine, 8 ins. diam., bears S. 52° E., 69 lks. dist., mkd. T32N R34W S22 BT

A Fir, 12 ins. diam., bears S. 69 1/4° W., 43 lks. dist., mkd. T32N R34W S21 BT

A Fir, 14 ins. diam., bears N. 171/2° W., 25 lks. dist., mkd. T32N R34W S16 BT

FOUND EVIDENCE:

A 31/4 inch dia. Brass Cap stamped as shown from which:

A 19 1/2" DBH Douglas Fir no visible scribe bears N26°W 16.93 ft. dist.

A 12" DBH Douglas Fir no visible scribe bears N53°E 27 lks.

A Dead Douglas Fir no visible scribe bears S69 1/4°W 43 lks.

PERPETUATION:


Established two new bearing trees for found monument From which:

A 11" DBH Douglas Fir scribed S22 BT bears S65°E 35.2 ft. dist.

A 5" DBH Douglas Fir scribed X BT bears S66°W 38.4 ft. dist.

Painted 6 inch wide bands and attached bearing tree tags and warning signs to trees.

MAGNETIC DECLINATION: 15° E



CERTIFICATION
I, Ken E. Damm
Certify the information shown herein is true and correct
Signature of Ground Party Chief
I, Ken E. Damm

certify that this Corner Record correctly represents work performed by me or under my direction in compliance with the "Corner Recordation Act" (70-22-101, et seq., M.C.A.)

Signature of Surveyor & Seal
Date: 5/21/11 Reg. No. 9975-5
Employer: Surveyors

SKETCH OF CORNER

Office of Clerk and Recorder, County of _____

This "corner record" was filed for record on _____

was noted on th 232440 BOOK: CCR CC&R'S PAGE: 11870 Pages: 3

No. _____ RECORDED: 05/05/2011 9:16 KOI: CC&R'S

In book No. _____ TAMMY D. LAUER CLERK AND RECORDER


FEE: \$0.00

BY: Deanne Damm

TO: FILED

Cross Index No. N-13 T. 32 N., R. 34 W., P.M.M.

SECTION



THIS CORNER

