file

LINCOLN COUNTY SEPTIC SYSTEM PERMIT

ISSUED TO: CHARLES BERGET PHONE: [redacted]

ADDRESS: [redacted] CONTRACTOR: Self

ISSUED BY (sign.): Lynn Peterson, RS. DATE: 3-31-88

INSPECTION BY (sign): _____ DATE: _____

*PLEASE NOTE: The Lincoln County "On-site Sewage Disposal Regulation" does not conform with all requirements of the Montana State "Sanitation in Subdivision Act". Therefore, septic systems permitted under the county regulation may not be approvable for the purpose of future land division health reviews.

You must notify the Department of Environmental Health a minimum of 8 working hrs. before backfilling the septic system, so that it can be inspected.

LOCATION OF PROPOSED SYSTEM: Block 3 Lot 21 Angel Island

SEPTIC TANK: 1000 gal. ABSORPTION AREA: 300 ft²

SEWAGE DISCHARGE: ~ gal/day No. OF BEDROOMS: 3

WATER SUPPLY SOURCE: Community SOIL: Sand SLOPE: 1%

Drainfield INSTRUCTIONS: Dig one ditch 150' long x 2½-3' deep x 2' wide according to lot layout and septic system regulations. Slope of pipe should not exceed a 1% drop.

SKETCH OF LOT LAYOUT: 1" = 30'

