LINCOLN COUNTY SEPTIC SYSTEM PERMIT

file

ISSUED TO: LeRoy E. Cormia PHONE: [redacted]

ADDRESS: [redacted] CONTRACTOR: Kamphee Excav

ISSUED BY (sign.): Johnnie Peterson, RS DATE: 6-29-92

INSPECTION BY (sign.): _____ DATE: _____

*PLEASE NOTE: The Lincoln County "On-site Sewage Disposal Regulation" does not conform with all requirements of the Montana State "Sanitation in Subdivision Act". Therefore, septic systems permitted under the county regulation may not be approvable for the purpose of future land division health reviews.

You must notify the Department of Environmental Health a minimum of 8 working hours before backfilling the septic system, so that it can be inspected.

LOCATION OF PROPOSED SYSTEM: Angel Island Lot 24 BL 1

SEPTIC TANK: 1000 gal. ABSORPTION AREA: 280 ft^2

SEWAGE DISCHARGE: ~ gal/day No. OF BEDROOMS: 2


WATER SUPPLY SOURCE: Community SOIL: Sandy Clay SLOPE: 3%

Drainfield

INSTRUCTIONS: Dig a ditch 140' long x 2½-3' deep x 2' wide according to lot layout & septic system regulations. Slope of pipe should not exceed a 1% drop

SKETCH OF LOT LAYOUT:

See attached diagram



LeRoy Corning 6/29/92