file

LINCOLN COUNTY SEPTIC SYSTEM PERMIT

ISSUED TO: Richard C and Cheryl Hall PHONE: [redacted]

ADDRESS: [redacted] CONTRACTOR: Self

ISSUED BY (sign.): Glenn Peterson, RS DATE: 5-4-90

INSPECTION BY (sign.): _____ DATE: _____

*PLEASE NOTE: The Lincoln County "On-site Sewage Disposal Regulation" does not conform with all requirements of the Montana State "Sanitation in Subdivision Act". Therefore, septic systems permitted under the county regulation may not be approvable for the purpose of future land division health reviews.

You must notify the Department of Environmental Health a minimum of 8 working hours before backfilling the septic system, so that it can be inspected.

LOCATION OF PROPOSED SYSTEM: Angel Islands, Block 2 lot 2 37 Cherry Lake Lane

SEPTIC TANK: 900 (concrete) gal. ABSORPTION AREA: 400 ft²

SEWAGE DISCHARGE: ~ gal/day No. OF BEDROOMS: 3

WATER SUPPLY SOURCE: Community SOIL: Silt SLOPE: 2-3%

INSTRUCTIONS: Dig a ditch (drainfield) 200' long x 2½-3' deep x 2' wide according to lot layout & septic system regulations. Slope of pipe should not exceed a 1% drop.

SKETCH OF LOT LAYOUT:

See back

Richard C. and Cheryl Hall
Lot 2, Block 2, Argyl Island

