LINCOLN COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
WASTEWATER TREATMENT AND DISPOSAL SYSTEM PERMIT

Issue Date: 10/22/02 Expiration Date: 10/23/03

Property Owner: Jay & Pat Lyons c/o:

Address: [redacted]

Telephone: (Home) [redacted] (Work) [redacted]

Installer: John Kampfe . License No. 15

____ New Installation __XX__ Existing System

____ Repair __XX__ Replacement ____ Extension ____ Other

Describe: Replacing old metal tank and saturated drainfield

Parcel Description:

Legal: S-1/2 S20 & N-1/2 S29 T29 R33 Lot 41, Block 3 – Angel Island

Address or Location: 30 Cherub Lake Road

Approved Design Criteria:

Bedrooms 2 Septic Tank Size: 1000 gallons Drainfield Size: 150 Linear Feet

Special Instructions: INSTALL SYSTEM ACCORDING TO LAYOUT AND LINCOLN COUNTY WASTEWATER REGULATION #3. ANY DEVIATIONS FROM APPROVED PLAN MUST BE AUTHORIZED BY THE DEPARTMENT.

Issued By: Kendra J. Lind, R.S.


Closure Statement:

I, _____, have inspected this system and found it to be in compliance with the conditions of the permit, and the Lincoln County Wastewater Treatment and Disposal Regulation.

Signed: John Kampfe *Date:* 10-28-02

Title: installer

LOT LAYOUT
JAY & PAT LYONS
30 CHERUB LAKE ROAD
LOT 41, BLOCK 3
ANGEL ISLAND



CHERUB LAKE ROAD

SCALE: 1" = 20'