Option I

DRAINFIELD
~~SEPTIC TANK~~ PERMIT
for
LINCOLN COUNTY

Permit Sent June 6, 1976

Phone _____

Date June 2 1976

Property Owner Bob Munson Address [redacted]


Lot, Block Number, or legal description of Property Angel Island Block 1 Lot 21

To be built by: Washington Square feet absorption area. 150 sq ft. per bedroom

Septic Tank Size 1000 gal # of bedrooms 3-4 Water Supply Public well


Description of Absorption Area: Dig a ditch not least 225 in length x 2½-3' deep x 2' wide according to lot layout and ditch diagram. Grade of pipe should not exceed 1% drop. A lift station is to be installed

Sketch; Must include property lines, buildings, and proposed septic tank-drainfield layout. Sketch must show distance from absorption area to wells, springs, streams, or lakes. Indicate depth of water table. Indicate slope.



Ditch Diagram

LOT LAYOUT



Soil: Sandy Clay w/ mixed Rock

Slope: ± 2-4%

Issued by Ron Anderson Inspected by _____

Date June 2, 1976

Option II

DRAINFIELD

~~SEPTIC TANK~~ PERMIT

for

LINCOLN COUNTY

Permit Sent _____

Date _____

Phone _____

Property Owner _____ Address _____


Lot, Block Number, or legal description of Property _____

To be built by: _____ Square feet absorption area. _____

Septic Tank Size _____ # of bedrooms _____ Water Supply _____


Description of Absorption Area: Dig a seepage bed 95' in length x 20' in width by 2½-3' deep according to lot layout.

Sketch; Must include property lines, buildings, and proposed septic tank-drainfield layout. Sketch must show distance from absorption area to wells, springs, streams, or lakes. Indicate depth of water table. Indicate slope.



DITCH DIAGRAM

LOT LAYOUT



SOIL:

SLOPE:

Issued by _____ Inspected by _____

Date _____