LINCOLN COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
WASTEWATER TREATMENT AND DISPOSAL SYSTEM PERMIT

Issue Date: 11/06/06 Expiration Date: 11/07/07

Property Owner: Jon Presnell c/o:

Address: [redacted]

Telephone: (Home) [redacted] (Work)

Installer: Rich Thompson License No. 73

__XX__ New Installation _____ Existing System

_____ Repair _____ Replacement _____ Extension _____ Other

Describe:

Parcel Description:

Legal: Lot 9 in Kootenai Valley Estates

Address or Location: 171 Estate Drive

Approved Design Criteria:

Bedrooms 3 Septic Tank Size: 1000 gallons Drainfield Size: 400 Linear Feet

SYSTEM MUST INCLUDE INSTALLATION OF EFFLUENT FILTER AT SEPTIC TANK OUTLET !!

Special Instructions: INSTALL SYSTEM ACCORDING TO LAYOUT, DEQ-4 AND LINCOLN COUNTY WASTEWATER REGULATION #3. ANY DEVIATIONS FROM APPROVED PLAN MUST BE AUTHORIZED BY THE DEPARTMENT.

Issued By: *Kendra J. Lind, R.S.*

Closure Statement:

I, _____, have inspected this system and found it to be in compliance with the conditions of the permit, and the Lincoln County Wastewater Treatment and Disposal Regulation.

Signed: _____ *Date:* _____


Title: _____

NOTICE: The Department must be notified at least 48 hours prior to backfilling the system. Any system not inspected by the Department or its designated representative prior to closure is an illegal installation in violation of Lincoln County Health Board Regulation No. 3. Illegal installations may result in fines and/or requirements to remove or reconstruct the system.

406-293-7781

DISCLAIMER

This permit is not a guarantee by the Department that the system will function properly for a prescribed period of time.


KOOTENAI VALLEY ESTATES - LOT 9
= HOUSE
= TANK
1,000 gal TANK
400 sq ft field
ESTATE
60' County Road
DRIVE
LOT 8
±2.302 ACRES
4-100' Trenches
10' Spacing
3%
4-100' Trench
10' Spacing
LOT 9
±2.620 ACRES
4-100' Trenches
10' Spacing
4-100' Trenc
10' Spacing
60'