LINCOLN COUNTY SEPTIC SYSTEM PERMIT

file

ISSUED TO: Viola Sims PHONE: [redacted]

ADDRESS: [redacted] CONTRACTOR: Kampite

ISSUED BY (sign.): Ronald R Anderson R.S. DATE: 3-30-92

INSPECTION BY (sign.): _____ DATE: _____

*PLEASE NOTE: The Lincoln County "On-site Sewage Disposal Regulation" does not conform with all requirements of the Montana State "Sanitation in Subdivision Act". Therefore, septic systems permitted under the county regulation may not be approvable for the purpose of future land division health reviews.

You must notify the Department of Environmental Health a minimum of 8 working hours before backfilling the septic system, so that it can be inspected.

LOCATION OF PROPOSED SYSTEM: Angel Island Lot 62 Halo Court

SEPTIC TANK: 1000 gal. ABSORPTION AREA: 600 ft^2

SEWAGE DISCHARGE: — gal/day No. OF BEDROOMS: CURRENT: TRAVEL TRAILER FUTURE: 3 BEDROOM


WATER SUPPLY SOURCE: Public SOIL: Silty sandy loam with some gravel SLOPE: 5%

INSTRUCTIONS: Dig a ditch at least 160' in length x 2½-3' deep x 2' wide according to lot layout and ditch diagram. Grade of pipe should not exceed 1% drop.

SKETCH OF LOT LAYOUT:

-No Scale-

See Attached Per Owner's Application



Ditch Diagram