1

file

LINCOLN COUNTY SEPTIC SYSTEM PERMIT

ISSUED TO: Geraldine West & Carol Bresnan PHONE: [redacted]

ADDRESS: C/O Geraldine Soule 98108
1531 SOUTH SHELTON SEATTLE WA CONTRACTOR: _____

ISSUED BY (sign.): John Peterson, RS DATE: 11-8-91

INSPECTION BY (sign): _____ DATE: _____

*PLEASE NOTE: The Lincoln County "On-site Sewage Disposal Regulation" does not conform with all requirements of the Montana State "Sanitation in Subdivision Act". Therefore, septic systems permitted under the county regulation may not be approvable for the purpose of future land division health reviews.

You must notify the Department of Environmental Health a minimum of 8 working hours before backfilling the septic system, so that it can be inspected.

LOCATION OF PROPOSED SYSTEM: FEAK TRACTS LOT 4 2.117Ac NE¼ Sec 29 T29 R33 Mile Post 20 Bull Lake Rd - Bull Lk Lot

SEPTIC TANK: 1000 gal. ABSORPTION AREA: 400 ft²

SEWAGE DISCHARGE: ~ gal/day No. OF BEDROOMS: 3

WATER SUPPLY SOURCE: proposed well SOIL: tight silt SLOPE: 0%

INSTRUCTIONS: Dig a ditch 200' long x 2½-3' deep x 2' wide according to lot layout and septic system regulation. Slope of pipe should not exceed a 1% drop.

SKETCH OF LOT LAYOUT:

