NEW

SEPTIC TANK PERMIT
for
LINCOLN COUNTY

Permit Sent _____

Date 4-28-81

Phone _____

Property Owner ORLIE TROYER MERVIN TROYER Address [redacted]


Lot, Block Number, or legal description of Property B15 Lot 5 Angel Island

To be built by: _____ Square feet absorption area. 320

Septic Tank Size 1000 gal # of bedrooms 2-3 Water Supply Community

Description of Absorption Area: Dig a ditch 160' long x 2½-3' deep x 2' wide according to lot layout and ditch diagram. Slope of pipe should not exceed a 1" drop. Install drop boxes at each line. See attached diagram.

Sketch; Must include property lines, buildings, and proposed septic tank-drainfield layout. Sketch must show distance from absorption area to wells, springs, streams, or lakes. Indicate depth of water table. Indicate slope.




DITCH DIAGRAM

SOIL: Tight Silt

SLOPE: 10-20%

LOT LAYOUT




Issued by John W. Peterson, R.S. Inspected by _____


Date 4-28-81

FIGURE 8

SERIAL DISTRIBUTION SYSTEM



PLAN VIEW



CROSS SECTION OF DROP BOXES AND LINE BETWEEN DROP BOXES

Fig. 9

2½ - 3'

① keep these Pipe at Same elevation

② Design box to act as surge box to break effluent velocity