file

LINCOLN COUNTY SEPTIC SYSTEM PERMIT

ISSUED TO: Wayne Butts PHONE: 889-3714

ADDRESS: [redacted] CONTRACTOR: Deep Cr. Constr.

ISSUED BY (sign.): John Peterson, RS DATE: 6-3-91

INSPECTION BY (sign.): _____ DATE: _____

*PLEASE NOTE: The Lincoln County "On-site Sewage Disposal Regulation" does not conform with all requirements of the Montana State "Sanitation in Subdivision Act" Therefore, septic systems permitted under the county regulation may not be approvable for the purpose of future land division health reviews.

You must notify the Department of Environmental Health a minimum of 8 working hours before backfilling the septic system, so that it can be inspected.

LOCATION OF PROPOSED SYSTEM: SW¼ NW¼ Sec 9 T36R27

SEPTIC TANK: 1000 gal. ABSORPTION AREA: 360 ft²

SEWAGE DISCHARGE: ~ gal/day No. OF BEDROOMS: 3

WATER SUPPLY SOURCE: Well SOIL: Course Sand SLOPE: 2%

Drainfield INSTRUCTIONS: Dig a ditch 180' long x 2½-3' deep x 2' wide according to 1st layout & septic system regulations. Slope of pipe should not exceed a 10% drop.

SKETCH OF LOT LAYOUT: ← ROAD →

