LINCOLN COUNTY HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH
WASTEWATER TREATMENT AND DISPOSAL SYSTEM PERMIT

Issue Date: 11/06/2023 Expiration Date: 11/05/2024

Property Owner: William McChesney

Mailing Address: [redacted]

Telephone: [redacted] E-mail: [redacted]

Installer: Logan Munts License #: 160

Approved Work: (Check One) ☐ New Installation ☒ Existing System

☐ Replace Drainfield ☒ Replace Tank ☐ Extension

Describe: Installation of replacement tank.

Parcel Description:

Legal: ANGEL ISLAND, S29, T29 N, R33 W, BLOCK 004, LOT009, 5662

Property Address: 490 Holly Dr. Troy, MT 59935 Assessment Code: 5662

DEQ COSA: EQ# Date:

Approved Design Criteria: Installation of replacement tank. Any other modifications or extensions will require permitting.

# of Bedrooms: 2 Septic Tank Size: 1000 gallon Trench Width:

# of Laterals: 1 Length of Laterals: 100' Trench Depth:

SYSTEM MUST INCLUDE INSTALLATION OF EFFLUENT FILTER AT SEPTIC TANK OUTLET!!

Special Instructions: Install system according to the COSA, lot layout, the Lincoln County Wastewater Treatment and Disposal Regulation, and Circular DEQ-4. It is the installer's responsibility to ensure that all required horizontal setbacks are met. CHANGES MUST BE PRE-AUTHORIZED BY THE DEPARTMENT.

Issued By: Robin Blumberg, S97

NOTICE: The Department must be notified at least 3 business days (72 hours) prior to backfilling the system. Call 406-283-2442. Any system not inspected by the Department or its designated representative prior to closure is an illegal installation in violation of Lincoln County Health Board Regulation Ch. 3. Illegal installations may result in fines and/or requirements to remove or reconstruct the system.

Closure Statement:

This system is in compliance with the approved design criteria and Lincoln County's Wastewater Treatment and Disposal Regulation.

Signed: Logan Munts *Date:* 10/12/23

___ Lincoln County Health Department (LCHD) _X_ Licensed Installer w/ approval of LCHD

DISCLAIMER


This permit is not a guarantee by the Department that the system will function properly for a prescribed period of time.

5

Assessment Code _____

LOT LAYOUT

Cecil McDougal is going to pump out existing tank. Logan Musts is going to Remove existing tank. So we can then inspect and test drainfield to make sure it functions properly before investing in a new tank.



Attached is a copy of existing drainfield and tank location from 1991. Thank you