LINCOLN COUNTY SEPTIC SYSTEM PERMIT

ISSUED TO: Art Neils PHONE: [redacted]

ADDRESS: [redacted] CONTRACTOR: Kompfe

ISSUED BY (sign.): John W Peterson, RS 59278 DATE: 10-31-88

INSPECTION BY (sign.) _____ DATE: _____

*PLEASE NOTE: The Lincoln County "On-site Sewage Disposal Regulation" does not conform with all requirements of the Montana State "Sanitation in Subdivision Act". Therefore, septic systems permitted under the county regulation may not be approvable for the purpose of future land division health reviews.

You must notify the Department of Environmental Health a minimum of 8 working hrs. before backfilling the septic system, so that it can be inspected.

½ mi south of Kenoyer house

LOCATION OF PROPOSED SYSTEM: Lot 1 Gordon Beach - Bull Lake

SEPTIC TANK: 1000 gal. ABSORPTION AREA: 85 ft²

SEWAGE DISCHARGE: _____ gal/day No. OF BEDROOMS: 1

WATER SUPPLY SOURCE: Well SOIL: Rocky loam SLOPE: 0%

INSTRUCTIONS: Construct a 3 ring drywell as per Lot layout & Septic System regulations. Surround rings w/ at least 2' of washed rock.

SKETCH OF LOT LAYOUT:

