LINCOLN COUNTY HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH
WASTEWATER TREATMENT AND DISPOSAL SYSTEM PERMIT

Issue Date: 9/16/2022 Expiration Date: 9/15/2023

Property Owner: Cory Hildebrand

Mailing Address: [redacted]

Telephone: [redacted] E-mail: [redacted]

Installer: Homeowner – requires inspection License #: NA

Approved Work: (Check One) ☒ New Installation ☐ Existing System

☐ Replace Drainfield ☐ Replace Tank ☐ Extension

Describe: Gravity system, standard 2' wide trenches, perf pipe and drain rock

Parcel Description:

Legal: Whispering Pines Koocanusa 2, Lot 8, S6 T34N R26W, 5.44 acres

Property Address: 328 Whitetail Meadow Rd, Fortine Assessment Code: 1016

Approved Design Criteria:

# of Bedrooms: 1	Septic Tank Size: 1000 gallons	Drainfield Size: 510 square feet
# of Laterals: 3	Length of Laterals: 85 lineal feet	Trench Depth: 24 - 36 inches

SYSTEM MUST INCLUDE INSTALLATION OF EFFLUENT FILTER AT SEPTIC TANK OUTLET!!

Special Instructions: Install system according to the COSA, lot layout, the Lincoln County Wastewater Treatment and Disposal Regulation, and Circular DEQ-4. CHANGES MUST BE PRE-AUTHORIZED BY THE DEPARTMENT.

Issued By: *Kathi J. Hooper, R.S.*

NOTICE: The Department must be notified at least 3 business days (72 hours) prior to backfilling the system. Call 406-283-2442. Any system not inspected by the Department or its designated representative prior to closure is an illegal installation in violation of Lincoln County Health Board Regulation Ch. 3. Illegal installations may result in fines and/or requirements to remove or reconstruct the system.

Closure Statement:


This system is in compliance with the approved design criteria and Lincoln County's Wastewater Treatment and Disposal Regulation.

Signed: _____ *Date:* _____

_____ Lincoln County Health Department (LCHD) _____ Licensed Installer w/ approval of LCHD

DISCLAIMER

This permit is not a guarantee by the Department that the system will function properly for a prescribed period of time.


Lot Layout
0000001016
more acreage
property line
property line
well
underground WATER LINE
parking
768 SQFT House 1BD 1Bath
Distribution BOX
85 ft leach field
1000 gallon septic Tank
Drawing is approx. 1.5 acres
Total lot is 5.44 acres
2% SLOPE
underground electric
DRIVEWAY
DRIVEWAY
SHED
underground electrical line
Electrical Meter
WHITETALE MEADOW RD
NORTH
We own this lot as well - vacant