LINCOLN COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
WASTEWATER TREATMENT AND DISPOSAL SYSTEM PERMIT

Issue Date: 03/28/2022 Expiration Date: 03/28/2023

Property Owner: Sanders, Timothy c/o: Koocanusa Excavating

Address: [redacted]

Telephone: [redacted]

Installer: Oedewaldt Construction License No. 002

__XX__ New Installation ____ Existing System

____ Repair ____ Replacement ____ Extension ____ Other

Describe: 1,000 gallon septic tank and effluent filter (pump to DF, then gravity fed). Gravelles trenches (infiltrators/chambers,) with 2 laterals at 100-feet in length each.

Parcel Description:

Legal: BRADSHAW FLATS SUBDIVISION

Address or Location: 3094 MT Highway 37, Libby, MT 59923

Geo/Assessors code: 0000050066

Approved Design Criteria:

Bedrooms 3 Septic Tank Size: 1,000 gal tank Drainfield Size: 200 Linear Feet

SYSTEM MUST INCLUDE INSTALLATION OF EFFLUENT FILTER AT SEPTIC TANK OUTLET !!

Special Instructions: INSTALL SYSTEM ACCORDING TO LAYOUT, DEQ-4 AND LINCOLN COUNTY WASTEWATER REGULATION #3. ANY DEVIATIONS FROM APPROVED PLAN MUST BE AUTHORIZED BY THE DEPARTMENT.

Issued By: *Nicholas Raines*

Closure Statement:

I, _____, have inspected this system and found it to be in compliance with the conditions of the permit, and the Lincoln County Wastewater Treatment and Disposal Regulation.

Signed: _____ *Date:* _____

Title: _____

NOTICE: The Department must be notified at least 48 hours prior to backfilling the system. Any system not inspected by the Department or its designated representative prior to closure is an illegal installation in violation of Lincoln County Health Board Regulation No. 3. Illegal installations may result in fines and/or requirements to remove or reconstruct the system.
406-283-2442


DISCLAIMER

This permit is not a guarantee by the Department that the system will function properly for a prescribed period of time.

5

BRADSHAW FLATS SUBDIVISION

SW¼ SE¼ SEC 25 & NW¼ NE¼ SEC. 36, T31N, R31W
LINCOLN COUNTY



Key

- Proposed well
- Proposed WWTS & 100% Replacement
- Water Line
- Proposed septic tank
- Test Hole
- Proposed Storm Water Retention Pond (20' x 40' x 1')
- Flood Plain Boundary Per FEMA Case #16-08-1225A

APPROVED
Montana Department of
Environmental Quality
Eleanor Goins 11/2/2021
Reviewer Date
EQ# 21-2273

D. Salisbury Consulting LLC
251 Lupine Drive
Kalispell, MT 59901
(406) 370-0392