LINCOLN COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
WASTEWATER TREATMENT AND DISPOSAL SYSTEM PERMIT

Issue Date: 03/04/2022 Expiration Date: 03/04/2023

Property Owner: Kamp, Baron / Nothrup, Rita c/o: Johnson, Jere

Address: [redacted]

Telephone: [redacted]

Installer: TBD License No. N/A

XX New Installation ____ Existing System

____ Repair _____ Replacement ____ Extension ____ Other

Describe: Pressure-dosed system with Myers ME 45 pump, 1,000-gallon septic tank, 500 gallon pump tank, and effluent filter. Standard 3-feet wide absorption trenches. 4 laterals at 50-feet in length each.

Parcel Description:

Legal: CRYSTAL LAKES UNIT 1, S19, T35 N, R25 W, Lot 50

Address or Location: Forest Loop, Libby, MT 59923

Geo/Assessors code: 0000000717

Approved Design Criteria:

Bedrooms 3 Septic Tank Size: 1,000 gallon Drainfield Size: 150 Linear Feet

SYSTEM MUST INCLUDE INSTALLATION OF EFFLUENT FILTER AT SEPTIC TANK OUTLET !!

Special Instructions: *INSTALL SYSTEM ACCORDING TO LAYOUT, DEQ-4 AND LINCOLN COUNTY WASTEWATER REGULATION #3. ANY DEVIATIONS FROM APPROVED PLAN MUST BE AUTHORIZED BY THE DEPARTMENT*. **SEPTC TANK TO BE INSTALLED AT LEAST 50-FEET FROM THE EXISTING WELL.**

Issued By: Nicholas Raines

Closure Statement:

I, _____, have inspected this system and found it to be in compliance with the conditions of the permit, and the Lincoln County Wastewater Treatment and Disposal Regulation.

Signed: _____ *Date:* _____

Title: _____

NOTICE: The Department must be notified at least 48 hours prior to backfilling the system. Any system not inspected by the Department or its designated representative prior to closure is an illegal installation in violation of Lincoln County Health Board Regulation No. 3. Illegal installations may result in fines and/or requirements to remove or reconstruct the system.
406-283-2442

DISCLAIMER

This permit is not a guarantee by the Department that the system will function properly for a prescribed period of time.

NORTHRUP PROPERTY
WATER AND SEWER
LOT LAYOUT

LOT 50, CRYSTAL LAKES UNIT #1
ES # 27-78-K1696
SECTION 13-T30N-R23W
LINCOLN COUNTY

LEGEND


PROPOSED PRIMARY/REPLACEMENT DRAINFIELDS

-FM- SEWER FORCEMAIN

-W- WATER LINE

N

1" = 50'



FOREST LOOP

Jere Johnson, RS
4572 Whitefish Stage Road
Whitefish MT 59937