LINCOLN COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
WASTEWATER TREATMENT AND DISPOSAL SYSTEM PERMIT

Issue Date:11/02/2021 Expiration Date: 11/02/2022

Property Owner: Amado Lopez c/o:

Address: [redacted]

Telephone: [redacted] (Work) [redacted]

Installer: Kootenai Sand & Gravel License No. 109

__XX__ New Installation ____ Existing System

____ Repair ____ Replacement ____ Extension ____ Other- Renewal (MD)

Describe: Gravity System using drain rock.

Parcel Description:

Legal: LOPEZ SUBDIVISION , S02, T36 N, R27 W, Lot 2, COS 4676RB

Address or Location: LOT 2

Geo/Assessors code: 0000054234

Approved Design Criteria:

Bedrooms: OFFICE/SHOP Septic Tank Size: (2) 1000 gallons Drainfield Size: 300 Lineal Feet

SYSTEM MUST INCLUDE INSTALLATION OF EFFLUENT FILTER AT SEPTIC TANK OUTLET !!

Special Instructions: INSTALL SYSTEM ACCORDING TO LAYOUT, DEQ-4 AND LINCOLN COUNTY WASTEWATER REGULATION #3. ANY DEVIATIONS FROM APPROVED PLAN MUST BE AUTHORIZED BY THE DEPARTMENT.

Issued By: Kathi Hooper, R.S.

Closure Statement:

I, _____, have inspected this system and found it to be in compliance with the conditions of the permit, and the Lincoln County Wastewater Treatment and Disposal Regulation.

Signed: _____ *Date:* _____


Title: _____

NOTICE: The Department must be notified at least 48 hours prior to backfilling the system. Any system not inspected by the Department or its designated representative prior to closure is an illegal installation in violation of Lincoln County Health Board Regulation No. 3. Illegal installations may result in fines and/or requirements to remove or reconstruct the system.

406-283-2442

DISCLAIMER

This permit is not a guarantee by the Department that the system will function properly for a prescribed period of time.


Lot 2 of Lopez subdivision
N
Shop
water
well
10' sch 40 - 4"
1000 gallon tank
sch 40 4" - 120'
100'
cleanout
power/phone
Driveway
sch 30 4" - 80'
1000 gallon tank
D-Box
Main Office
clean out
Reserve
perc test
220' East Boundary
16' sch 40 - 4"
25' southern boundary