LINCOLN COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
WASTEWATER TREATMENT AND DISPOSAL SYSTEM PERMIT

Issue Date: 10/06/2020 Expiration Date: 10/06/2021

Property Owner: Justin Harper c/o: Tom & Molly Baffa

Address: [redacted]

Telephone: (Home) (Work) [redacted]

Installer: Thompson Contracting Inc License No. 76

_XX_ New Installation ____ Existing System

__Repair ____ Replacement ____ Extension ____ Other

Describe: Three 84' Laterals using drain rock and perf pipe.

Parcel Description:

Legal: S30, T32 N, R31 W, PF #7012, PARCEL N/A, TR 3 PF #7012

Address or Location: Bobtail RD TR 3

Geo/Assessors code: 0000054158

Approved Design Criteria:

Bedrooms 3 Septic Tank Size: 1000 gallons Drainfield Size: 252 Lineal Feet

SYSTEM MUST INCLUDE INSTALLATION OF EFFLUENT FILTER AT SEPTIC TANK OUTLET !!

Special Instructions: INSTALL SYSTEM ACCORDING TO LAYOUT, DEQ-4 AND LINCOLN COUNTY WASTEWATER REGULATION #3. ANY DEVIATIONS FROM APPROVED PLAN MUST BE AUTHORIZED BY THE DEPARTMENT.

Issued By: *Jake Mertes, R.S.*

Closure Statement:

I, _____, have inspected this system and found it to be in compliance with the conditions of the permit, and the Lincoln County Wastewater Treatment and Disposal Regulation.

Signed: _____ *Date:* _____

Title: _____

NOTICE: The Department must be notified at least 48 hours prior to backfilling the system. Any system not inspected by the Department or its designated representative prior to closure is an illegal installation in violation of Lincoln County Health Board Regulation No. 3. Illegal installations may result in fines and/or requirements to remove or reconstruct the system.

406-283-2442

DISCLAIMER

This permit is not a guarantee by the Department that the system will function properly

LOT LAYOUT

N
Flood Zone Boundary Per Attached
Bobtail Creek
Future Drive way / Existing old logging Rd.
10 Acres Plot
Adjoining 10 Acres also owned by T. Barta
Well
100'+
Slip
1000 Gallon Tank
Proposed Drain Field
House w/garage
Septic