LINCOLN COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
WASTEWATER TREATMENT AND DISPOSAL SYSTEM PERMIT

Issue Date: 01/12/2021 Expiration Date: 01/12/2022

Property Owner: James & Tracy Mower c/o:

Address: [redacted]

Telephone: [redacted] (Home) (Work)

Installer: James Mower License No.

___XX New Installation ___ Existing System

___ Repair ___ Replacement ___ Extension ___ Other

Describe: Two 94' laterals using drain rock & perf pipe.

Parcel Description:

Legal: PARKSIDE @ FISHER RIVER, S14, T27 N, R28 W, ACRES 7.92, LOT 39 PM 6892

Address or Location: 1043 Loon Connector Rd LOT 39

Geo/Assessors code: 0000056115

Approved Design Criteria:

Bedrooms: 2 Septic Tank Size: 1000 gallons Drainfield Size: 188 Lineal Feet

SYSTEM MUST INCLUDE INSTALLATION OF EFFLUENT FILTER AT SEPTIC TANK OUTLET !!

Special Instructions: INSTALL SYSTEM ACCORDING TO LAYOUT, DEQ-4 AND LINCOLN COUNTY WASTEWATER REGULATION #3. ANY DEVIATIONS FROM APPROVED PLAN MUST BE AUTHORIZED BY THE DEPARTMENT.

Issued By: *Jake Mertes, R.S.*

Closure Statement:

I, _____, have inspected this system and found it to be in compliance with the conditions of the permit, and the Lincoln County Wastewater Treatment and Disposal Regulation.

Signed: _____ *Date:* _____

Title: _____

NOTICE: The Department must be notified at least 48 hours prior to backfilling the system. Any system not inspected by the Department or its designated representative prior to closure is an illegal installation in violation of Lincoln County Health Board Regulation No. 3. Illegal installations may result in fines and/or requirements to remove or reconstruct the system.

406-283-2442

DISCLAIMER

This permit is not a guarantee by the Department that the system will function properly for a prescribed period of time.

James Mowers
Lot 89
1043 Loon Connector Lubby

