LINCOLN COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
WASTEWATER TREATMENT AND DISPOSAL SYSTEM PERMIT

Issue Date: 07/6/2020 Expiration Date: 07/6/2021

Property Owner: Justin Teisberg c/o:

Address: [redacted]

Telephone: (Home) (Work)

Installer: Self License No.

__XX__ New Installation ____ Existing System

____ Repair ____ Replacement ____ Extension ____ Other

Describe: Three 65' Laterals using chambers. Size reduced per 0.6 app rate

Parcel Description:

Legal: S35 T30 R31

Address or Location: CS 4603FC Teisberg FT Tract 2B

Geo/Assessors code:

Approved Design Criteria:

Bedrooms 3 Septic Tank Size: 1000 gallons Drainfield Size: 195 lineal feet

SYSTEM MUST INCLUDE INSTALLATION OF EFFLUENT FILTER AT SEPTIC TANK OUTLET !!

Special Instructions: INSTALL SYSTEM ACCORDING TO LAYOUT, DEQ-4 AND LINCOLN COUNTY WASTEWATER REGULATION #3. ANY DEVIATIONS FROM APPROVED PLAN MUST BE AUTHORIZED BY THE DEPARTMENT.

Issued By: Jake Mertes, R.S.

Closure Statement:

I, _____, have inspected this system and found it to be in compliance with the conditions of the permit, and the Lincoln County Wastewater Treatment and Disposal Regulation.

Signed: _____ *Date:* _____

Title: _____

NOTICE: The Department must be notified at least 48 hours prior to backfilling the system. Any system not inspected by the Department or its designated representative prior to closure is an illegal installation in violation of Lincoln County Health Board Regulation No. 3. Illegal installations may result in fines and/or requirements to remove or reconstruct the system.

406-283-2442


DISCLAIMER

This permit is not a guarantee by the Department that the system will function properly for a prescribed period of time.


Name:Teisberg Family Transfer
County: Lincoln
Location: SWNE1/4 sec.35-T30N-R31W
E.Q.#

Legend

- test hole
- proposed drainfield site
- proposed replacement area
- proposed well site w/ 100' isolation
- mixing zone
- SCD (stormwater control device)




NOTE-
1. No nearby well or septic systems within 100 ft. shown
2. 17.36.103(i) No potential contamination sources to well within 200 ft.
3. Homeowners responsible for the maintenance of individual Stormwater Control Devices.
4. Homeowners Association to maintain check dams, culverts in road right-of-ways
5. Completion of the proposed subdivision will not increase the amount of pre-development, during a 100-year, 24 hour storm event, between proposed lots and from the proposed subdivision area to the ajoining properties. 174.36.310(3)(e)
6. Each lot to have a minimum of 10,000 sq. ft. of landscaping



Retention Pond/ Roadside Swale

12 cu. ft.²/ 1 lineal ft. = 89.76 gallons retention

feet required for new house
Stormwater Control Device (SCD)



N

1" = 200'

Enviro–Tech Consulting Inc.
Brian S. Launius
PO Box 5674
Kalispell, MT 59903
(406)257–2795