LINCOLN COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
WASTEWATER TREATMENT AND DISPOSAL SYSTEM PERMIT

Issue Date: 10/27/2020 Expiration Date: 10/27/2021 (REISSUE)

Property Owner: Wendy Wheeler c/o:

Address: [redacted]

Telephone: (Home) (Work)

Installer: License No.

__XX__ New Installation ____ Existing System

____ Repair ____ Replacement ____ Extension ____ Other

Describe: Pressure dosed sand mound, per Davis surveying design for apartment/shop

Parcel Description:

Legal: S07, T35 N, R27 W, C.O.S. 3905, ACRES 1, TRACT 1 in SWSE

Address or Location: 141 WHISKEY RUN REXFORD MT 59930

Geo/Assessors code: 0000055587

Approved Design Criteria:

Bedrooms: 3 Septic Tank Size: 1000 gallons/Dosing Size: 500 Galls Drainfield Size: 112 Lineal Feet

SYSTEM MUST INCLUDE INSTALLATION OF EFFLUENT FILTER AT SEPTIC TANK OUTLET !!

Special Instructions: INSTALL SYSTEM ACCORDING TO LAYOUT, DEQ-4 AND LINCOLN COUNTY WASTEWATER REGULATION #3. ANY DEVIATIONS FROM APPROVED PLAN MUST BE AUTHORIZED BY THE DEPARTMENT.

Issued By: *Jake Mertes, R.S.*

Closure Statement:

I, _____, have inspected this system and found it to be in compliance with the conditions of the permit, and the Lincoln County Wastewater Treatment and Disposal Regulation.

Signed: _____ *Date:* _____

Title: _____

NOTICE: The Department must be notified at least 48 hours prior to backfilling the system. Any system not inspected by the Department or its designated representative prior to closure is an illegal installation in violation of Lincoln County Health Board Regulation No. 3. Illegal installations may result in fines and/or requirements to remove or reconstruct the system.

406-283-2442


DISCLAIMER

This permit is not a guarantee by the Department that the system will function properly for a prescribed period of time.

LINCOLN COUNTY, MONTANA
SEPTIC TANK PERMIT
(TRACT 1 OF C.O.S. NO. 3905)
IN THE SW1/4 SE1/4 SECTION 7,
TWP. 35 N., R. 27 W., P.M.M.
FOR: KELLY & WINDY WHEELER DATE: OCTOBER 2009

NO WELLS OR SEPTICS WITHIN 100' OF PROPERTY BOUNDARIES

INDIVIDUAL LOT OWNERS ARE RESPONSIBLE FOR THE MAINTENANCE OF ALL STORMWATER STRUCTURES



ELEVATED SAND MOUND SYSTEM
2-56' TRECHES 3' WIDE
7' APART

LEGEND

- TP — SOILS PROFILE
- W — PROPOSED WELL SITE (R=100')
- STORMWATER SWALE 34' LONG
- EXISTING BUILDING SITE
- SLOPE
- GRADIENT DIRECTION
- PROPOSED SEPTIC SITE 2-56' TRENCHES 7' APART
- REPLACEMENT SITE 2-56' TRENCHES 7' APART
- 100' MIXING ZONE

SCALE
1 INCH = 60 FT.

Davis Surveying Inc.
TROY MONTANA, (406)295-5441

DATE: 10/20/09	Land Projects 2009
DRAWN BY: MDM	FILE: T35R27S7.DWG