LINCOLN COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
WASTEWATER TREATMENT AND DISPOSAL SYSTEM PERMIT

Issue Date: 04/21/2020 Expiration Date: 04/21/2021

Property Owner: David Yutzy c/o: Gideon Yutzy

Address: [redacted]

Telephone: [redacted] (Home) (Work)

Installer: Gideon Yutzy License No. 113

__xx__ New Installation ____ Existing System

____ Repair ____ Replacement ____ Extension ____ Other

Explain: Single Family Home toilet in garage

Describe: Two 70' laterals using gravelless chambers.

Parcel Description:

Legal: S27 T37 R27

Address or Location: Coyote Run Estates 2 Lot 7

Geo/Assessors code: 00000054218

Approved Design Criteria:

Bedrooms 2 Septic Tank Size 1000 gallons Drainfield Size: 140 linear feet

SYSTEM MUST INCLUDE INSTALLATION OF EFFLUENT FILTER AT SEPTIC TANK OUTLET !!

Special Instructions: INSTALL SYSTEM ACCORDING TO LAYOUT, DEQ-4 AND LINCOLN COUNTY WASTEWATER REGULATION #3. ANY DEVIATIONS FROM APPROVED PLAN MUST BE AUTHORIZED BY THE DEPARTMENT.

Issued By: Jake Mertes, R.S.

Closure Statement:

I, _____, have inspected this system and found it to be in compliance with the conditions of the permit, and the Lincoln County Wastewater Treatment and Disposal Regulation.


Signed: _____ *Date:* _____

Title: _____

NOTICE: The Department must be notified at least 48 hours prior to backfilling the system. Any system not inspected by the Department or its designated representative prior to closure is an illegal installation in violation of Lincoln County Health Board Regulation No. 3. Illegal installations may result in fines and/or requirements to remove or reconstruct the system.

406-283-2442

DISCLAIMER


N
LOT LAYOUT
well
Shared well
Water Line
Lot 7 Coyote Run Estates
Coyote Run Rd
drive way
2 Bedroom Home
Future garage
1000 gal Tank
Power line
D-Box
Replacement Zone
2-2"x12" lines
Drainfield