LINCOLN COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
WASTEWATER TREATMENT AND DISPOSAL SYSTEM PERMIT

Issue Date: 12/28/2021 Expiration Date: 12/28/2022

Property Owner: Davis, Joe c/o: Earth Works

Address: PO Box 1021 Eureka, MT 59917 (installer)

Telephone: 406.249.03231 (Installer)

Installer: Earth Works License No. 164

XX New Installation ____ Existing System ____ Repair ____ Replacement

____ Extension ____ Other

Describe: 1,000 gallon septic tank with effluent filter. Gravity system, gravelless trenches (infiltrators) with 2 laterals @ 72-feet each in length.

Parcel Description:

Legal: S24, T37 N, R27 W, CS 654, PARCEL N/A, TRACT 3 IN E2SW CS 654 20.001 ACRES

Address or Location: N/A

Geo/Assessors code: 0000007805

Approved Design Criteria:

Bedrooms 3 Septic Tank Size: 1,000 gallon Drainfield Size: 144 Linear Feet

SYSTEM MUST INCLUDE INSTALLATION OF EFFLUENT FILTER AT SEPTIC TANK OUTLET !!

Special Instructions: INSTALL SYSTEM ACCORDING TO LAYOUT, DEQ-4 AND LINCOLN COUNTY WASTEWATER REGULATION #3. ANY DEVIATIONS FROM APPROVED PLAN MUST BE AUTHORIZED BY THE DEPARTMENT.

Issued By: Nicholas Raines

Closure Statement:

I, _____, have inspected this system and found it to be in compliance with the conditions of the permit, and the Lincoln County Wastewater Treatment and Disposal Regulation.

Signed: _____ *Date:* _____

Title: _____

NOTICE: The Department must be notified at least 48 hours prior to backfilling the system. Any system not inspected by the Department or its designated representative prior to closure is an illegal installation in violation of Lincoln County Health Board Regulation No. 3. Illegal installations may result in fines and/or requirements to remove or reconstruct the system.
406-283-2442

DISCLAIMER

This permit is not a guarantee by the Department that the system will function properly for a prescribed period of time.

LOT LAYOUT

