PERMIT

Issue Date: 10-28-93 Permit No. _____

Property Owner: WILLIS KIER c/o: GREG & DENRIE ROCKWELL

Address: 321 East Side Road Troy, Mt

Telephone: (Home) [redacted] (Work) _____

Installer: _____ License No. _____

X New Installation _____ Existing System

_____ Repair _____ Replacement _____ Extension _____ Other

Describe: Feed Store Restroom - 3 employees

Parcel Description:

Legal: Ericksons Plat (Amended) Tract 13 Lot 1-6

Address or Location: West Libby

Approved Design Criteria:

Septic Tank Size: 1000 gallons Drainfield Size: 130 lineal feet

Special Instructions: Construct system as per lot layout and County Wastewater Regulation 3

Approved Site plan (Lot Layout) Attached

Issued By: John W Peterson, RS

Closure Statement

I, _____, have inspected this system and found it to be in compliance with the conditions of the permit, and the Lincoln County Wastewater Treatment and Disposal Regulation.

Signed: _____ *Date:* 1-27-94


Title: _____

LOT LAYOUT

WILLIS KIER 10/28/93

OCTOBER 1993

A PART OF T31N., R31W., SECTION 32
ERICKSON'S PLAT TRACT 13



LEGEND

- Soil Profile
- Perculation Site
- Replacement Site
- Proposed Septic Site
- Slope
- Proposed Well Site (N/A)
- CITY WATER MAIN

WATER MAIN

GRAPHIC SCALE

60 0 30 60 120 240

(IN FEET)
1 inch = 60 ft.