LINCOLN COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
WASTEWATER TREATMENT AND DISPOSAL SYSTEM PERMIT

Issue Date: 6/25/2019 Expiration Date: 6/25/2020

Property Owner: Steve Schafer c/o:

Address: [redacted]

Telephone: (Home) [redacted] (Work)

Installer: Koocanusa Excavating License No. 135

__xx__ New Installation ____ Existing System

____ Repair ____ Replacement ____ Extension ____ Other

Describe: Two 64' pressure dosed laterals in 3' wide trenches using gravelless chambers.

Parcel Description:

Legal: S30 T36 R27

Address or Location: Kootenai Ridge Lot 1

Geo/Assessors code: 0000010682

Approved Design Criteria:

Bedrooms 2 Septic Tank Size: 1500/500 gallons Drainfield Size: 125 Linear Feet

SYSTEM MUST INCLUDE INSTALLATION OF EFFLUENT FILTER AT SEPTIC TANK OUTLET !!

Special Instructions: INSTALL SYSTEM ACCORDING TO LAYOUT, DEQ-4 AND LINCOLN COUNTY WASTEWATER REGULATION #3. ANY DEVIATIONS FROM APPROVED PLAN MUST BE AUTHORIZED BY THE DEPARTMENT.

Issued By: *Jake Mertes, R.S.*

Closure Statement:

I, _____, have inspected this system and found it to be in compliance with the conditions of the permit, and the Lincoln County Wastewater Treatment and Disposal Regulation.

Signed: _____ *Date:* _____


Title: _____

NOTICE: The Department must be notified at least 48 hours prior to backfilling the system. Any system not inspected by the Department or its designated representative prior to closure is an illegal installation in violation of Lincoln County Health Board Regulation No. 3. Illegal installations may result in fines and/or requirements to remove or reconstruct the system.

406-283-2442

DISCLAIMER

This permit is not a guarantee by the Department that the system will function properly



SCHAFER SITE LAYOUT

SYSTEM LAYOUT

REV	DESCRIPTION	BY/DATE	APPR/DATE

		COMPANY	KEI	SCALE: 1/16 & NOTED	KOOCANUSA EXCAVATING SCHAFER PROJECT
		CONTRACT:		DATE:	SITE LAYOUT
		VERIFIED		6/28/19	
		PLOT FILE:		WEIGHT	
		FILE:-0001			19016-001

THIS DRAWING IS PROPERTY OF KEI LAND, CONTRACT HAS BEEN SECURED BETWEEN OWNER & KEI IT CAN NOT BE SUBMITTED TO ANY OTHER PARTIES WITHOUT WRITTEN APPROVAL FROM KEI ENGINEERS

S. MCNAMARA 6/28/19

6/28/19

1