LINCOLN COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
WASTEWATER TREATMENT AND DISPOSAL SYSTEM PERMIT

Issue Date: 8/16/2017

Expiration Date: 8/16/2018

Property Owner: Norm Branch

c/o: Tom Cole

Address: PO BOX 239 Libby, MT 59923

Telephone: (Home) [redacted]

(Work)

Installer: Talley Hoe

License No. 1

_____ New Installation

__xx__ Existing System

_____ Repair __xx__ Replacement _____ Extension _____ Other

Describe: Two 81' laterals using infiltrators. Size reduced per 0.8 app rate

Parcel Description:

Legal: S8 T31 R31

Address or Location: Hutton Tracts Lot 4

Geo/Assessors code: 0000002584

Approved Design Criteria:

Bedrooms 3 Septic Tank Size: 1000 gallons Drainfield Size: 162 Linear Feet

SYSTEM MUST INCLUDE INSTALLATION OF EFFLUENT FILTER AT SEPTIC TANK OUTLET !!

Special Instructions: INSTALL SYSTEM ACCORDING TO LAYOUT, DEQ-4 AND LINCOLN COUNTY WASTEWATER REGULATION #3. ANY DEVIATIONS FROM APPROVED PLAN MUST BE AUTHORIZED BY THE DEPARTMENT.

Issued By: *Jake Mertes, R.S.*

Closure Statement:

I, _____, have inspected this system and found it to be in compliance with the conditions of the permit, and the Lincoln County Wastewater Treatment and Disposal Regulation.

Signed: _____ *Date:* _____


Title: _____

NOTICE: The Department must be notified at least 48 hours prior to backfilling the system. Any system not inspected by the Department or its designated representative prior to closure is an illegal installation in violation of Lincoln County Health Board Regulation No. 3. Illegal installations may result in fines and/or requirements to remove or reconstruct the system.

406-283-2442

DISCLAIMER

This permit is not a guarantee by the Department that the system will function properly for a prescribed period of time.



50:1 Sandy Rock
|
slope 2%
↓