LINCOLN COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
WASTEWATER TREATMENT AND DISPOSAL SYSTEM PERMIT

Issue Date: 6/20/2016 Expiration Date: 6/20/2017

Property Owner: Keith & Carol Dibbern c/o:

Address: [redacted]

Telephone: (Home) [redacted] (Work)

Installer: Bob Cuffe License No. 141

__xx__ New Installation ____ Existing System

____ Repair ____ Replacement ____ Extension ____ Other

Describe: Three 94' laterals using drainrock trenches

Parcel Description:

Legal: S35 T36 R26 COS 4406 Tract 1

Address or Location: 1003 Sherman Creek Rd

Geo/Assessors code: 0000059718

Approved Design Criteria:

Bedrooms 2 Septic Tank Size: 1000 gallons Drainfield Size: 282 Linear Feet

SYSTEM MUST INCLUDE INSTALLATION OF EFFLUENT FILTER AT SEPTIC TANK OUTLET !!

Special Instructions: INSTALL SYSTEM ACCORDING TO LAYOUT, DEQ-4 AND LINCOLN COUNTY WASTEWATER REGULATION #3. ANY DEVIATIONS FROM APPROVED PLAN MUST BE AUTHORIZED BY THE DEPARTMENT.

Issued By: Jake Mertes, R.S.

Closure Statement:

I, Robert Cuffe, *have inspected this system and found it to be in compliance with the conditions of the permit, and the Lincoln County Wastewater Treatment and Disposal Regulation.*

Signed: [signature] *Date:* 9/17/16

Title: President, Glacier Excavating, Inc.

NOTICE: The Department must be notified at least 48 hours prior to backfilling the system. Any system not inspected by the Department or its designated representative prior to closure is an illegal installation in violation of Lincoln County Health Board Regulation No. 3. Illegal installations may result in fines and/or requirements to remove or reconstruct the system.

406-283-2442

DISCLAIMER

This permit is not a guarantee by the Department that the system will function properly for a prescribed period of time.

EQ# 16-1568

Kendra Reid 3/11/16

RECEIVED

MAR 21 2016

MT DEQ PUBLIC WATER & SUBDIVISION BUREAU


LOT LAYOUT

SE1/4 SE1/4, SEC. 25, T36N, R26W, P.M.,M.,
FOR
KEITH & CAROL DIBBERN
DATE: FEBRUARY 15, 2016

Janet Skaaglund 3/24/16

SCALE: 1"=100'

TRACT 1, C.O.S. #4406FC
1.704 AC.±



NOTES

1) NO WASTEWATER TREATMENT AND WATER SUPPLY FACILITIES EXIST W/IN 100' OF SUBJECT PROPERTY, EXCEPT THOSE THAT ARE SHOWN HEREON.
2) CONVEYANCE DITCHES TO BE BUILT ALONG ALL ROADS AND DRIVES, AND DOWN GRADIENT OF BUILDINGS AND STRUCTURES.
3) ALL STORMWATER SHALL BE RETAINED ON THE PROPERTY. DRIVEWAY & BUILDING CONSTRUCTION MUST BE COMPLETED SUCH THAT RUNOFF WILL NOT FLOW OFF PROPERTY.
4) ALL STORMWATER STRUCTURES SHALL BE MAINTAINED BY THE PROPERTY OWNERS, AND RESPONSIBILTIY SHALL PASS WITH THE TRANSFER OF TITLE.

LEGEND

- TH3 △ TEST HOLE
- PROPOSED DRAINFIELD
- R REPLACEMENT DRAINFIELD
- PROPOSED WELL SITE W/100' ISOLATION ZONE
- MIXING ZONE
- RETENTION SWALE (3' WIDE BY 1' DEEP—TO BE BUILT DOWN GRADIENT OF BUILDINGS)
- CONVEYANCE DITCH W/ FLOW DIRECTION (2' WIDE BY 1' DEEP – TO BE BUILT DOWN GRADIENT OF BUILDINGS & DRIVEWAYS)
- x STAKED STRAW BALE
- 40' x 40' HOUSE SITE

SAM CORDI
REGISTERED LAND SURVEYOR
974 COLORADO AVE.
P.O. BOX 323
WHITEFISH, MT 59937
PHONE: (406)-862-9977