LINCOLN COUNTY HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH
WASTEWATER TREATMENT AND DISPOSAL SYSTEM PERMIT

Issue Date: 08/11/2025 Expiration Date: 08/10/2026 Permit#25-53157B

Property Owner: William and Ashley Krupa

Mailing Address: [redacted]

Installer: Dale Schmidt License #: 109

Approved Work: (Check One) ☒ New Installation ☐ Existing System

☐ Replace Drainfield ☐ Replace Tank ☐ Extension

Describe: Installation of new pressure dosed system for 2 Bedroom Cabin.

Legal: GLEN VIEW ESTATES, S23, T36 N, R26 W, ACRES 20, PM 6371 1IN S2NW SPLIT 53116 LOT 2

Property Address: 409 Glen Creek Ln., Eureka, MT 59917 Assessment Code: 53157

DEQ COSA: E.Q.# Date:

Approved Design Criteria: Installation of new pressure dosed system for 2 Bedroom Cabin with 5 Laterals @ 50'.

# of Bedrooms: 2 Septic Tank Size: 1000/500 Trench Width: 36"

# of Laterals: 5 Length of Laterals: 50' Trench Depth: 24"-36"

SYSTEM MUST INCLUDE INSTALLATION OF EFFLUENT FILTER AT SEPTIC TANK OUTLET!!

Special Instructions: Install system according to the lot layout, the Lincoln County Wastewater Treatment and Disposal Regulation, Circular DEQ-4, and COSA(If Applies). It is the installer's responsibility to ensure that all required horizontal setbacks are met. CHANGES MUST BE PRE-AUTHORIZED BY THE DEPARTMENT.

Issued By: Robin Blumberg, RS

NOTICE: The Department must be notified at least 3 business days (72 hours) prior to backfilling the system. Call 406-283-2442. Any system not inspected by the Department or its designated representative prior to closure is an illegal installation in violation of Lincoln County Health Board Regulation Ch. 3. Illegal installations may result in fines and/or requirements to remove or reconstruct the system.

Closure Statement:

This system is in compliance with the approved design criteria and Lincoln County's Wastewater Treatment and Disposal Regulation.

Signed: Robin Blumberg *Date:* 10/27/25

This permit is not finalized until the system is inspected and the closure statement is signed.

This permit is not a guarantee that the system will function properly for a prescribed period of time.

REV	DESCRIPTION	BY/DATE	APPD/DATE








WILLIAM KRUPA SITE LAYOUT

DRAINFIELD SIZING

(2) BEDROOM= 225 GPD
225 GPD/0.3 APP= 750 SQFT
750 SQ FT/3' CHAMBERS= 250 LF
250 LF/ 5 LATERALS= 50'



KRUPA SYSTEM LAYOUT

LOT 2
20.0 ACRES
409 GLEN CREEK LANE, EUREKA, MT 59917
S23, T36N, R26W, GLEN VIEW ESTATES
ASSESSMENT #0000053157
GEO 56-4824-23-2-02-35-0000

REV	DATE	COMPANY	SCALE:		SCHMIDT HAULING & EXCAVATION KRUPA SEPTIC
		DSHE	1/16 = 1'-0"		SITE LAYOUT
		CONTRACT:	DATE:	DIMS TOLERANCES:	10/30/25
		VERBAL	10/2023		
		PLOT FILE:	WEIGHT	FINISH	D. SCHMIDT 10/30/25
		PML-0001	---		456-001

THIS DRAWING IS PROPERTY OF SCHMIDT LAND, CONSTRUCTION AND MUST BE ACQUIRED BETWEEN OWNER & SCHMIDT. IT CAN NOT BE SUBMITTED TO ANY OTHER PARTIES WITHOUT WRITTEN APPROVAL FROM MDS MANAGEMENT

⑥ ⑤ ④ ③ ②