LINCOLN COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
WASTEWATER TREATMENT AND DISPOSAL SYSTEM PERMIT

Issue Date: 08/20/2013

Expiration Date: 08/21/2014

Property Owner: Jerry & Cheryl Schmidt

c/o: Greg K. Hanson, MH HOA

Address: [redacted]

Telephone: (Home) [redacted] (Work)

Installer: Tobacco Valley Construction License No.

__XX__ Direct Connection _____ Grinder Pump Connection _____ Lift Tank Connection

Describe: Sewer line connection to sewer main for approved "Common Drainfield A & B"

Parcel Description:

Legal: S11 T36 R28

Address or Location: Lot 12 in Phase II of Mariner's Haven Subdivision

Approved Design Criteria:

This lot is approved for one single-family residence not to exceed 2-bedrooms in size. This structural size may not be exceeded and wastewater flows are prohibited from exceeding 280 gallons per day. Any proposed increase in wastewater flows must be reviewed by and receive the approval of the Mariners Haven Environmental Review Board and the Montana DEQ Subdivision Section. Any activity that increases wastewater flows without prior review and approval is in violation of the conditions of approval and subject to enforcement action.

Special Instructions: INSTALL DIRECT SEWERLINE CONNECTION TO THE SEWER MAIN LINE FOR "COMMON DRAINFIELD A & B" ACCORDING TO THE LOT LAYOUT AND DEQ APPROVAL STATEMENT E.Q. #08-2971. ANY DEVIATIONS FROM APPROVED PLAN MUST HAVE PRIOR AUTHORIZATION FROM THE MARINER'S HAVEN HOA/ENVIRONMENTAL REVIEW BOARD, DEQ AND THE DEPARTMENT.

Issued By: *Kendra J. Lind, R.S.*

Closure Statement:

I, _____, have inspected this system and found it to be in compliance with the conditions of the permit, and the DEQ Approval Statement requirements.

Signed: _____ *Date:* _____

Title: _____


NOTICE: The Department must be notified at least 48 hours prior to installation of the connection. Any connection installation not inspected by the Department or its designated representative is considered an illegal connection and may be subject to fines and/or requirements to remove or reconstruct the connection.

406-293-7781

DISCLAIMER

This permit is not a guarantee by the Department that this connection will function properly for a prescribed period of time.

SITE PLAN



A lot layout must be drawn in plan view showing the following:

- ✓ Lot Line
- ✓ Set Backs
- ✓ Building Envelop
- ✓ Building Footprint