# LINCOLN COUNTY
# DEPARTMENT OF ENVIRONMENTAL HEALTH
# WASTEWATER TREATMENT AND DISPOSAL SYSTEM PERMIT

Issue Date: 10/05/2012 Expiration Date: 10/06/2013

Property Owner: Tony & Amy Fantozzi c/o:

Address: [redacted]

Telephone: (Home) (Work)

Installer: Terry Oedewaldt License No. 2

____ New Installation __XX__ Existing System

__XX__ Repair ____ Replacement __XX__ Extension ____ Other

Describe: Repair of lines broken by underground power installation and installation of leach bed next to existing drainfield to provide additional absorption area for home upgrade/expansion.

*Parcel Description*:

Legal: N-1/2 Lot 6 & all Lot 7 in Block 7 of Woodway Park 1st Addition

Address or Location: 109 Quartz Avenue

*Approved Design Criteria*:

# Bedrooms: 6 Septic Tank Size: Existing Added Drainfield Size: 20' x 30' Leach Bed

**SYSTEM MUST INCLUDE INSTALLATION OF EFFLUENT FILTER AT SEPTIC TANK OUTLET !!**

***Special Instructions: INSTALL SYSTEM ACCORDING TO LAYOUT, DEQ-4 AND LINCOLN COUNTY WASTEWATER REGULATION #3. ANY DEVIATIONS FROM APPROVED PLAN MUST BE AUTHORIZED BY THE DEPARTMENT.***

**Issued By:** *Kendra J. Lind, R.S.*

*Closure Statement:*

*I, _____, have inspected this system and found it to be in compliance with the conditions of the permit, and the Lincoln County Wastewater Treatment and Disposal Regulation.*

*Signed:* _____ *Date:* _____

*Title:* _____


**NOTICE: The Department must be notified at least 48 hours prior to backfilling the system. Any system not inspected by the Department or its designated representative prior to closure is an illegal installation in violation of Lincoln County Health Board Regulation No. 3. Illegal installations may result in fines and/or requirements to remove or reconstruct the system.**

406-283-2442

***DISCLAIMER***

This permit is not a guarantee by the Department that the system will function properly for a prescribed period of time.

# LOT LAYOUT




| LOCATIONS : | A | B |
|---|---|---|
| SCH 40 CONNECTION | 11'8 | 33'4 |
| 45° | 14'6 | 30'6 |
| TEE | 22'9 | 34'9 |
| 90 | 39'6 | 47' |