LINCOLN COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
WASTEWATER TREATMENT AND DISPOSAL SYSTEM PERMIT

Issue Date: 02/20/2013 Expiration Date: 02/21/2014

Property Owner: Lyle Pluid c/o: Barbara Renkema

Address: [redacted]

Telephone: (Home) [redacted] (Work)

Installer: Barbara Renkema License No. 78

__XX__ New Installation _____ Existing System

_____ Repair _____ Replacement _____ Extension _____ Other

Describe: Re-issue of 8/13/04 Permit – system was never installed.

Parcel Description:

Legal: S7 & S8 T36 R26

Address or Location: West Road

Approved Design Criteria:

Bedrooms: 3 Septic Tank Size: 1000 gallons Drainfield Size: 255 Linear Feet

SYSTEM MUST INCLUDE INSTALLATION OF EFFLUENT FILTER AT SEPTIC TANK OUTLET !!

Special Instructions: INSTALL SYSTEM ACCORDING TO LAYOUT, DEQ-4 AND LINCOLN COUNTY WASTEWATER REGULATION #3. ANY DEVIATIONS FROM APPROVED PLAN MUST BE AUTHORIZED BY THE DEPARTMENT.

Issued By: *Kendra J. Lind, R.S.*

Closure Statement:

I, _____, have inspected this system and found it to be in compliance with the conditions of the permit, and the Lincoln County Wastewater Treatment and Disposal Regulation.

Signed: _____ *Date:* _____

Title: _____

NOTICE: The Department must be notified at least 48 hours prior to backfilling the system. Any system not inspected by the Department or its designated representative prior to closure is an illegal installation in violation of Lincoln County Health Board Regulation No. 3. Illegal installations may result in fines and/or requirements to remove or reconstruct the system.

406-283-2442


DISCLAIMER

This permit is not a guarantee by the Department that the system will function properly for a prescribed period of time.

LINCOLN COUNTY, MONTANA
SEPTIC TANK PERMIT
IN SECTIONS 7 & 8
TWP. 36 N., R. 26 W., P.M.M.
FOR: COURTNEY PLUID DATE: MARCH 2004

LEGEND


- SOILS PROFILE
- PERCOLATION SITE
- EXISTING WELL SITE
- STORM WATER POND 20'+30'+2'
- SLOPE
- GRADIENT DIRECTION
- PROPOSED SEPTIC SITE 3-85' TRENCHES 10' APART
- REPLACEMENT SITE 3-85' TRENCHES 10' APART
- 500' MIXING ZONE
- SWALE 1.5'X 80'X 0.5'



ALONG THE UPPER DITCH LINES OF APPROACH ROADS

NO WELLS OR SEPTICS WITHIN 100' OF PROPERTY BOUNDARIES (TRACT 1)





SCALE
1 INCH = 300 FT.