LINCOLN COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
WASTEWATER TREATMENT AND DISPOSAL SYSTEM PERMIT

Issue Date: 05/06/2010 Expiration Date: 05/07/2010

Property Owner: Matt & Sheiri Hooten c/o: Davis Surveying

Address: [redacted]

Telephone: (Home) (Work) [redacted]

Installer: License No.

__XX__ New Installation _____ Existing System

_____ Repair _____ Replacement _____ Extension _____ Other

Describe: Drainfield sized to accommodate up to 5-bedroom residential unit.

Parcel Description:

Legal: S8 T31 R29

Address or Location: Parcel A of COS #1362

Approved Design Criteria:

Bedrooms: 4 Septic Tank Size: 1500 gallons Drainfield Size: 400 Linear Feet

SYSTEM MUST INCLUDE INSTALLATION OF EFFLUENT FILTER AT SEPTIC TANK OUTLET !!

Special Instructions: INSTALL SYSTEM ACCORDING TO LAYOUT, DEQ-4 AND LINCOLN COUNTY WASTEWATER REGULATION #3. ANY DEVIATIONS FROM APPROVED PLAN MUST BE AUTHORIZED BY THE DEPARTMENT.

Issued By: *Kendra J. Lind, R.S.*

Closure Statement:

I, _____, have inspected this system and found it to be in compliance with the conditions of the permit, and the Lincoln County Wastewater Treatment and Disposal Regulation.

Signed: _____ *Date:* _____

Title: _____


NOTICE: The Department must be notified at least 48 hours prior to backfilling the system. Any system not inspected by the Department or its designated representative prior to closure is an illegal installation in violation of Lincoln County Health Board Regulation No. 3. Illegal installations may result in fines and/or requirements to remove or reconstruct the system.


406-293-7781

DISCLAIMER

This permit is not a guarantee by the Department that the system will function properly for a prescribed period of time.

LINCOLN COUNTY, MONTANA
SEPTIC TANK PERMIT
(C.O.S. NO. 1362)
IN THE N1/2 OF SECTION 8,
TWP. 31 N., R. 29 W., P.M.M.
FOR: MATT & SHEIRI HOOTEN DATE: APRIL 2010






LEGEND

- SOILS PROFILE
- PERCOLATION SITE
- PROPOSED WELL SITE
- PROPOSED BUILDING SITE
- STORMWATER POND 20'x 30'x 2'
- SLOPE
- GRADIENT DIRECTION
- PROPOSED SEPTIC SITE 4-100' TRENCHES 10' APART
- REPLACEMENT SITE 4-100' TRENCHES 10' APART
- 200' MIXING ZONE


DITCH DETAIL
1 1/2" TO 2"
WASHED ROCK



ALONG THE UPPER DITCH LINES OF APPROACH ROADS

NO WELLS OR SEPTICS WITHIN 100' OF PROPERTY BOUNDARIES

GRAPHIC SCALE



(IN FEET)
1 inch = 200 ft.

Davis Surveying Inc.
TROY MONTANA, (406)295-5441

DATE: 04/30/10	
DRAWN BY: MDM	FILE:T31R29S8.DWG