LINCOLN COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH
WASTEWATER TREATMENT AND DISPOSAL SYSTEM PERMIT

Issue Date: 12/02/2009 Expiration Date: 12/02/2010

Property Owner: West Kootenai Fire Protection Co. c/o: Gideon Yutzy

Address: [redacted]

Telephone: (Home) [redacted] (Work) [redacted]

Installer: Gideon Yutzy License No. 113

__XX__ New Installation _____ Existing System

_____ Repair _____ Replacement _____ Extension _____ Other

Describe: System for West Kootenai Fire Station – up to 16 members. Using gravelless chambers for installation – 20% sizing reduction allowed per "Drainfield Size" below

Parcel Description:

Legal: NW-1/4 SW-1/4 S13 T37 R28

Address or Location: Corner of Roads 474 and 7176

Approved Design Criteria:

Max. Flows: 240 GPD Septic Tank Size: 1000 gallons Drainfield Size: 192 linear Feet

SYSTEM MUST INCLUDE INSTALLATION OF EFFLUENT FILTER AT SEPTIC TANK OUTLET !!

Special Instructions: INSTALL SYSTEM ACCORDING TO LAYOUT, DEQ-4 AND LINCOLN COUNTY WASTEWATER REGULATION #3. ANY DEVIATIONS FROM APPROVED PLAN MUST BE AUTHORIZED BY THE DEPARTMENT.

Issued By: *Kendra J. Lind, R.S.*

Closure Statement:

I, _____, have inspected this system and found it to be in compliance with the conditions of the permit, and the Lincoln County Wastewater Treatment and Disposal Regulation.

Signed: _____ *Date:* _____

Title: _____

NOTICE: The Department must be notified at least 48 hours prior to backfilling the system. Any system not inspected by the Department or its designated representative prior to closure is an illegal installation in violation of Lincoln County Health Board Regulation No. 3. Illegal installations may result in fines and/or requirements to remove or reconstruct the system.

406-293-7781

DISCLAIMER

This permit is not a guarantee by the Department that the system will function properly for a prescribed period of time.

Lot layout for West Kootenai Fire Protection Company.

